

ROMAN GRANIT

2024
CATALOG

HARDROCK

HUBUNGI :  **QHOME MART**

08112863773
CHAT ONLY

ROMAN GRANIT



2024



A perfect **look**
in a perfect **body**.

ROMAN GRANIT

ALL THE **EXCELLENCE** OF THE BEST **PORCELAIN TILES.**

A premium collection, bringing prestigious settings to life while redefining trends for modern living. There are many reasons for architects, interior designers, and final consumers to choose RomanGranit for their residential and commercial spaces: from the superior quality and reliability of the line, to the creative solutions it offers to both interior and exterior environments.



COLORED BODY

RomanGranit products are available in colored or white body alternatives, providing a wide range of solutions for any space.

SUPERIOR FEATURES FOR **UNIQUE SURFACES.**

A selection of rectified glazed porcelain tiles made only with the best raw materials. Elegant, trendy, classic, or contemporary. Our collections provide colors and sizes to create the perfect aesthetic combinations. There are many reasons to choose RomanGranit: superior quality, reliability, and creative solutions offered.



THE REAL GLAZED PORCELAIN TILES

Manufactured according to the highest standards of quality, using local white clay exposed to high pressure and temperatures exceeding 1200°C, Roman Granit is a Category B1A, certified ISO13006, product. Thanks to non-existing levels of water absorption, certified below 0,5%, real glazed porcelain tile are sure preserve their everlasting beauty.



DIGITAL TECNICA

An extraordinary technology that perfectly reproduces the actual effect of natural surfaces. Wood, marble and stone have never felt so real.



RECTIFIED EDGE

RomanGranit's products are all rectified: sizes are exact and tiles can be installed with minimum joints.

THE RELIABILITY OF A SOLID COMPANY.

Roman is the leader of ceramic brands in Indonesia. As a brand of 40 years in business, Roman offers high-value products to meet the needs of architects and interior designers: Roman ceramics tiles, suitable for everyday living spaces, and RomanGranit, a selection of refined glazed porcelain tiles.


HARD ROCK

THINK STRENGTH.

20MM THICKNESS
PORCELAIN TILES




Colored
Body
20mm
Thickness



SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dFuji Light



TGT605758CR
dFuji Light



TGT605759CR
dFuji Dark

V2




Mild random design (12)

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dWellington Sand



TGT605750CR
dWellington Sand



TGT605752CR
dWellington Savanna

V2



Mild random design (12)


SIZE: **60X60**

SURFACE: **STRUCTURED**


SLIP RESISTANCE: **R12**



dVesuvio Ash




TGT605766CR
dVesuvio Ash



TGT605767CR
dVesuvio Graphite

V2




Mild random design (9)

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dKilimanjaro Volcanic



TGT605763CR
dKilimanjaro Volcanic

V2



Mild random design (6)

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dTasman Day



TGT605756CR
dTasman Day



TGT605754CR
dTasman Night

V2




Mild random design (12)

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dMakaru Stone



TGT605775CR
dMakaru Stone



TGT605776CR
dMakaru Earth

V2



Mild random design (12)

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dJuparana Grey



TGT605769CR
dJuparana Grey


V2



Mild random design (7)



TGT635704CR
dPumori Grey



TGT635705CR
dPumori Charcoal



V2



Mild random design (12)




Bright **luxury**



SIZE: **60X30**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R13**



dPumori Grey

14

HUBUNGI :  **QHOMEMART**

08112863773
CHAT ONLY

SIZE: **60X30**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R13**



dAgora Perla



TGT635700CR
dAgora Perla




TGT635702CR
dAgora Charcoal



TGT635701CR
dAgora Grigio

V2




Mild random design (6)

SIZE: **60X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R13**



dAndesit Charcoal



TGT632803CR
dAndesit Smoke



TGT632804CR
dAndesit Charcoal

V2



Mild random design (8)

SIZE: **30X30**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dTambora Grigio



TGT338550CR
dTambora Perla



TGT338551CR
dTambora Grigio



TGT338552CR
dTambora Charcoal

V2



Mild random design (16)

SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**



dCandi Charcoal



TGT338055CR
dCandi Charcoal

 V1




Non random design

SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**



dTidore Avorio



TGT338059CR
dTidore Avorio



TGT338060CR
dTidore Grigio



V2




Mild random design (12)

SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**



dLavastone Sabana



TGT338066CR
dLavastone Sabana

V3



Moderate random design (11)



TGT338053CR
dPlutonic Acero



TGT338054CR
dPlutonic Antracite



V2



Mild random design (9)



Potent display of refined stone

SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**

dPlutonic Acero

2024 INDEX

60x60

dFuji	6
dJuparana	12
dKilimanjaro	9
dMakaru	11
dTasman	10
dVesuvio	8
dWellington	7

60x30



dAgora	15
dAndesit	16
dPumori	13

30x30

dCandi	18
dLavastone	20
dPlutonic	21
dTambora	17
dTidore	19

SHADE VARIATIONS

Shade variations are the characteristic of the tile that deliberate and visible differences in graphics and colour hue. Digital Tecnica technology creates stunning porcelain tiles with hyper-realistic surface tones, markings and textures which mimic a range of natural materials including; stone, timber, terracotta, cement, mosaic, marble and more.



V1 (Uniform Appearance)
Differences among pieces from the same production run are minimal.

Olvera Bright
60x60



V3 (Moderate Variation)
Amount and intensity of colors on each piece may vary significantly.

dRajasthan Sand
30x30



V2 (Slight Variation)
Clearly distinguishable differences in texture and/or pattern within similar colors.

dSalvadori White
60x60



V4 (Substantial Variation)
Random color differences each tile, so that one tile may have totally different colors from other tiles.

dDutch Blue
60x60

R-RATING SLIP RESISTANT

Floor tiles these days are given an anti slip rating. This rating comes in the form of an 'R' value (Ramp test) with a scale from R9 to R13 (R9 having the least slip resistance and R13 the highest slip resistance).

CLASSIFICATION	R9	R10	R11	R12	R13
SLIP ANGLE	6-9 DEGREE	10-18 DEGREE	19-26 DEGREE	27-34 DEGREE	>35 DEGREE
WET SLIP RISK	HIGH RISK	MODERATE	MODERATE	LOW RISK	LOW RISK
AREA OF USE	DRY AREA	OCCASIONAL WETNESS	OUTDOOR ENVIROMENT	WET/OUTDOOR ENVIROMENT	VERY WET COMMERCIAL AREA

- R9** : For internal dry area usage.
- R10** : For internal area with occasional spill or wetness (need constant cleaning/drying) : kitchens and bathrooms.
- R11** : For internal usage with constant spill or wetness (require continous cleaning and drying effort).
- R12** : For external usage (works in dry and wet situation with cautions).
- R13** : For external usage with other contaminant (such as oil).

TECHNICAL SPECIFICATION

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	ROMANGRANIT
Length and Width	ISO 10545-2	± 0.6%	± 0.10%
Side Straightness	ISO 10545-2	± 0.5%	± 0.10%
Rectangularity	ISO 10545-2	± 0.6%	± 0.10%
Centre & Edge Curvature	ISO 10545-2	± 0.5%	- 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Thickness	ISO 10545-2	± 5.0%	± 4.0%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	< 0.25%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min. 32 N/mm ²	≥ 40 N/mm ²
Crazing Resistance	ISO 10545-11	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class IV
Abrasion Resistance	ISO 10545-7	Group I to V	Group III to V

- The governing sizes and weights are subject to usual variations expected of fired ceramic productions.
- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

STANDARD PACKING DATA

FACTORY	TYPE	SIZE	PIECES/BOX	APPROX. SQM/BOX	APPROX. WEIGHT KG/BOX	BOXES/PALLET	PALLET/CONTAINER	APPROX. WEIGHT KG/PALLET	APPROX. WEIGHT TONNE/CONT.	APPROX. SQM/CONT.	APPROX. BOX/CONT.
RCI	Rectified	HARDROCK 60x60	2	0.72	33	32	21	1081	22.7	484	672
SRKI	Rectified	HARDROCK 60x30	3	0.54	24.8	40	23	1017	23.4	497	920
SRKI	Rectified	HARDROCK 30x30	6	0.54	24.8	50	19	1265	24	513	950

- Packing information may vary depending on spesification of each motif and size.
- The colors illustrated in this brocure are produces near to actual colors.

HUBUNGI



JL.RAYA JANTI NO.96

YOGYAKARTA

(0274) 493 22 88

08112863773

(CHAT ONLY)

f qhomemart t qhomemart

@ qhomemart v qhomemart

WWW.QHOMEMART.COM