


20

22

ROMAN

GRANIT



Tersedia di :



ROMAN GRANIT



20

22



A perfect **look**
in a perfect **body**.

ROMAN GRANIT

ALL THE **EXCELLENCE** OF THE BEST **PORCELAIN TILES.**

A premium collection, bringing prestigious settings to life while redefining trends for modern living. There are many reasons for architects, interior designers, and final consumers to choose RomanGranit for their residential and commercial spaces: from the superior quality and reliability of the line, to the creative solutions it offers to both interior and exterior environments.



COLORED BODY

RomanGranit products are available in colored or white body alternatives, providing a wide range of solutions for any space.

SUPERIOR FEATURES FOR **UNIQUE SURFACES.**

A selection of rectified glazed porcelain tiles made only with the best raw materials. Elegant, trendy, classic, or contemporary. Our collections provide colors and sizes to create the perfect aesthetic combinations. There are many reasons to choose RomanGranit: superior quality, reliability, and creative solutions offered.

Tersedia di :





THE REAL GLAZED PORCELAIN TILES

Manufactured according to the highest standards of quality, using local white clay exposed to high pressure and temperatures exceeding 1200°C, Roman Granit is a Category 1A, certified ISO13006, product. Thanks to non-existing levels of water absorption, certified below 0,5%, real glazed porcelain tile are sure preserve their everlasting beauty.




DIGITAL TECNICA

An extraordinary technology that perfectly reproduces the actual effect of natural surfaces. Wood, marble and stone have never felt so real.



RECTIFIED EDGE

RomanGranit's products are all rectified: sizes are exact and tiles can be installed with minimum joints.



THE RELIABILITY OF A SOLID COMPANY.

Roman is the main ceramic brand in Indonesia. With more than 35 years in business, it offers high-value products for floor and wall covering. A range of surfaces to meet market needs: Roman ceramics tiles made with glazed ceramics suitable for everyday living spaces, and RomanGranit, a selection of glazed porcelain tiles to design luxury settings.

Tersedia di :





HARD ROCK


THINK STRENGTH.



SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dFuji Light




TGT605758CR
dFuji Light



TGT605759CR
dFuji Dark

V2



Mild random design

dWELLINGTON


HARDROCK




SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dWellington Sand



TGT605750CR
dWellington Sand



TGT605752CR
dWellington Savanna

 V2



Mild random design

Tersedia di :



SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dVesuvio Ash




TGT605766CR
dVesuvio Ash



TGT605767CR
dVesuvio Graphite

V2




Mild random design

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dKilimanjaro Volcanic



TGT605762CR
dKilimanjaro Ash



TGT605764CR
dKilimanjaro Desert



TGT605763CR
dKilimanjaro Volcanic

V2




Mild random design


SIZE: **60X60**

SURFACE: **STRUCTURED**


SLIP RESISTANCE: **R12**



dTasman Night



TGT605754CR
dTasman Night



TGT605756CR
dTasman Day

V2



Mild random design

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dForaker Perla




TGT605772CR
dForaker Perla



TGT605773CR
dForaker Grigio

V2




Mild random design

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dMakaru Stone



TGT605775CR
dMakaru Stone



TGT605776CR
dMakaru Earth

V2




Mild random design

SIZE: **60X60**

SURFACE: **STRUCTURED**

SLIP RESISTANCE: **R12**



dJuparana Grey



TGT605769CR
dJuparana Grey



TGT605770CR
dJuparana Brown

V2



Mild random design

SIZE: **30X30**

SURFACE: **STRUCTURED**


SLIP RESISTANCE: **R12**




dTambora Grigio



TGT338550CR
dTambora Perla




TGT338551CR
dTambora Grigio



TGT338552CR
dTambora Charcoal

V2



Mild random design


SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**




dCandi Charcoal



TGT338055CR
dCandi Charcoal



V1



Non random design

SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**



dTidore Grigio



TGT338059CR
dTidore Avorio



TGT338060CR
dTidore Grigio



TGT338061CR
dTidore Bruno

V2




Mild random design

SIZE: **30X30**

SURFACE: **MATT**


SLIP RESISTANCE: **R12**



dLavastone Tierra



TGT338066CR
dLavastone Sabana




TGT338067CR
dLavastone Tierra


V3



Moderate random design



TGT338053CR
dPlutonic Acero



TGT338054CR
dPlutonic Antracite



NTCB8054CR
Cornertopping
dPlutonic Antracite




OTLB8054CR
Lineartopping
dPlutonic Antracite




RTTB8054CR
Steptile
dPlutonic Antracite




NTCB8053CR
Cornertopping
dPlutonic Acero



OTLB8053CR
Lineartopping
dPlutonic Acero




RTTB8053CR
Steptile
dPlutonic Acero



APPLICATION HARDSCAPE



V2



Mild random design

ACCESSORIES

The dPlutonic collection presents 3 accessories in the form:

Lineartopping (15x30cm), Cornertopping (15x15cm), and Steptile (30x30cm). These are outdoor tile innovations that complement the hardscape garden concept with natural motifs. For the use of stairs in parks or pedestrian areas that have different height levels, dPlutonic provides Steptile accessories.



Potent display of refined stone

SIZE: **30X30**

SURFACE: **MATT**

SLIP RESISTANCE: **R12**

dPlutonic Acero

20

22

INDEX

60x60

dForaker	11
dFuji	6
dJuparana	13
dKilimanjaro	9
dMakaru	12
dTasman	10
dVesuvio	8
dWellington	7

30x30

dCandi	15
dLavastone	17
dPlutonic	18
dTambora	14
dTidore	16

TECHNICAL SPECIFICATION & PACKING DATA

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	ROMANGRANIT
Length and Width	ISO 10545-2	± 0.6%	± 0.10%
Side Straightness	ISO 10545-2	± 0.5%	± 0.10%
Rectangularity	ISO 10545-2	± 0.6%	± 0.10%
Centre & Edge Curvature	ISO 10545-2	± 0.5%	- 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Thickness	ISO 10545-2	± 5.0%	± 4.0%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	- 0.15% to + 0.25%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min. 32 N/mm ²	≥ 40 N/mm ²
Crazing Resistance	ISO 10545-11	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class IV
Abrasion Resistance	ISO 10545-7	Group I to V	Group III to V

- The governing sizes and weights are subject to usual variations expected of fired ceramic productions.
- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

STANDARD PACKING DATA

FACTORY	TYPE	SIZE	PIECES/BOX	APPROX. SQM/BOX	APPROX. WEIGHT KG/BOX	BOXES/PALLET	PALLET/CONTAINER	APPROX. WEIGHT KG/PALLET	APPROX. WEIGHT TONNE/CONT.	APPROX. SQM/CONT.	APPROX. BOX/CONT.
RCI	Rectified	HARDROCK 60x60	2	0,72	34	32	19	1113	21.1	438	608
RCI	Rectified	HARDROCK 30x30	6	0,54	25.5	48 24	17 1	1249	21.2	454	840

- Packing information may vary depending on spesification of each motif and size.
- The colors illustrated in this brocure are produces near to actual colors.



JL.RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)
f qhomemart t qhomemart @ qhomemart v qhomemart
WWW.QHOMEMART.COM

August 2022



Visit our website

