



LUXURY VINYL TILE



HUBUNGI:



JL. RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart i qhomemart y qhomemart



WWW.QHOMEMART.COM

Vinyl Tile Aqualoc

Vinyl Tile Aqualoc flooring is made of flexible material and has high elasticity available in various colors and patterns. The Vinyl Rustic Aqualoc flooring material is also safe for allergy and asthma sufferers.

Vinyl Tile flooring Aqualoc is a synthetic material favored for its durability and functionality. It has become an increasingly popular flooring material in recent years because of its ability to fight off moisture and its versatile appearance. Plus, it's one of the most affordable flooring options.

VINYL TILE AQUALOC

Protective Wear Layer

Prevents wear & tear resistant

UV Special Surface Treatment

Inhibition of bacteria, dirt resistance easy to clean, prevent discoloration

Middle Layer


Guarantee the size stable and crush resistance

Printing Layer

Realistic material texture, natural style

Underlayer PVC Backing

In hot and humid environments, to maintain the size stability of the flooring



One carton box : 9.824 m² / 8 sheets



AL 8349

1228 x 188 x 3 mm



AL 8373

1228 x 188 x 3 mm



AL 8375

1228 x 188 x 3 mm



AL 8359

1228 x 188 x 3 mm



AL 8365

1228 x 188 x 3 mm



AL 8218

1228 x 188 x 2 mm



AL 8269

1228 x 188 x 2 mm



AL 8285

1228 x 188 x 2 mm



Water-base Adhesive

AF 890

Suitable : vinyl tile & roll, carpet tile & roll, and other interior materials.

Fast & Simple

Floor can be used immediately 1 x 24 hours No need to put adhesive on the back of the Vinyl Tile

Efficient

Glue application is only on the work floor (ceramic tile or cement) with a roller

Safe for Kids

No Odor & No Formaldehyde / VOC

Multi-Purpose

Multi-use for Wall Cornice (Profil Plafon), Wallpaper, even leather & sensitive material to solvent



No Formaldehyde & VOC



No Odor



Non Flammable



No Solvent



*Solvent in Yellow Glue (Chlorophrene) may cause vinyl material to shrink