

CAPO


SPC FLOORING

Stone Polymer Composite

 Click It !

Woodgrain Textured Embossed

Product Structure



1. UV Coating
2. Wear Layer
3. Decorative Film
4. SPC Layer Core
5. IXPE Layer

25 YEARS
RESIDENTIAL
DURABILITY

10 YEARS
COMMERCIAL
DURABILITY

-  WATER RESISTANT
-  ECO FRIENDLY
-  SCRATCH RESISTANT
-  EASY TO CLEAN
-  UV PROTECTION
-  BURN RESISTANT
-  SOUND ABSORBANT
-  TERMITE PROOF

Specification

Standard Pattern



100%
Virgin PVC

Size	:	184 x 1.220 mm
Wear Layer	:	0.3 mm
Thickness	:	5.5 mm (4.5 + 1 IXPE) 2.002 m ²
Qty	:	9 Pcs / Box
Thickness	:	7 mm (5.5 + 1.5 IXPE) 1.570 m ²
Qty	:	7 Pcs / Box

EXPORT QUALITY

USA STANDARD



SPC FLOORING

Standard Pattern



HEVEA




COCOA



HUMICRY



VERTIC



MAHAGONI



TORRI



MERKUSI



ULTIC



**SPC FLOORING**

Herringbone Pattern




HEVEA




COCOA



MAHAGONI



TORRI



Specification

Herringbone Pattern

Size	:	625 x 125 mm
Wear Layer	:	0.3 mm
Thickness	:	6 mm (4.5 + 1.5 IXPE) 1.875 m ²

Qty	:	24 Pcs / Box
Surface	:	Woodgrain Textured Embossed



Accessories

	Skirting	Size : 10 x 1,3 cm
	T-Mould	Size : 4,5 x 0,5 cm
	Stairnose	Size : 5,4 x 1,8 cm
	Reducer	Size : 4,5 x 0,8 cm
	L-Shape	Size : 2,5 x 1,5 cm

*All motif available

EXPORT QUALITY
USA STANDARD

HUBUNGI:



WWW.QHOMEMART.COM

JL.RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)
f qhomemart t qhomemart @ qhomemart v qhomemart