

Rosette Door Handle

“Road to Quality”



Rosette Door Handle

R 1002 AB



Finishing : Antique Brass
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


R 2002 AC



Finishing : Antique Copper
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


R 3002 NP



Finishing : Antique Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.

R 4002 NP



Finishing : Nickel Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


R 500 AN



Finishing : Antique Nickel
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel, Satin Nickel.

R 5011 HL




Finishing : Hair Line
Material : Stainless Steel




Rosette Door Handle

R 5021 HL




Finishing : Hair Line
Material : Stainless Steel

R 5031 HL





Finishing : Hair Line
Material : Stainless Steel

R 5041 HL





Finishing : Hair Line
Material : Stainless Steel

R 5051 HL





Finishing : Hair Line
Material : Stainless Steel

R 5061 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5071 HL / R 5151 HL




Finishing : Hair Line
Material : Stainless Steel

R 5091 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5101 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel



R 5111 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel


Rosette Door Handle

R 5121 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5131 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5141 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5161 HL




Finishing : Hair Line
Material : Stainless Steel

R 5171 HL





Finishing : Hair Line
Material : Stainless Steel

R 5181 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5211 HL




Finishing : Hair Line
Material : Stainless Steel

R 5221 HL



Finishing : Hair Line
Material : Stainless Steel



R 5231 HL



Finishing : Hair Line
Material : Stainless Steel


Rosette Door Handle

R 5241 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5251 HL




Finishing : Hair Line
Material : Stainless Steel

R 5261 HL




Finishing : Hair Line
Material : Stainless Steel

R 5271 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5281 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5291 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5301 HL




Finishing : Hair Line
Material : Stainless Steel

R 5311 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5321 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 5331 HL




Finishing : Hair Line
Material : Stainless Steel

R 5341 HL




Finishing : Hair Line
Material : Stainless Steel

R 5351 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel



R 6002 NP



Finishing : Nickel Polish
Material : Zinc Alloy



Available Colors : Nickel, Nickel Polish, Satin Nickel.

R 7001 HL




Finishing : Hair Line
Material : Stainless Steel - Zinc Alloy

R 7011 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel - Zinc Alloy

R 7021 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 7041 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel


R 8011 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel - Zinc Alloy


Rosette Door Handle

R 8021 HL



Finishing : Hair Line
Material : Stainless Steel

RO 8021 HL




Finishing : Hair Line
Material : Stainless Steel

R 8031 HL




Finishing : Hair Line
Material : Stainless Steel

RO 8031 HL




Finishing : Hair Line
Material : Stainless Steel

R 8041 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8051 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8061 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8071 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel


R 8081 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel


Rosette Door Handle

R 8091 HL




Finishing : Hair Line
Material : Stainless Steel

RO 8091 HL





Finishing : Hair Line
Material : Stainless Steel

R 8111 HL



Finishing : Hair Line
Material : Zinc Alloy


R 8122 NCNP



Finishing : Nickel - Nickel Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.

R 8131 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8141 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8151 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8161 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8171 HG





Finishing : Hair Line - Gloss
Material : Stainless Steel

R 8181 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 9011 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 9021 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

R 9042 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel

R 9061 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel

R 9071 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel

Rosette Oval

For aluminium door



FEATURE :


- Stainless steel body, so it's good corrosion resistant.
- Plastic bushing between handle and cover, make it more durable.
- Using flat spring steel, make the mechanism more strong and longer lifetime.
- Rosette ELT products have been tested 150,000 times which is equivalent to the use for 50 years and still works fine.

Plate Door Handle

“Road to Quality”




E 100 AB



Finishing : Antique Brass
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


E 103 NP



Finishing : Antique Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


E 200 AC



Finishing : Antique Copper
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


E 300 AB



Finishing : Antique Brass
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.


E 300 SN



Finishing : Satin Nickel
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.

E 300 NP




Finishing : Nickel Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper,
Antique Nickel, Nickel,
Nickel Polish, Satin Nickel.




E 300 NC



Finishing : Nickel
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.


E 301 NP



Finishing : Nickel Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.


E 302 AC



Finishing : Antique Copper
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.


E 304 AB



Finishing : Antique Brass
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.


E 400 NP



Finishing : Nickel Polish
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.


E 500 AN



Finishing : Antique Nickel
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel.


E 503 AC



Finishing : Antique Copper
Material : Zinc Alloy

Available Colors : Antique Brass, Antique Copper, Antique Nickel.


E 600 NC



Finishing : Nickel
Material : Zinc Alloy

Available Colors : Nickel, Nickel Polish, Satin Nickel.


E 601 NP



Finishing : Nickel Polish
Material : Zinc Alloy


Available Colors : Antique Brass, Antique Copper, Antique Nickel, Nickel, Nickel Polish, Satin Nickel.

E 700 NP




Finishing : Nickel Polish
Material : Zinc Alloy + Stainless Steel

E 701 NP




Finishing : Nickel Polish
Material : Zinc Alloy + Stainless Steel

E 801 NP




Finishing : Nickel Polish
Material : Zinc Alloy + Stainless Steel

E 804 NP




Finishing : Nickel Polish
Material : Zinc Alloy + Stainless Steel

E 10811 HL




Finishing : Hair Line
Material : Zinc Alloy

E 10812 NCNP




Finishing : Nickel - Nickel Polish
Material : Zinc Alloy

E 10907 HG




Finishing : Hair Line - Gloss
Material : Zinc Alloy + Stainless Steel

P 0104 NP




Finishing : Nickel Polish
Material : Zinc Alloy + Stainless Steel

P 0107 HL




Finishing : Hair Line
Material : Zinc Alloy + Stainless Steel

P 01071 HG




Finishing : Hair Line - Gloss
Material : Zinc Alloy + Stainless Steel

P 01081 HG




Finishing : Hair Line - Gloss
Material : Zinc Alloy + Stainless Steel

P 010811 HL




Finishing : Hair Line
Material : Zinc Alloy + Stainless Steel

P 010812 NCNP




Finishing : Nickel - Nickel Polish
Material : Zinc Alloy + Stainless Steel

P 01082 HL




Finishing : Hair Line
Material : Stainless Steel

P 01083 HL




Finishing : Hair Line
Material : Stainless Steel

P 01084 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 01087 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 01088 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 01091 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 01092 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 01517 HL




Finishing : Hair Line
Material : Stainless Steel

P 02051 HL




Finishing : Hair Line
Material : Stainless Steel

P 02052 HL




Finishing : Hair Line
Material : Stainless Steel

P 02053 HL




Finishing : Hair Line
Material : Stainless Steel

P 02056 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 02081 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel


P 02082 HL



Finishing : Hair Line
Material : Stainless Steel


Plate Door Handle

P 02084 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 02091 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 02092 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 02509 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 02516 HL




Finishing : Hair Line
Material : Stainless Steel

P 02517 HL




Finishing : Hair Line
Material : Stainless Steel

P 02521 HL




Finishing : Hair Line
Material : Stainless Steel

P 02522 HL



Finishing : Hair Line
Material : Stainless Steel


P 02535 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel


Plate Door Handle

P 0301 W




Finishing : Nickel Polish
Material : Alluminium + Zinc Alloy

P 0304 W




Finishing : Nickel Polish
Material : Alluminium + Zinc Alloy

P 04091 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 04704 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 04814 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 04815 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 04816 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 04906 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 04907 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 05511 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 05512 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 05513 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 05514 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 05518 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 06506 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 06523 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 06529 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 06532 HG




Finishing : Hair Line - Gloss
Material : Stainless Steel

P 06909 HG



Finishing : Hair Line - Gloss
Material : Stainless Steel




www.pancamaseelite.com




Round Pull Handle

“Road to Quality”




PHB XX1 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 301	30	19.5	1	¾
PHB 401	40	26	1	¾
PHB 501	50	35	1¼	1
PHB 601	60	42	1¼	1
PHB 801	80	58	1¼	1
PHB 1001	100	75	1¼	1
PHB 1201	120	90	1¼	1

PHB XX2 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 302	30	24	1	¾
PHB 402	40	32	1	¾
PHB 502	50	40	1¼	1
PHB 602	60	48	1¼	1
PHB 802	80	64	1¼	1
PHB 1002	100	80	1¼	1
PHB 1202	120	96	1¼	1

PHB XX3 SS



Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 303	30	26	1	¾
PHB 403	40	36	1	¾
PHB 503	50	44	1¼	1
PHB 603	60	54	1¼	1
PHB 803	80	74	1¼	1
PHB 1003	100	94	1¼	1
PHB 1203	120	114	1¼	1


PHB XX4 SS



Type	A (cm)	B (cm)	ØC (in)	D (mm)
PHB 304	30	19.5	1	25
PHB 404	40	26	1	25
PHB 504	50	35	1¼	25


Note : For special order for the length of Pull Handle more than 50 cm, should be reconfirmed to us for your satisfaction.

PHB XX5 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 305	34.1	26	1	1¼
PHB 405	43.6	36	1	1¼

PHB XX6 SS




Type	A (cm)	B (cm)	ØC (in)	D (cm)
PHB 306	30	27.5	1	4.1
PHB 406	40	37.5	1	4.1
PHB 506	50	46.8	1¼	5.1
PHB 606	60	56.8	1¼	5.1
PHB 806	80	76.8	1¼	5.1
PHB 1006	100	96.8	1¼	5.1
PHB 1206	120	116.8	1¼	5.1

PHB XX7 SS




Type	A (cm)	B (cm)	ØC (in)	D (cm)
PHB 307	30	27.5	1	4.1
PHB 407	40	37.5	1	4.1
PHB 507	50	46.8	1¼	5.1
PHB 607	60	56.8	1¼	5.1
PHB 807	80	76.8	1¼	5.1
PHB 1007	100	96.8	1¼	5.1
PHB 1207	120	116.8	1¼	5.1

PHB XX8 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 308	30	19.5	1	¾
PHB 408	40	26	1	¾
PHB 508	50	35	1¼	1
PHB 608	60	42	1¼	1
PHB 808	80	58	1¼	1
PHB 1008	100	75	1¼	1
PHB 1208	120	90	1¼	1

PHB XX9 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 309	30	27.5	1	1
PHB 409	40	37.5	1	1
PHB 509	50	46.8	1¼	1¼
PHB 609	60	56.8	1¼	1¼
PHB 809	80	76.8	1¼	1¼
PHB 1009	100	96.8	1¼	1¼
PHB 1209	120	116.8	1¼	1¼

PHB XX12 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 4012	40	35	1¼	1¼
PHB 5012	50	45	1¼	1¼
PHB 6012	60	54	1½	1½
PHB 8012	80	74	1½	1½
PHB 10012	100	94	1½	1½
PHB 12012	120	114	1½	1½
PHB 20012	200	194	1½	1½

PHB XX13 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 4013	40	30	1½	¾
PHB 5013	50	37.5	1½	¾
PHB 6013	60	45	1½	¾
PHB 8013	80	60	1½	¾
PHB 10013	100	75	1½	¾

PHB XX14 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 4014	40	37.5	1½	1
PHB 5014	50	47.5	1½	1
PHB 6014	60	57.5	1½	1
PHB 8014	80	77.5	1½	1
PHB 10014	100	97.5	1½	1

PHB XX15 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)	E (cm)
PHB 3015	30	25	1	1	4.3
PHB 4015	40	35	1	1	4.3
PHB 5015	50	44	1¼	1¼	4.9
PHB 6015	60	54	1¼	1¼	4.9
PHB 8015	80	74	1¼	1¼	4.9
PHB 10015	100	94	1¼	1¼	4.9
PHB 12015	120	114	1¼	1¼	4.9
PHB 20015	200	144	1¼	1¼	4.9

PHB XX16 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 3016	30	19.5	1	¾
PHB 4016	40	26	1	¾
PHB 5016	50	35	1¼	1
PHB 6016	60	42	1¼	1
PHB 8016	80	58	1¼	1
PHB 10016	100	75	1¼	1
PHB 12016	120	90	1¼	1
PHB 20016	200	150	1¼	1

PHB XX17 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 3017	30	19.5	1	¾
PHB 4017	40	26	1	¾
PHB 5017	50	35	1¼	1
PHB 6017	60	42	1¼	1
PHB 8017	80	58	1¼	1
PHB 10017	100	75	1¼	1
PHB 12017	120	90	1¼	1
PHB 20017	200	150	1¼	1

PHB XX18 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)	ØE (in)
PHB 4018	40	35	1¼	1¼	5/8
PHB 5018	50	45	1¼	1¼	5/8

PHB XX19 SS



Type	A (cm)	B (cm)	ØC (in)	D (mm)
PHB 3019	30	26	1	25
PHB 4019	40	36	1	25
PHB 5019	50	44	1¼	30
PHB 6019	60	54	1¼	30
PHB 8019	80	74	1¼	30
PHB 10019	100	94	1¼	30
PHB 12019	120	114	1¼	30
PHB 20019	200	194	1¼	30


PHB XX20 SS



Type	A (cm)	ØB (in)	ØC (in)	D (cm)
PHB 3020	30	1	1	4.1

Note : For special order for the length of Pull Handle more than 30 cm, should be reconfirmed to us for your satisfaction.


PHB XX21 SS



Type	A (cm)	ØB (in)	ØC (in)	D (cm)
PHB 3021	30	1	¾	4.1


Note : For special order for the length of Pull Handle more than 30 cm, should be reconfirmed to us for your satisfaction.

PHB XX22 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 5022	50	35	1¼	1
PHB 6022	60	42	1¼	1
PHB 8022	80	58	1¼	1

PHB XX27 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHB 4027	40	37	30	1¼
PHB 5027	50	47	30	1¼
PHB 6027	60	56	40	1½
PHB 8027	80	76	40	1½
PHB 10027	100	96	40	1½
PHB 12027	120	116	40	1½
PHB 20027	200	216	40	1½

PHB XX28 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4028	40	37	3	1¼
PHB 5028	50	47	3	1¼
PHB 6028	60	56	4	1½
PHB 8028	80	76	4	1½
PHB 10028	100	96	4	1½

PHB XX29 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4029	40	37.5	5.1	1
PHB 5029	50	47.5	5.1	1
PHB 6029	60	56.8	5.1	1¼
PHB 8029	80	76.8	5.1	1¼
PHB 10029	100	96.8	5.1	1¼

PHB XX30 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4030	40	24	5.1	1
PHB 5030	50	30.5	5.1	1
PHB 6030	60	36.5	5.1	1¼
PHB 8030	80	49	5.1	1¼
PHB 10030	100	61	5.1	1¼

PHB XX31 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 4031	40	24	1¼	1
PHB 5031	50	30.5	1¼	1
PHB 6031	60	36.5	1½	1¼
PHB 8031	80	49	1½	1¼
PHB 10031	100	61	1½	1¼
PHB 12031	120	73	1½	1¼
PHB 20031	200	122	1½	1¼

PHB XX32 SS



Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 4032	40	24	1¼	1
PHB 5032	50	30.5	1¼	1
PHB 6032	60	36.5	1½	1¼
PHB 8032	80	49	1½	1¼
PHB 10032	100	61	1½	1¼
PHB 12032	120	73	1½	1¼
PHB 20032	200	122	1½	1¼


PHB XX33 SS



Type	A (cm)	B (cm)	C (mm)	D (mm)
PHB 4033	40	22.5	25	26
PHB 5033	50	28	25	26


Untuk order dengan panjang lebih dari 50 cm mohon konfirmasi terlebih dahulu.

PHB XX34 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)	ØE (in)
PHB 4034	40	31	1½	1	¾
PHB 5034	50	39	1½	1	¾
PHB 6034	60	46.5	1½	1	¾
PHB 8034	80	62	1½	1	¾
PHB 10034	100	77.5	1½	1	¾

PHB XX35 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)	ØE (in)
PHB 3035	30	23	4.1	¾	1
PHB 4035	40	33	4.1	¾	1
PHB 5035	50	39.5	5.1	1	1¼
PHB 6035	60	49.5	5.1	1	1¼
PHB 8035	80	66	5.1	1	1¼
PHB 10035	100	82.5	5.1	1	1¼
PHB 12035	120	99	5.1	1	1¼
PHB 20035	200	165	5.1	1	1¼

PHB XX36 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4036	40	26	5.1	1
PHB 5036	50	35	5.1	1
PHB 6036	60	42	5.1	1¼
PHB 8036	80	58	5.1	1¼
PHB 10036	100	75	5.1	1¼
PHB 12036	120	90	5.1	1¼
PHB 20036	200	150	5.1	1¼

PHB XX37 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4037	40	36	5.1	1¼
PHB 5037	50	46	5.1	1¼
PHB 6037	60	56	5.1	1¼
PHB 8037	80	76	5.1	1¼
PHB 10037	100	96	5.1	1¼
PHB 12037	120	116	5.1	1¼
PHB 20037	200	296	5.1	1¼

PHB XX38 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4038	40	26	5.1	1
PHB 5038	50	35	5.1	1
PHB 6038	60	42	5.1	1¼
PHB 8038	80	58	5.1	1¼
PHB 10038	100	75	5.1	1¼
PHB 12038	120	90	5.1	1¼
PHB 20038	200	150	5.1	1¼

PHB XX39 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4039	40	26	5.1	1
PHB 5039	50	35	5.1	1
PHB 6039	60	42	5.1	1¼
PHB 8039	80	58	5.1	1¼
PHB 10039	100	75	5.1	1¼

PHB XX40 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)	ØE (in)
PHB 4040	40	36.8	1¼	1	¾
PHB 5040	50	46.8	1¼	1	¾
PHB 6040	60	56.8	1½	1	¾

PHB XX41 SS



Type	A (cm)	B (cm)	ØC (in)	D (cm)
PHB 3041	30	19.5	1	4.1
PHB 4041	40	26	1	4.1
PHB 5041	50	35	1¼	5.1
PHB 6041	60	42	1¼	5.1
PHB 8041	80	58	1¼	5.1
PHB 10041	100	75	1¼	5.1
PHB 12041	120	90	1¼	5.1


PHB XX42 SS



Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 5042	50	35	1¼	1
PHB 6042	60	42	1¼	1
PHB 8042	80	58	1¼	1


Untuk order dengan panjang lebih dari 50 cm mohon konfirmasi terlebih dahulu.

PHB XX43 SS



Type	A (cm)	B (cm)	C (mm)	D (mm)	ØE (in)
PHB 3043	30	23	34	26	1
PHB 4043	40	33	34	26	1
PHB 5043	50	39.5	34	26	1¼
PHB 6043	60	49.5	34	26	1¼
PHB 8043	80	66	34	26	1¼
PHB 10043	100	82.5	34	26	1¼
PHB 12043	120	99	34	26	1¼
PHB 20043	200	165	34	26	1¼


PHB XX44 SS



Type	A (cm)	B (cm)	C (cm)	D (cm)
PHB 3044	30	19.5	2.5	2.6
PHB 4044	40	26	2.5	2.6
PHB 5044	50	35	2.5	2.6

Note : For special order for the length of Pull Handle more than 50 cm, should be reconfirmed to us for your satisfaction.


PHB XX45 SS



Type	A (cm)	B (cm)	C (cm)	D (cm)	D (mm)
PHB 4045	40	30	2.5	2.6	43
PHB 5045	50	37.5	2.5	2.6	43


Note : For special order for the length of Pull Handle more than 50 cm, should be reconfirmed to us for your satisfaction.

PHB XX46 SS




Type	A (cm)	B (cm)	ØC (in)	ØD (in)
PHB 3046	30	26.5	1	1
PHB 4046	40	36.5	1	1
PHB 5046	50	45	1¼	1¼
PHB 6046	60	55	1¼	1¼
PHB 8046	80	75	1¼	1¼
PHB 10046	100	95	1¼	1¼

PHB XX47 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 3047	30	27.5	4.1	1
PHB 4047	40	37.5	4.1	1
PHB 5047	50	46.8	5.1	1¼
PHB 6047	60	56.8	5.1	1¼
PHB 8047	80	76.8	5.1	1¼
PHB 10047	100	96.8	5.1	1¼

PHB XX48 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4048	40	26	5.1	1
PHB 5048	50	35	5.1	1
PHB 6048	60	42	5.1	1¼
PHB 8048	80	58	5.1	1¼
PHB 10048	100	75	5.1	1¼

PHB XX49 SS




Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 4049	40	26	5.1	1
PHB 5049	50	35	5.1	1
PHB 6049	60	42	5.1	1¼
PHB 8049	80	58	5.1	1¼
PHB 10049	100	75	5.1	1¼

PHB XX50 SS



Type	A (cm)	B (cm)	C (cm)	ØD (in)
PHB 3050	30	19.5	4.1	¾
PHB 4050	40	26	5.1	¾
PHB 5050	50	35	5.1	1
PHB 6050	60	42	5.1	1
PHB 8050	80	58	5.1	1
PHB 10050	100	75	5.1	1


PHB XX61 SS



Type	A (cm)	B (cm)	C (mm)	D (mm)	ØE (in)
PHB 3061	30	22.5	40	15	1
PHB 4061	40	32.5	40	15	1
PHB 5061	50	40.5	50	20	1¼
PHB 6061	60	50.5	50	20	1¼
PHB 8061	80	70.5	50	20	1¼
PHB 10061	100	90.5	50	20	1¼
PHB 12061	120	110.5	50	20	1¼
PHB 20061	200	190.5	50	20	1¼


Round Pull Handle

PHB XX62 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)	ØE (in)
PHB 3062	30	22	40	30	1
PHB 4062	40	32	40	30	1
PHB 5062	50	39.5	50	40	1¼
PHB 6062	60	49.5	50	40	1¼
PHB 8062	80	69.5	50	40	1¼
PHB 10062	100	89.5	50	40	1¼
PHB 12062	120	109.5	50	40	1¼
PHB 20062	200	189.5	50	40	1¼

PHB XX63 SS



Type	A (cm)	B (cm)	C (mm)	D (mm)	ØE (in)
PHB 3063	30	22.5	40	30	1
PHB 4063	40	32.5	40	30	1
PHB 5063	50	41	50	40	1¼
PHB 6063	60	51	50	40	1¼
PHB 8063	80	71	50	40	1¼
PHB 10063	100	91	50	40	1¼
PHB 12063	120	111	50	40	1¼
PHB 20063	200	191	50	40	1¼


PHB XX66 SS



Type	A (cm)	B (cm)	C (mm)	ØD (in)	ØE (in)
PHB 3066	30	27.5	8	1	1¼
PHB 4066	40	37.5	8	1	1¼
PHB 5066	50	46.8	10	1¼	1½
PHB 6066	60	56.8	10	1¼	1½
PHB 8066	80	76.8	10	1¼	1½
PHB 10066	100	96.8	10	1¼	1½
PHB 20066	200	196.8	10	1¼	1½




PHBO XX02 SS




Type	A (cm)	B (cm)	C (mm)	D (cm)	ØE (in)
PHBO 4002	40	26	37	5.1	1

Square Pull Handle

“Road to Quality”




PHK XX1 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 301	30	22.5	15	1
PHK 401	40	30	15	1
PHK 501	50	37.5	20	1¼
PHK 601	60	45	20	1¼
PHK 801	80	60	20	1¼
PHK 1001	100	75	20	1¼
PHK 1201	120	90	20	1¼

PHK XX2 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 302	30	22.5	30	1
PHK 402	40	30	30	1
PHK 502	50	37.5	40	1¼
PHK 602	60	45	40	1¼
PHK 802	80	60	40	1¼
PHK 1002	100	75	40	1¼
PHK 1202	120	90	40	1¼

PHK XX3 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 303	30	27	15	30
PHK 403	40	37	15	30
PHK 503	50	46	20	40
PHK 603	60	56	20	40
PHK 803	80	76	20	40
PHK 1003	100	96	20	40
PHK 1203	120	116	20	40

PHK XX4 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 304	30	28.5	30	15
PHK 404	40	38.5	30	15
PHK 504	50	48	40	20
PHK 604	60	58	40	20
PHK 804	80	78	40	20
PHK 1004	100	98	40	20
PHK 1204	120	118	40	20

PHK XX5 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 305	30	22.5	25	25
PHK 405	40	30	25	25
PHK 505	50	37.5	25	25
PHK 605	60	45	30	30
PHK 805	80	60	30	30
PHK 1005	100	75	30	30
PHK 1205	120	90	30	30

PHK XX6 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 306	30	22.5	30	15
PHK 406	40	30	30	15
PHK 506	50	37.5	40	20
PHK 606	60	45	40	20
PHK 806	80	60	40	20
PHK 1006	100	75	40	20
PHK 1206	120	90	40	20

PHK XX7 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 307	30	22.5	25	25
PHK 407	40	30	25	25
PHK 507	50	37.5	30	30
PHK 607	60	45	30	30
PHK 807	80	60	30	30
PHK 1007	100	75	30	30
PHK 1207	120	90	30	30

PHK XX8 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 308	30	22.5	15	30
PHK 408	40	30	15	30
PHK 508	50	37.5	20	40
PHK 608	60	45	20	40
PHK 808	80	60	20	40
PHK 1008	100	75	20	40
PHK 1208	120	90	20	40

PHK XX9 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 309	30	27.5	25	25
PHK 409	40	37.5	25	25
PHK 509	50	47	30	30
PHK 609	60	57	30	30
PHK 809	80	77	30	30
PHK 1009	100	97	30	30
PHK 1209	120	117	30	30

PHK XX11 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3011	30	22.5	30	1
PHK 4011	40	30	30	1
PHK 5011	50	37.5	40	1¼
PHK 6011	60	45	40	1¼
PHK 8011	80	60	40	1¼
PHK 10011	100	75	40	1¼
PHK 12011	120	90	40	1¼

PHK XX12 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3012	30	22.5	30	15
PHK 4012	40	30	30	15
PHK 5012	50	37.5	40	20
PHK 6012	60	45	40	20
PHK 8012	80	60	40	20
PHK 10012	100	75	40	20
PHK 12012	120	90	40	20

PHK XX13 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3013	30	22.5	30	15
PHK 4013	40	30	30	15
PHK 5013	50	37.5	40	20
PHK 6013	60	45	40	20
PHK 8013	80	60	40	20
PHK 10013	100	75	40	20
PHK 12013	120	90	40	20

PHK XX14 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3014	30	22.5	25	¾
PHK 4014	40	30	25	¾
PHK 5014	50	37.5	30	1
PHK 6014	60	45	30	1
PHK 8014	80	60	30	1
PHK 10014	100	75	30	1
PHK 12014	120	90	30	1

PHK XX15 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3015	30	22.5	25	25
PHK 4015	40	30	25	25
PHK 5015	50	37.5	30	30
PHK 6015	60	45	30	30
PHK 8015	80	60	30	30
PHK 10015	100	75	30	30
PHK 12015	120	90	30	30

PHK XX16 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3016	30	22.5	25	25
PHK 4016	40	30	25	25
PHK 5016	50	37.5	30	30
PHK 6016	60	45	30	30
PHK 8016	80	60	30	30
PHK 10016	100	75	30	30
PHK 12016	120	90	30	30

PHK XX17 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3017	30	22.5	15	1
PHK 4017	40	30	15	1
PHK 5017	50	37.5	20	1¼
PHK 6017	60	45	20	1¼
PHK 8017	80	60	20	1¼
PHK 10017	100	75	20	1¼
PHK 12017	120	90	20	1¼

PHK XX18 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3018	30	28.5	15	1
PHK 4018	40	38.5	15	1
PHK 5018	50	48	20	1¼
PHK 6018	60	58	20	1¼
PHK 8018	80	78	20	1¼
PHK 10018	100	98	20	1¼
PHK 12018	120	118	20	1¼

PHK XX19 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3019	30	22.5	15	30
PHK 4019	40	30	15	30
PHK 5019	50	37.5	20	40
PHK 6019	60	45	20	40
PHK 8019	80	60	20	40
PHK 10019	100	75	20	40
PHK 12019	120	90	20	40

PHK XX20 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3020	30	28.5	15	30
PHK 4020	40	38.5	15	30
PHK 5020	50	48	20	40
PHK 6020	60	58	20	40
PHK 8020	80	78	20	40
PHK 10020	100	98	20	40
PHK 12020	120	118	20	40

PHK XX21 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3021	30	22.5	30	15
PHK 4021	40	30	30	15
PHK 5021	50	37.5	40	20
PHK 6021	60	45	40	20
PHK 8021	80	60	40	20
PHK 10021	100	75	40	20
PHK 12021	120	90	40	20

PHK XX22 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3022	30	22.5	30	15
PHK 4022	40	30	30	15
PHK 5022	50	37.5	40	20
PHK 6022	60	45	40	20
PHK 8022	80	60	40	20
PHK 10022	100	75	40	20
PHK 12022	120	90	40	20

PHK XX23 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)	E (cm)
PHK 3023	30	22.5	25	25	4.1
PHK 4023	40	30	25	25	4.1
PHK 5023	50	37.5	30	30	5.1
PHK 6023	60	45	30	30	5.1
PHK 8023	80	60	30	30	5.1
PHK 10023	100	75	30	30	5.1
PHK 12023	120	90	30	30	5.1

PHK XX24 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3024	30	22.5	15	1
PHK 4024	40	30	15	1
PHK 5024	50	37.5	20	1¼
PHK 6024	60	45	20	1¼
PHK 8024	80	60	20	1¼
PHK 10024	100	75	20	1¼
PHK 12024	120	90	20	1¼

PHK XX25 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3025	30	22.5	15	30
PHK 4025	40	30	15	30
PHK 5025	50	37.5	20	40
PHK 6025	60	45	20	40
PHK 8025	80	60	20	40
PHK 10025	100	75	20	40
PHK 12025	120	90	20	40

PHK XX26 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3026	30	22.5	30	15
PHK 4026	40	30	30	15
PHK 5026	50	37.5	40	20
PHK 6026	60	45	40	20
PHK 8026	80	60	40	20
PHK 10026	100	75	40	20
PHK 12026	120	90	40	20

PHK XX27 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3027	30	22.5	25	25
PHK 4027	40	30	25	25
PHK 5027	50	37.5	30	30
PHK 6027	60	45	30	30
PHK 8027	80	60	30	30
PHK 10027	100	75	30	30
PHK 12027	120	90	30	30

PHK XX28 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3028	30	22.5	30	15
PHK 4028	40	30	30	15
PHK 5028	50	37.5	40	20
PHK 6028	60	45	40	20
PHK 8028	80	60	40	20
PHK 10028	100	75	40	20
PHK 12028	120	90	40	20

PHK XX29 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3029	30	26	25	25
PHK 4029	40	35.5	25	25
PHK 5029	50	44	30	30
PHK 6029	60	54	30	30
PHK 8029	80	74	30	30
PHK 10029	100	94	30	30
PHK 12029	120	114	30	30

PHK XX30 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3030	30	26	25	25
PHK 4030	40	35.5	25	25
PHK 5030	50	44	30	30
PHK 6030	60	54	30	30
PHK 8030	80	74	30	30
PHK 10030	100	94	30	30
PHK 12030	120	114	30	30

PHK XX31 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 4031	40	35	30	5/8
PHK 5031	50	45	30	5/8
PHK 6031	60	55	30	5/8
PHK 8031	80	74	40	3/4
PHK 10031	100	94	40	3/4
PHK 12031	120	114	40	3/4
PHK 20031	200	294	40	3/4

PHK XX32 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)	E (cm)
PHK 4032	40	36.5	30	30	30
PHK 5032	50	46	30	30	30
PHK 6032	60	56	30	30	30
PHK 8032	80	73	40	40	40
PHK 10032	100	93	40	40	40
PHK 12032	120	113	40	40	40
PHK 20032	200	193	40	40	40

PHK XX33 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 4033	40	30	40	1 ¼
PHK 5033	50	37.5	40	1 ¼
PHK 6033	60	45	40	1 ¼
PHK 8033	80	60	50	1 ½
PHK 10033	100	75	50	1 ½
PHK 12033	120	90	50	1 ½
PHK 20033	200	-	50	1 ½

PHK XX34 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3034	30	26	25	1
PHK 4034	40	36	25	1
PHK 5034	50	44	30	1 ¼
PHK 6034	60	54	30	1 ¼
PHK 8034	80	74	30	1 ¼
PHK 10034	100	94	30	1 ¼
PHK 12034	120	114	30	1 ¼
PHK 20034	200	294	30	1 ¼

PHK XX35 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3035	30	22.5	30	1
PHK 4035	40	30	30	1
PHK 5035	50	37.5	40	1 ¼
PHK 6035	60	45	40	1 ¼
PHK 8035	80	60	40	1 ¼
PHK 10035	100	75	40	1 ¼
PHK 12035	120	90	40	1 ¼
PHK 20035	200	-	40	1 ¼

PHK XX36 SS




Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHK 3036	30	22.5	25	¾
PHK 4036	40	30	25	¾
PHK 5036	50	37.5	30	1
PHK 6036	60	45	30	1
PHK 8036	80	60	30	1
PHK 10036	100	75	30	1
PHK 12036	120	90	30	1
PHK 20036	200	150	30	1

PHK XX37 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3037	30	27	30	15
PHK 4037	40	37	30	15
PHK 5037	50	46	40	20
PHK 6037	60	56	40	20
PHK 8037	80	76	40	20
PHK 10037	100	96	40	20
PHK 12037	120	116	40	20
PHK 20037	200	196	40	20

PHK XX38 SS




Type	A (cm)	B (cm)	C (mm)	D (mm)
PHK 3038	30	22.5	25	26
PHK 4038	40	30	25	26
PHK 5038	50	37.5	25	26
PHK 6038	60	45	25	26
PHK 8038	80	60	25	26
PHK 10038	100	75	25	26
PHK 12038	120	90	25	26

PHK XX39 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 5039	50	46	5.1	30
PHK 6039	60	54.5	5.1	40
PHK 8039	80	74.5	5.1	40
PHK 10039	100	94.5	5.1	40
PHK 12039	120	114.5	5.1	40
PHK 20039	200	194.5	5.1	40

PHK XX40 SS




Type	A (cm)	B (cm)	C/D (cm)	E/F (cm)
PHK 4040	40	30	25	20
PHK 5040	50	37.5	25	20
PHK 6040	60	45	30	25
PHK 8040	80	60	30	25
PHK 10040	100	75	30	25
PHK 12040	120	90	30	25

PHK XX41 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 4041	40	30	4.1	30
PHK 5041	50	37.5	5.1	40
PHK 6041	60	45	5.1	40
PHK 8041	80	60	5.1	40
PHK 10041	100	75	5.1	40

PHK XX42 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 4042	40	30	4.1	25
PHK 5042	50	37.5	5.1	30
PHK 6042	60	45	5.1	30
PHK 8042	80	60	5.1	30
PHK 10042	100	75	5.1	30

PHK XX44 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 4044	40	37.5	4.4	25
PHK 5044	50	47	5.4	30
PHK 6044	60	57	5.4	30
PHK 8044	80	77	5.4	30
PHK 10044	100	97	5.4	30
PHK 12044	120	117	5.4	30
PHK 20044	200	197	5.4	30

PHK XX45 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 3045	30	27.75	4.1	30
PHK 4045	40	37.75	4.1	30
PHK 5045	50	47	5.1	40
PHK 6045	60	57	5.1	40
PHK 8045	80	77	5.1	40
PHK 10045	100	97	5.1	40

PHK XX46 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 4046	40	35.5	4.1	25
PHK 5046	50	-	5.1	30
PHK 6046	60	-	5.1	30
PHK 8046	80	-	5.1	30
PHK 10046	100	-	5.1	30
PHK 12046	120	-	5.1	30
PHK 20046	200	-	5.1	30

PHK XX47 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 3047	30	27.5	4.1	25
PHK 4047	40	37.5	4.1	25
PHK 5047	50	47	5.1	30
PHK 6047	60	57	5.1	30
PHK 8047	80	77	5.1	30
PHK 10047	100	97	5.1	30

PHK XX48 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 4048	40	30	4.1	30
PHK 5048	50	37.5	5.1	40
PHK 6048	60	45	5.1	40
PHK 8048	80	60	5.1	40
PHK 10048	100	75	5.1	40

PHK XX49 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)
PHK 4049	40	30	4.1	30
PHK 5049	50	37.5	5.1	40
PHK 6049	60	45	5.1	40
PHK 8049	80	60	5.1	40
PHK 10049	100	75	5.1	40

PHK XX54 SS




Type	A (cm)	B (cm)	C (cm)	D (mm)	E (mm)
PHK 3054	30	22.5	4.1	40	10
PHK 4054	40	30	4.1	40	10
PHK 5054	50	37.5	4.1	40	10
PHK 6054	60	45	4.1	40	10

PHK XX55 SS




Type	A (cm)	B (cm)	C (cm)	D (cm)	E (cm)	ØF (in)
PHK 3055	30	22.5	4.1	4	1	1
PHK 4055	40	30	4.1	4	1	1
PHK 5055	50	37.5	4.1	4	1	1
PHK 6055	60	45	4.1	4	1	1

PHK XX60 SS



Type	A (cm)	B (cm)	C (cm)	D (cm)	E (cm)
PHK 3060	30	28.5	4	6	6
PHK 4060	40	38.5	4	6	6
PHK 5060	50	48.5	4	6	6
PHK 6060	60	58.5	4	6	6
PHK 8060	80	78.5	4	6	6
PHK 10060	100	98.5	4	6	6

PHK XX62 SS



Type	A (cm)	B (cm)	C (cm)	D (cm)	E (cm)
PHK 3062	30	26.5	4.5	2.5	2.5
PHK 4062	40	36.5	4.5	2.5	2.5
PHK 5062	50	45	4.5	3	3
PHK 6062	60	55	4.5	3	3
PHK 8062	80	75	4.5	3	3
PHK 10062	100	95	4.5	3	3
PHK 12062	120	115	4.5	3	3
PHK 20062	200	195	4.5	3	3

Products are made with superior grade Stainless Steel




Wood Series Pull Handle

“Road to Quality”



Wood Series Pull Handle


PHKW XX1



Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHKW 401	40	30	20	1 1/4
PHKW 601	60	45	20	1 1/4
PHKW 801	80	60	20	1 1/4

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHKW XX6



Type	A (cm)	B (cm)	C (mm)	D (mm)
PHKW 406	40	30	40	20
PHKW 606	60	45	40	20
PHKW 806	80	60	40	20

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHKW XX8 SS



Type	A (cm)	B (cm)	C (mm)	D (mm)
PHKW 408	40	30	20	40
PHKW 608	60	45	20	40
PHKW 808	80	60	20	40

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHKW XX33



Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHKW 4033	40	30	40	1 1/4
PHKW 6033	60	45	40	1 1/4
PHKW 8033	80	60	40	1 1/4

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHKW XX38



Type	A (cm)	B (cm)	C (mm)	D (mm)
PHKW 4038	40	30	25	26
PHKW 6038	60	45	25	26
PHKW 8038	80	60	25	26

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHOW XX6



Type	A (cm)	B (cm)	C (mm)	D (mm)
PHOW 406	40	30	40	20
PHOW 606	60	45	40	20

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHOW XX33



Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHOW 4033	40	30	40	1 1/4
PHOW 6033	60	45	40	1 1/4

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood


PHKW 5042



Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHOW 5042	50	4	35	1 1/4

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood

PHKW 10022



Type	A (cm)	B (cm)	C (mm)	ØD (in)
PHOW 10022	100	4.5	75	1 1/4

- Finishing : Candy Brown (CB) / Dark Mahony (DM)
- Material : Merbau Wood

UKURAN PULL HANDLE

TYPE : PHKW 406



TYPE : PHKW 606



Note : Dua angka pertama pada type Pull Handle menunjukkan ukuran dari Pull Handle. Contoh PHKW **606** (dua angka pertama yaitu 60 menunjukkan panjang dari Pull Handle tersebut 60cm. Dan untuk panjang Pull Handle bisa dipesan sesuai dengan kebutuhan.

WARNA PULL HANDLE KAYU

WARNA CB (CANDY BROWN)



WARNA DM (DARK MAHONY)





door & window accessories



Pull Handle **KAYU**

Pull Handle Kayu ELT dibuat dari kayu Merbau pilihan, yang memiliki sifat keras, dan tahan rayap, serta diberi pelapisan khusus untuk memberikan perlindungan dan keindahan. Perpaduan bahan kayu Merbau dan Stainless Steel serta desain yang minimalis modern menjadi sebuah jaminan akan kualitas dari produk ELT untuk memberikan nilai tambahan pada rumah dan gedung anda

Material

← *Kayu Merbau*


Stainless Steel →

Door Accessories

“Road to Quality”




**Barrel Bolt
B 05**




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

**Classic Latch
B 08 - 6"**




- ♦ Finishing : AB / AC / AN / NC / SN
- ♦ Material : Zinc Alloy

**Barrel Bolt
B 09 - 2"**




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

**Lavatory Latch
B 28**




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

**Barrel Bolt
B 06**




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

**ELT Latch
B 27**




- ♦ Finishing : AB / AC / AN / NC / NB / SN
- ♦ Material : Zinc Alloy

**Barrel Bolt
B 0901 - 2"**




- ♦ Finishing : HL
- ♦ Material : Stainless Steel

**Classic Latch
B 07 - 4"**




- ♦ Finishing : AB / AC / AN / NC / SN
- ♦ Material : Zinc Alloy

**ELT Latch
B 31**




- ♦ Finishing : AB / AC / AN / NC / SN
- ♦ Material : Zinc Alloy

**Barrel Bolt
B 0902 - 3"**




- ♦ Finishing : HL
- ♦ Material : Stainless Steel

**Door Stopper
B 29**



- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

**Handle Slide
B 36**



- ♦ Finishing : AB / AC / AN / NP
- ♦ Material : Zinc Alloy

NOTE :



AB : Antique Brass



NC : Nickel



SN : Satin Nickel



AC : Antique Copper



NB : Nickel Bright



HL : Hair Line



AN : Antique Nickel




NP : Nickel Polish




HG : Hair Line - Gloss

Door Stopper DS 100 SS




- ◆ Finishing : HL
- ◆ Material : Stainless Steel

Door Stopper DS 300




- ◆ Finishing : AB / AC / AN / NC / NP / SN
- ◆ Material : Zinc Alloy

Hinges H 4x3x2 (2BB)



- ◆ Finishing : Hair Line
- ◆ Material : Stainless Steel

Door Stopper DS 200




- ◆ Finishing : AB / AC / AN / NC / NP / SN
- ◆ Material : Zinc Alloy

FEATURE :

- **BODY DS 300 ELT ZINC ALLOY** tipe 3 Australia yang merupakan standard internasional untuk produk building material.
- **LAPISAN ELECTRO PLATING 4 LAPIS** Menjaga warna tetap tahan lama dan menjaga penampilan / kualitas rumah tetap indah.
- **PLAT MANGKOK** Iron dilapisi Nickel sehingga kuat dan tahan lama.
- **MAGNET KHUSUS** mempunyai daya rekat yang tinggi.

Hinges H 4x3x3 (4BB)




- ◆ Finishing : Hair Line
- ◆ Material : Stainless Steel

Door Stopper DS 400 SS




- ◆ Finishing : HL
- ◆ Material : Stainless Steel

Hinges H 3x2.5x2.5 (2BB)




- ◆ Finishing : Hair Line
- ◆ Material : Stainless Steel

Hinges H 5x3x3 (4BB)



- ◆ Finishing : Hair Line
- ◆ Material : Stainless Steel



Brand	Type	Dimensi			Material	Ball Bearing	Maks. Kapasitas (kg) / 3 pcs
		H (Inch)	W (Inch)	T (mm)			
ELT	H. 3 x 2.5 x 2.5	3	2.5	2.5	SS	2	55
ELT	H. 4 x 3 x 2	4	3	2	SS	2	75
ELT	H. 4 x 3 x 3	4	3	3	SS	4	100
ELT	H. 5 x 3 x 3	5	3	3	SS	4	120

FEATURE :

- BODY HINGES STAINLESS STEEL**
Sehingga tidak mudah berkarat dan memperindah penampilan rumah anda.
- BALL BEARING** Baja (bukan ring besi atau plastik biasa) sehingga kuat dan meningkatkan umur pakai (Dalamnya terdapat bola-bola "bearing" sehingga mempermudah akselerasi).
- SEKRUP** stainless steel.


NOTE :



- AB : Antique Brass
- AC : Antique Copper
- AN : Antique Nickel




- NC : Nickel
- NB : Nickel Bright
- NP : Nickel Polish




- SN : Satin Nickel
- HL : Hair Line
- HG : Hair Line - Gloss

Flush Bolt + Hole Cover B 24 - 10"




- ◆ Finishing : AB / AC / AN / NC / NP / SN
- ◆ Material : Zinc Alloy

Flush Bolt + Hole Cover B 33 - 12"




- ◆ Finishing : AB / AC / AN / NC / NP / SN
- ◆ Material : Zinc Alloy

Flush Bolt + Hole Cover B 34 - 8"



- ◆ Finishing : AB / AC / AN / NC / NP / SN
- ◆ Material : Zinc Alloy


Advantages Flush Bolt



FEATURE :


- BODY FLUSH BOLT** ELT ZINC ALLOY type 3 Australia atau Stainless Steel yang merupakan standard internasional untuk produk building material.
- LAPISAN ELECTRO PLATING 4 LAPIS** Menjaga warna tetap tahan lama.
- GERAKAN LINEAR** sehingga pintu yang tertutup tidak longgar.
- LEBAR BODY 1.9cm** sehingga bisa diaplikasikan pada pintu tebal 3cm dan cantik dipandang mata.
- DUST PROOF STRIKE** Plastik yang dapat mencegah debu masuk ke lubang sehingga batang flush bolt tetap dapat masuk ke lubang secara sempurna.

Flush Bolt + Hole Cover B 35 - 24" SS




- ◆ Finishing : HL
- ◆ Material : Stainless Steel

Double Cylinder CYD 02 NP




- European standard dimension and quality.
- Material : Brass.
- Master key system applicable.

Computer Cylinder CYC 01 NP




- European standard dimension and quality.
- Material : Brass.
- Master key system applicable.

Knob Cylinder SB CYK 01 SB




- European standard dimension and quality.
- Material : Brass.
- Master key system applicable.

Knob Cylinder NP CYK 01 NP



- European standard dimension and quality.
- Material : Brass.
- Master key system applicable.

Security Bolt B 37



- ◆ Finishing : NC / NP.
- ◆ Material : Stainless Steel + Zinc Alloy

Type	A
B 37 - bs 35	35
B 37 - bs 50	50


NOTE :

- AB : Antique Brass
- AC : Antique Copper
- AN : Antique Nickel

- NC : Nickel
- NB : Nickel Bright
- NP : Nickel Polish

- SN : Satin Nickel
- HL : Hair Line
- HG : Hair Line - Gloss


Security Bolt B 39



Type	A
B 39 - bs 35	35
B 39 - bs 50	50


- ◆ Finishing : NC / NP
- ◆ Material : Stainless Steel + Zinc Alloy

Cylinder Cover CCK 01




- ◆ Finishing : HL / HG
- ◆ Material : Stainless Steel

Cylinder Cover CCB 03




- ◆ Finishing : HL / GL
- ◆ Material : Stainless Steel

Cylinder Cover CCB 02




- ◆ Finishing : AB / AC / AN / NC / NP / SN
- ◆ Material : Zinc Alloy

Cylinder Cover CCO 01 HL




- ◆ Finishing : HL
- ◆ Material : Stainless Steel

Cylinder Cover CCB 01




- ◆ Finishing : HL / HG
- ◆ Material : Stainless Steel

Sliding Lock Case SLC 40 A




Cylinder Cover CCK 03



- ◆ Finishing : HL / GL
- ◆ Material : Stainless Steel


Lock Case LC - NP




TYPE			LC NP	LC 50 NP	LC 60 NP
A	Backsets	mm	40	50	60
B	Widths	mm	66	76	86

FEATURE :

- Desain satu kesatuan antara batang dengan lidah sehingga lebih kuat dan presisi.
- Desain solid, sehingga produk lebih kuat dan awet.
- Desain dengan baut tembus, untuk pemasangan baut tembus rosette.



- Gerakan lidah linier dengan dilengkapi bushing agar gesekan menjadi ringan dan suaranya halus.



NOTE :

AB : Antique Brass

AC : Antique Copper

AN : Antique Nickel

NC : Nickel

NB : Nickel Bright

NP : Nickel Polish


SN : Satin Nickel

HL : Hair Line


HG : Gloss

FEATURE :

- **LIDAH RADIUS**
 - Dengan ring roda stainless steel, sehingga lebih awet dan lancar.
 - Desain lidah dengan 4 titik sentuh sebagai penuntun sehingga mekanis lebih lancar dan awet.
- **PERMUKAAN BODY**
 - Dilapisi coating khusus sehingga seluruh permukaan terlapisi.
 - Permukaan body rata tidak ada tonjolan baut/pen sehingga memudahkan pembuatan lubang pada pintu.
- **MEKANISME ANTI MACET**
 - Dilengkapi mekanis pendorong lidah radius dengan cylinder kunci saat terjadi kemacetan.
- **PLAT MUKA**
 - Terbuat dari bahan Stainless Steel yang tahan karat untuk memperindah rumah anda.
- **ANTI KARAT**
 - Komponen dilapisi anti karat dan pelumas sehingga produk lebih awet dan tahan lama.
 - Terdapat pelumas khusus untuk menghindari keausan dan melancarkan sistem mekanik pengunci.
- **MEKANISME LIDAH**
 - Gerakan lidah linier dengan dilengkapi bushing agar gesekan menjadi ringan.
 - Pin didesain menyatu dengan plat untuk meningkatkan keawetan fungsi mekanis.




Roller Lock Case RLC - XX NP




	TYPE		RLC 40 NP	RLC 45 NP	RLC 50 NP	RLC 60 NP
A	Backsets	mm	40	45	50	60
B	Widths	mm	66	71	76	86

Hook 2A




- ♦ Finishing : HG
- ♦ Material : Stainless Steel

Hook 3C




- ♦ Finishing : HG
- ♦ Material : Stainless Steel

Hook 4B



- ♦ Finishing : HG
- ♦ Material : Stainless Steel

Hook 5A




- ♦ Finishing : HG
- ♦ Material : Stainless Steel



FEATURE :

- **BODY STAINLESS STEEL**
 - Kuat dan tahan terhadap karat.
- **DESIGN**
 - Tersedia banyak model sehingga bisa mempercantik rumah anda.
- **APLIKASI**
 - Sangat mudah pemasangan tinggal tempel tanpa perlu merusak dinding rumah.

Hook 6A




- ♦ Finishing : HG
- ♦ Material : Stainless Steel

NOTE :

	AB : Antique Brass		NC : Nickel		SN : Satin Nickel
	AC : Antique Copper		NB : Nickel Bright		HL : Hair Line
	AN : Antique Nickel		NP : Nickel Polish		HG : Hair Line - Gloss

Lock Case LC - xx SS

AHA CONCEPT



Awet

Terbuat dari bahan Stainless Steel yang tahan karat untuk memperindah rumah anda.

Desain satu kesatuan antara batang dengan lidah sehingga lebih kuat dan presisi .

Bahan Zinc Alloy Type 3 Australia standard internasional untuk bahan building material.

Desain solid, sehingga produk lebih kuat dan awet.

Desain dengan lubang tembus, untuk pemasangan baut tembus rosette.

Komponen dilapisi anti karat dan pelumas sehingga produk lebih awet dan tahan lama.

Terdapat pelumas khusus untuk menghindari keausan dan melancarkan sistem mekanik pengunci.

Pin didesain menyatu dengan plat untuk meningkatkan keawetan fungsi mekanis.

Halus

Gerakan lidah linier dengan dilengkapi bushing agar gesekan menjadi ringan.

- Desain lidah dengan 4 titik sentuh sebagai penuntun sehingga mekanis lebih lancar dan awet.
- Gesekan hanya terjadi di 4 titik sehingga suara lebih halus dan lancar.
- Desain lidah dengan permukaan radius, (lengkung) sehingga gesekan saat menyentuh plat lubang kusen lebih kecil.

Artistik

Seluruh permukaan Lock case dicoating dengan proses edy black sehingga seluruh permukaan terlapisi.


Permukaan body rata tidak ada tonjolan baut/pen sehingga mempermudah pembuatan lubang pada pintu.

TYPE			LC 40 SS	LC 50 SS	LC 60 SS
A	Backsets	mm	40	50	60
B	Widths	mm	66	76	86

Roller Lock Case

RLC - xx SS

AHA CONCEPT



Awet

Terbuat dari bahan Stainless steel yang tahan karat sehingga memperindah rumah anda.

LIDAH RADIUS dengan ring roda stainless steel, sehingga mekanisme lebih lancar dan awet.

Bahan Zinc Alloy type 3 Australia, standard Internasional untuk produk building material.

Komponen dilapisi anti karat dan pelumas khusus sehingga produk lebih awet dan tahan lama.

Terdapat pelumas khusus untuk menghindari keausan dan melancarkan sistem mekanik penguncian.

Pin didesain menyatu dengan plat, untuk meningkatkan keawetan fungsi mekanis.

Dilengkapi mekanisme pendorong lidah radius, dengan cylinder kunci saat terjadi kemacetan.

Halus


Gerakan lidah linier dengan dilengkapi bushing agar gesekan menjadi ringan dirasa dan indah didengar.

Desain lidah dengan 4 titik sentuh sebagai penuntun sehingga mekanis lebih lancar dan awet.

Artistik

Permukaan body roller lock case di coating dengan proses edy black sehingga seluruh permukaan terlapisi.

Permukaan body rata tidak ada tonjolan pen/baut sehingga mempermudah pembuatan lubang pada pintu.




TYPE			RLC 40 SS	RLC 45 SS	RLC 50 SS	RLC 60 SS
A	Backsets	mm	40	45	50	60
B	Widths	mm	66	71	76	86

Window Accessories

“Road to Quality”




Tousle Hook B 20




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

Tousle Hook B 22




- ♦ Finishing : AB / AC / AN / NC
- ♦ Material : Zinc Alloy



FEATURE :


- Body Zinc Alloy type 3 Australia.
- Lapisan ELECTRO PLATING 4 LAPIS menjaga warna tetap tahan lama.
- Desain Artistik sangat cocok untuk rumah agar terkesan Elegant.
- Dikeling/Rivet dengan mesin rivet khusus sehingga tidak mudah lepas.

Spring Knife B 11




- ♦ Finishing : AB / AC / AN / NB / NC / NP
- ♦ Material : Zinc Alloy

Spring Knife B 18




- ♦ Finishing : AB / AC / AN / NB / NC / NP
- ♦ Material : Zinc Alloy

Spring Knife Mini B 26




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

Spring Knife Mini B 32




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy




FEATURE :

- Body ZINC ALLOY type 3 Australia yang merupakan standard internasional untuk produk building material.
- BAGIAN UJUNG PENGUNCI berbentuk radius menjaga tidak adanya benturan yang merusak kusen.
- ELECTRO PLATING 4 lapis menjaga warna tetap tahan lama.
- PIR terbuat dari baja berkualitas tinggi menjaga pir tetap dalam kondisi prima tidak mudah kendur.




Whitmatic B 23




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

Rambuncis B 30



- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy



FEATURE :

- Body Zinc Alloy type 3 Australia.
- RING PLASTIC menambah keawetan.
- Baut pengunci dengan teknik khusus sehingga tidak mudah lepas saat pemakaian.
- Bisa dipakai untuk jendela kanan/kiri.


NOTE :

- AB : Antique Brass
- AC : Antique Copper
- AN : Antique Nickel

- NC : Nickel
- NB : Nickel Bright
- NP : Nickel Polish


- SN : Satin Nickel
- HL : Hair Line
- HG : Hair Line - Gloss

Whitfuur B 25



- ♦ Finishing : AB / AC / AN / NC / NP / SN
- ♦ Material : Zinc Alloy

Engsel Salon ES 09




- ♦ Finishing : AB / AC
- ♦ Material : Iron



FEATURE :


- STAINLESS STEEL sehingga tidak mudah berkarat.
- Sistem Rivet besi dilapisi nickel dan dirakit memakai mesin rivet khusus sehingga tidak mudah lepas.
- Ring plastik sehingga tidak berderit dan awet.

Engsel Salon ES 09 SS



- ♦ Finishing : HL
- ♦ Material : Stainless Steel


Rambuncis B 40




- ♦ Finishing : Powder Coating (White, Black)
- ♦ Material : Aluminium Alloy

FEATURE :

- BODY Aluminium Alloy (ADC 12).
- Baut Pengunci dengan ring segi enam sehingga tidak mudah lepas saat pemakaian.
- RING PLASTIC menambah keawetan.
- LAPISAN COATING POWDER sehingga produk menjadi lebih tahan lama.



Lamskar LS 100




- ♦ Finishing : AB / AC / AN / NB / NC / NP
- ♦ Material : Zinc Alloy

Lamskar LS 200 SS




- ♦ Finishing : HL
- ♦ Material : Stainless Steel

Lamskar LS 300




- ♦ Finishing : AB / AC / AN / NC / NP
- ♦ Material : Zinc Alloy

Hak Angin HB 08" - 11




- ♦ Finishing : NC / NP
- ♦ Material : Iron

Hak Angin HB 10" - 11



- ♦ Finishing : NC / NP
- ♦ Material : Iron

Hak Angin HB 8" - 12



- ♦ Finishing : NC / NP
- ♦ Material : Iron

NOTE :



AB : Antique Brass



NC : Nickel



SN : Satin Nickel



AC : Antique Copper



NB : Nickel Bright



HL : Hair Line



AN : Antique Nickel




NP : Nickel Polish



HG : Hair Line - Gloss


Window Accessories

Hak Angin HB 10' - 12




- ◆ Finishing : NC / NP
- ◆ Material : Iron

Hak Angin HB 08" - 10 SS




- ◆ Finishing : HL
- ◆ Material : Stainless Steel

Hak Angin HB 10" - 10 SS



- ◆ Finishing : HL
- ◆ Material : Stainless Steel

Window Lock B 42





- ◆ Finishing : Powder Coating (White, Black)
- ◆ Material : Zinc Alloy



FEATURE :


- BODY Zinc Alloy.
- RING PLASTIC menambah keawetan.
- COATING POWDER menjaga warna tahan lama.



FEATURE :


- STAINLESS STEEL sehingga tidak mudah berkarat.
- Sistem Rivet Stainless Steel dan dirakit memakai mesin rivet khusus sehingga tidak mudah lepas.
- Baut pengatur gesekan sehingga dapat disesuaikan dengan beban jendela.
- Rumah Pengatur gesekan kuningan tahan lama tidak mudah berkarat.

Casement CS XX SS




Type	Length	Dimensi						Capacity (Kg)	Top Hung Max Window Height (cm)	Side Hung Max Window Width (cm)
		A	B	C	D	E	Tickness			
CS 12" SS	12"	304,8	210	170	92	140	2	23	60	75
CS 16" SS	16"	406,4	256	243	113	200	2	23	80	90
CS 20" SS	20"	508	301	279	186	260	2	25	110	-
CS 24" SS	24"	609,6	375	342	222	340	2	32	120	-

Security Bolt B 37




- ◆ Finishing : NC / NP
- ◆ Material : Stainless Steel + Zinc Alloy

Security Bolt B 39



- ◆ Finishing : NC / NP
- ◆ Material : Stainless Steel + Zinc Alloy



Type	A
B 39 - bs 35	35
B 39 - bs 50	50

NOTE :

- AB : Antique Brass
- AC : Antique Copper
- AN : Antique Nickel

- NC : Nickel
- NB : Nickel Bright
- NP : Nickel Polish

- SN : Satin Nickel
- HL : Hair Line
- HG : Hair Line - Gloss