

KÄRCHER



CLEANING TECHNOLOGY FOR PROFESSIONALS

Teknologi Kebersihan untuk Para Profesional

HUBUNGI :  **QHOMEMART**

08112863773
CHAT ONLY

Cleaning Solutions for Over 85 Years



Since its beginning in 1935 the value-oriented family business Kärcher has developed into a worldwide brand offering its customers three strong attributes: top performance, innovation and quality. Kärcher products have won more than 100 national and international prizes for exemplary design. In addition, more than 1,300 patents and utility models are evidence of the company's inventive spirit and passion for innovation. Today, Kärcher is the leading global provider of efficient, resource-saving cleaning systems, characterized by reliable, user-friendly products, and strong service.

Sejak dimulai di tahun 1935, Kärcher, bisnis keluarga berorientasi pada nilai-nilai telah berkembang menjadi merek internasional yang menawarkan 3 atribut penting kepada pelanggannya: kinerja terbaik, inovasi dan kualitas. Produk-produk Kärcher telah memenangkan lebih dari 100 penghargaan nasional dan internasional untuk desain produk. Di samping itu, lebih dari 1.300 paten dan model utilitas merupakan bukti semangat inventif dan inovatif kami. Saat ini, Kärcher merupakan penyedia global terkemuka akan sistem pembersihan yang efisien dan hemat sumber daya, memiliki karakteristik mudah digunakan dan pelayanan yang baik.



As for our commitment to the environment, we have been cleaning historical monuments & buildings for more than 30 years as part of our cultural sponsorship programme. From Christ the Redeemer statue in Brazil, Colonnades in Rome, Mount Rushmore in United States, Monumen Nasional in Indonesia, to Merlion Statue in Singapore and many others, we are happy to take on any challenge. We have made cleaning our business and at the same time, make our contribution towards preserving values for people. Worldwide.



Atas komitmen kami terhadap lingkungan, kami telah membersihkan berbagai monumen dan bangunan bersejarah selama lebih dari 30 tahun sebagai bagian dari program sponsor kebudayaan kami. dari patung Christ the Redeemer di Brasil, Colonnades di Roma, Colossi of Memnon di Mesir, Mount Rushmore di Amerika Serikat, Monumen Nasional di Indonesia, dan banyak lainnya, kami senang menghadapi tiap tantangan. Membersihkan telah menjadi bisnis kami dan disaat bersamaan, kami memberi kontribusi bagi kebudayaan nilai bagi orang-orang. Secara global.

Kärcher makes a difference

HUBUNGI :  **QHOME MART**

08112863773
CHAT ONLY

Kärcher Industry Solutions

Finding the best solution for cleaning tasks is of growing importance for businesses of all kinds. This is why we have tailored our extensive range of products precisely to your requirements, reducing time, costs and resource consumption without compromising performance. We understand the demands of your business, whatever market sector you operate in.

Menemukan solusi terbaik untuk pekerjaan membersihkan adalah kebutuhan yang makin penting bagi segala jenis bisnis. Karena inilah kami merancang jajaran produk yang ekstensif secara tepat untuk kebutuhan Anda, mengurangi konsumsi waktu, biaya dan sumber daya tanpa mengurangi kinerja. Kami memahami tuntutan bisnis Anda pada sektor pasar manapun Anda beroperasi.




Table of Contents | Daftar Isi

Cold Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi Air Dingin</i>	4	Polisher & Scrubber Driers <i>Pengkilap & Penyikat Lantai</i>	12
Hot Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi Air Panas</i>	6	Floor Cleaner <i>Pembersih Lantai</i>	14
Wet & Dry Vacuum Cleaners <i>Pengisap kotoran basah & kering</i>	7	Steam Cleaner & Steam Vacuum Cleaner <i>Pembersih Uap dan Pengisap-pembersih Uap</i>	14
Dry Vacuum Cleaners <i>Pengisap kotoran kering</i>	8	Industrial Vacuum Cleaners <i>Pengisap Kotoran untuk Industri</i>	15
Carpet Vacuum Cleaners <i>Pengisap kotoran untuk karpet</i>	9	Air Cleaner <i>Pembersih Udara</i>	16
Carpet & Upholstery Cleaners <i>Pembersih karpet dan sofa</i>	9	Dry Ice Cleaning <i>Pembersihan dengan Biang Es</i>	16
Carpet Cleaners & Carpet Extractors <i>Pembersih karpet dan ekstraktor karpet</i>	10	Optional Accessories <i>Perlengkapan Tambahan</i>	17
Air Blower <i>Pengering karpet dan lantai</i>	10	Kärcher Service <i>Servis Kärcher</i>	19
Sweepers <i>Penyapu</i>	11		

60 Hz machines are available upon demand for most products
Mesin 60 Hz tersedia berdasarkan permintaan untuk sebagian besar produk

 **Designed & Engineered
by Kärcher in Germany**

HUBUNGI :  **QHOME MART**

08112863773
CHAT ONLY

Cold Water High-Pressure Cleaners



NEW

BEST SELLER



Product (order n.)		HD 4/11 C Bp Pack (1.520-925.0)	HD 5/12 C (1.520-900.0)	HD 5/15 C Plus (1.520-931.0)
Technical Data				
Benefits		Max. performance, autonomous, with self-suction mode and suction-hose	Compact & portable, versatile operation, horizontal and vertical operations	Compact & portable, horizontal & vertical operations, dirt blaster included
Class		Battery powered high-pressure cleaners		Compact
Current type	Ph/V/Hz	2 x 7.5 Ah / 36 V Li-ion Battery		1 / 220-230 / 50
Opr. pressure	bar	110	120	150
Flow rate	l/h	320 - 400	500	500
Max. inlet temp.	°C	60	60	60
Power rating	kW	1.6	2.5	2.8
Dim. (LxWxH)	mm	400 x 456 x 960	380 x 360 x 930	380 x 360 x 930
Weight	kg	26.9	24.4	25.7

NEW

Low Price & Robust



BEST SELLER



Product (order n.)		HD 5/11 Cage (1.520-204.0)	HD 7/11-4 Classic (1.367-305.0)	HD 9/20-4 Classic (1.367-308.0)
Technical Data				
Benefits		Durable axial pump, high mobility & durability, robust tubular steel frame for tough jobs	Durable crankshaft pump with ceramic-coated piston, adjustable flow rate, robust metal frame chassis	High reliability and easy operation. More power for versatile applications.
Class		Classic	Classic	Special
Current type	Ph/V/Hz	1 / 220-230 / 50	1 / 220-240 / 50	3 / 400 / 50
Opr. pressure	bar	110 / 11	70-110	70-200
Flow rate	l/h	500	520 - 700	520-900
Max. inlet temp.	°C	60	60	60
Power rating	kW	2.2	2.9	6.9
Dim. (LxWxH)	mm	475 x 335 x 340	709 x 469 x 1000	700 x 455 x 1010
Weight	kg	21.3	49.1	56

NEW



Product (order n.)		HD 7/10 CXF (1.151-906.0)	HD 10/25-4 S Plus (1.286-960.0)	HD 6/15 G Classic (1.187-010.0)
Technical Data				
Benefits		Specialized for sanitary/hygiene/food industries, water inlet up to 80°C, grey non marking wheels	Upright-space-saving design, integrated detergent tank	New easy mobile cold water with combustion engine, robust crankshaft pump
Class		Super	Super	Classic
Current type	Ph/V/Hz	3 / 380-400 / 50	3 / 380-400 / 50	Gasoline/Petrol
Opr. pressure	bar	10 - 100	30 - 250	150
Flow rate	l/h	250 - 700	500 -1000	600
Max. inlet temp.	°C	80	60	60
Power rating	kW	4.5	9.2	4.1 (5.5 hp)
Dim. (LxWxH)	mm	360 × 400 × 935	560 × 500 × 1090	799 × 637 × 1097
Weight	kg	36.5	68.6	44.7

1000
Max. bar



500
Max. bar



DIESEL ENGINE



Product (order n.)		HD 9/100-4 Cage Classic (1.812-000.0)	HD 9/50-4 (1.367-156.0)	HD 9/23 De (1.187-907.0)
Technical Data				
Benefits		Ultra high-pressure class, particularly ideal for construction, industrial & transport sectors	Very powerful against stubborn dirt, robust cage for safe crane-loading	Economical diesel engine with electro start, automatic speed reduction with servo control
Class		Classic	Industrial	Combustion Engine
Current type	Ph/V/Hz	3 / 380 - 400 / 50	3 / 380-400 / 50	Gasoline/Petrol
Opr. pressure	bar	1000	150-500	40-230
Flow rate	l/h	900	500 - 900	400 - 930
Max. inlet temp.	°C	60	60	60
Power rating	kW	30	15	6.8 kW 9.3 hp
Dim. (LxWxH)	mm	1395 x 789 x 1088	930 × 800 × 920	870 × 725 × 1170
Weight	kg	392	190	108

NEW



Product (order n.)		HD 10/16-4 Cage Ex (1.353-904.0)
Technical Data		
Benefits		Explosion protection II 2 G c T3, 4-pole air-cooled electric motor
Class		Special
Current type	Ph/V/Hz	3 / 380-400 / 50
Opr. pressure	bar	160
Flow rate	l/h	1000
Max. inlet temp.	°C	50
Power rating	kW	5.5
Dim. (LxWxH)	mm	980 × 720 × 1100
Weight	kg	122.6



Hot Water High-Pressure Cleaners



Product (order n.)		HDS 6/14 C (1.169-900.0)	HDS 8/18-4 C (1.174-900.0)
Technical Data			
Benefits		Ecoefficiency mode with intuitive single button selector switch	4-pole water cooled electric motor with economical Ecoefficiency mode
Class		Compact	Compact
Current type	Ph/V/Hz	1 / 220-230 / 50	3 / 380-400 / 50
Opr. pressure	bar	30-140	30-180
Flow rate	l/h	240 - 560	300 - 800
Temperature	°C	80	80 - 155
Power rating	kW	3.6	6
Dim. (LxWxH)	mm	1060 × 650 × 920	1060 × 650 × 920
Weight	kg	100	119.4



Product (order n.)		HDS 10/20-4 M Classic (1.071-905.0)	HDS 12/18-4 S (1.071-914.0)	HDS-E 8/16-4 M 24 KW (1.030-904.0)
Technical Data				
Benefits		Dual-lance operation capability with optional accessories, 2 detergent tanks, ecoefficiency mode	Dual-lance operation capability with optional accessories, 2 detergent tanks, ecoefficiency mode	Eco-environment friendly, without exhaust gases
Class		Middle	Super	Middle
Current type	Ph/V/Hz	3 / 380-400 / 50	3 / 380-400 / 50	3 / 380-400 / 50
Opr. pressure	bar	30-200	30 - 180	30 - 160
Flow rate	l/h	500 - 1000	600 - 1200	300 - 760
Temperature	°C	80 - 155	80 - 155	45 / 85
Power rating	kW	7.8	8.4	29.5
Dim. (LxWxH)	mm	1330 × 750 × 1060	1330 × 750 × 1060	1330 × 750 × 1060
Weight	kg	171	175.1	112



Product (order n.)		HDS 12/14-4 St Gas (1.251-901.0)
Technical Data		
Benefits		Hot water high pressure for stationary use
Class		Station
Current type	Ph/V/Hz	3 / 380-400 / 50
Opr. pressure	bar	30 - 140
Flow rate	l/h	600 - 1200
Temperature	°C	(for supply 12 °C) max. 98
Power rating	kW	7.5
Dim. (LxWxH)	mm	1110 x 565 x 1080
Weight	kg	170 (with accessories)



Wet & Dry Vacuum Cleaners



NEW



Product (order n.) Technical Data		NT 22/1 Ap Bp L Pack (1.428-500.0)	NT 27/1 (1.428-500.0)	NT 30/1 Me Classic (1.428-569.0)
Benefits		Mobility at new level, removable lithium-ion battery	Compact with accessory storage & cable hook	Easy maintenance and strong suction power
Class		Ap	Standard	Classic
Air flow rate	l/s	57	67	59
Vacuum	mbar/kPa	152 / 15,2	200 / 20	227 / 22,7
Container	l	22	27	28
Max. power	W	575 (rated input power)	1380	1500
Sound level	dB(A)	70	72	78
Dim. (LxWxH)	mm	401 x 372 x 499	420 x 420 x 525	380 x 365 x 640
Weight	kg	8.8	7.5	8





Product (order n.) Technical Data		NT 38/1 Me Classic (1.428-530.0)	NT 40/1 Ap L (1.148-321.0)	NT 40/1 Tact Te L (1.148-311.0)
Benefits		Easy maintenance and strong suction power	Semi-automatic filter cleaning, flat pleated filter for longer durability	Wet and dry vacuum cleaner with tact filter cleaning system and anti static
Class		Classic	Ap	TACT
Air flow rate	l/s	59	74	74
Vacuum	mbar/kPa	227 / 22,7	254 / 25,4	273 / 27,3
Container	l	38	40	40
Max. power	W	1500	1380	1380
Sound level	dB(A)	78	70	68
Dim. (LxWxH)	mm	375 x 360 x 735	525 x 370 x 630	560 x 370 x 655
Weight	kg	8.6	12.4	14,4



Product (order n.) Technical Data		NT 48/1 (1.428-620.0)	NT 70/2 Me Classic NT 70/2 (1.667-224.0 1.667-269.0)	NT 90/2 Me (1.667-701.0)
Benefits		All purpose brush, equipped with drain hose cartridge filter with enlarged filter area	Very powerful 2-motors, for demanding applications. With stainless steel or durable plastic container	Designed for industry, with larger capacity and powerful 2-motors vacuum power
Class		Standard	Classic Standard	Classic
Air flow rate	l/s	67	2 x 56	53
Vacuum	mbar/kPa	200 / 20	208 / 20,8	225 / 22,5
Container	l	48	70	90
Max. power	W	1380	2300 2400	2300
Sound level	dB(A)	72	76 75	76
Dim. (LxWxH)	mm	490 x 390 x 780	560 x 502 x 832 720 x 510 x 975	560 x 502 x 977
Weight	kg	10.5	18 24,9	19

Dry Vacuum Cleaners



Product (order n.)		T 12/1 ecoefficiency (1.355-135.0)	T 15/1 HEPA (1.355-235.0)
Technical Data			
Benefits		Low noise & energy-use, perfect for noise-sensitive areas such as hotels & hospitals	With HEPA filter for hygienically pure, particle-free exhaust air in hotels, hospitals and nurseries
Category		Dry Vacuum Cleaner	Dry Vacuum Cleaner
Air flow rate	l/s	46	61
Vacuum	mbar/kPa	185 / 18.5	244 / 24.4
Container	l	12	15
Max. power	W	500	1300
Sound level	dB(A)	60	63
Dim. (LxWxH)	mm	410 x 315 x 340	406 x 320 x 434
Weight	kg	6.4	8



Product (order n.)		T 9/1 Bp Pack (1.528-121.0)	BVL 5/1 Bp Pack (1.394-270.0)
Technical Data			
Benefits		Up to 28% longer running time, brushless turbine	Ultralight powerful and long lasting cordless backpack vacuum
Category		Battery powered dry vacuum cleaner	Battery powered dry vacuum cleaner
Air flow rate	l/s	40	40
Vacuum	mbar/kPa	210 / 22	223 / 22,3
Container	l	9	5
Rated perform.	W	500	500
Sound level	dB(A)	59	65
Dim. (LxWxH)	mm	420 x 325 x 382	220 x 320 x 510
Weight	kg	6.8	5

Carpet Vacuum Cleaners




**BEST
SELLER**



Product (order n.)		CV 38/2 Adv (1.033-336.0)
Technical Data		
Benefits		Daily carpet vacuum with extremely durable, anti-twist yellow highflex cable
Category		Upright Brush Vacuum Cleaner
Air flow rate	l/s	48
Vacuum	mbar/kPa	250 / 25
Working width	mm	380
Container	l	5.5
Max. power	W	1050
Sound level	dB(A)	67
Dim. (LxWxH)	mm	351 × 391 × 1215
Weight	kg	9.5

Carpet and Upholstery Cleaners



Product (order n.)		Puzzi 8/1 C (with hand nozzle) (1.100-240.0)	Puzzi 10/1 + Hand (1.100-138.0)	Puzzi 30/4 (1.101-120.0)
Technical Data				
Benefits		Lighter but powerful entry-level for spot cleaning on carpets	Wide range of accessories for versatile applications, suitable for everyday use	The quietest in its class 66 dB(A), for larger carpets
Category		Spray extraction machine	Spray extraction machine	Spray extraction machine
Area perform.	m ² /h	12 - 18	20 - 25	60 - 75
Power rating	W	max. 1380 (turbine) 40 (pump)	1250 (turbine) 80 (pump)	1200 (turbine) 70 (pump)
Air flow rate	l/s	71	54	74
Vacuum	mbar/kPa	270 / 27	220 / 22	254 / 25.4
Wtr. tank (f d)	l	8 7	10 9	30 15
Dim. (LxWxH)	mm	525 × 335 × 425	705 × 320 × 435	580 × 460 × 930
Weight	kg	8.6	10.7	26

Carpet Cleaners & Carpet Extractors



Product (order n.)		BRS 43/500 C (1.006-671.0)	BRC 30/15 C (230 V) (1.008-057.0)	BRC 45/45 C (230 V) (1.008-056.0)
Technical Data				
Benefits		Easy to use, sufficiently dry in 20 minutes with encapsulation technology	Compact carpet cleaner for fast & economical spray extraction; also ideal for spot & interim cleaning	Can be use forward or backward, floating brush head with contra-rotating roller brushes
Category		Intermediate carpet cleaner	Deep carpet cleaner	Deep/intermediate carpet cleaner
Cleaning area performance	m ² /h	300 (interim iCapsol)	150 (deep cleaning)	350 1000 (deep cleaning interim iCapsol)
Power rating	W	370 (brush motor)	1130 (turbine) 80 (brush motor)	1100 (turbine) 600 (brush motor)
Air flow rate	l/s	-	20	45
Vacuum	mbar/kPa	-	300 / 30	300 / 30
Wtr. tank (f d)	l	7.5 -	15 17	45 38
Spray pressure	bar	3.4	3.5	7
Spray rate	l/min	0.38	1	3.2
Dim. (LxWxH)	mm	400 x 460 x 1160	920 x 360 x 750	770 x 545 x 1250
Weight	kg	25	36	48

Air Blower



Product (order n.)		AB 45 (1.004-060.0)
Technical Data		
Benefits		High-performance blower enables quick drying after water damage
Category		Air blower
Air flow rate (level 1 2 3)	m ³ /min.	57 88 133
Blower speed (level 1 2 3)	rpm.	950 1150 1350
Power rating	W	700
Cord length	m	6.1
Dim. (LxWxH)	mm	405 x 475 x 475
Weight	kg	11.87

Sweepers



Product (order n.)		KM 70/20 C (1.517-106.0)	KM 75/40 W G (1.049-205.0)
Technical Data			
Benefits		Best value, efficient	Gasoline powered, perfect for sweeping outdoors & warehouse areas
Category		Walk-behind sweeper/vacuum sweeper	Walk-behind vacuum sweeper
Drive Power		Manual	4-stroke petrol 3.3 kW
Area perform.	m ² /h	2800 (max.)	3375 (max.)
Working width w/ side brushes	mm	480 (0) 700 (1) -	550 (0) 750 (1)
Waste Container	l	42	40
Dim. (LxWxH)	mm	1300 × 765 × 1035	1430 × 780 × 1180
Weight	kg	23	84
Area usage		indoor / outdoor	outdoor



Product (order n.)		KM 85/50 R Bp (1.351-126.0)	KM 100/100 R Bp (1.280-103.0)
Technical Data			
Benefits		Ideal floor carpet and outdoor area	Easy operation, battery or diesel powered version available
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive Power		DC motor 1000 W	DC motor 2050 W
Max. area perf.	m ² /h	with (side brushes): 5100 (1) 6300 (2)	with (side brushes): 6000 (1) 7800 (2)
Working width	mm	with (side brushes): 615 (0) 850 (1) 1050 (2)	with (side brushes): 700 (0) 1000 (1) 1300 (2)
Waste Container	l	50	100
Dim. (LxWxH)	mm	1270 × 870 × 1170	2006 × 1005 × 1343
Weight	kg	252	320
Area usage		indoor / outdoor	outdoor



Product (order n.)		KM 120/250 R D Classic (1.186-000.0)	KM 130/300 R D Classic (1.186-139.0)	KM 150/500 R D Classic (1.186-134.0)
Technical Data				
Benefits		Simple operation, robust design for tough jobs	Fully hydraulic, for tough jobs in the building material or metal-working industries, foundries and abrasive dirt-intensive sectors	Very large container for longer working sessions, comfortable operation & easy maneuverability in confined spaces.
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive Power		4-stroke diesel engine / Yanmar 15.8 kW	4-stroke diesel engine / Yanmar 15.8 kW	4-stroke diesel engine / Yanmar 15.8 kW
Max. area perf.	m ² /h	w/ (side brushes): 10800 (1) 13500 (2)	w/ (side brushes): 13000 (1) 15500 (2)	w/ (side brushes): 18000 (1) 21600 (2)
Working width w/ side brushes	mm	900 (0) 1200 (1) 1500 (2)	1000 (0) 1300 (1) 1550 (2)	1200 (0) 1500 (1) 1800 (2)
Waste Container	l	250	300	500
Dim. (LxWxH)	mm	2082 × 1250 × 1450	2150 × 1330 × 1430	2442 × 1570 × 1640
Weight	kg	880	940	1400
Area usage		outdoor	outdoor	outdoor

Polisher & Scrubber Driers



Product (order n.)		BD 17/5 C (1.737-107.0)	BDS 43/150 C Classic (1.291-247.0)	BDP 50/1500 C (1.291-141.0)
Technical Data				
Benefits		Lightweight, compact and more flexible	All purpose machine for hard floor cleaning, carpet shampooing, crystallization & sanding	With Ultra-high speed, polishes 30% faster than conventional machine
Category		Hand Polisher	Single-disc machines	Polishing machine
Working width	mm	170 -	430 -	508 (pad) 560
Brush Vacuum				
Area perform.	m ² /h	-	-	900 (theoretical)
Brush speed	rpm	470	150	1500
Power rating	W	150	1100	1100
Dim. (LxWxH)	mm	330 x 136 x 290	590 x 430 x 1180	760 x 550 x 1250
Weight	kg	5.9	43	34.5



Product (order n.)		BR 30/4 C Adv (1.783-213.0)	BR 40/10 C (1.783-311.0)
Technical Data			
Benefits		Ideal for shops, restaurants, supermarkets & sanitary area	Bi-directional brushing & low noise cleaning
Category		Compact scrubber drier	Compact scrubber drier
Working width	mm	300 300	400 400
Brush Vacuum			
Area perform.	m ² /h	200 (max.)	400 (max.)
Brush speed	rpm	1450	1100
Power rating	W	820	2710
Wtr. tank (f d)	l	4 4	10 10
Dim. (LxWxH)	mm	390 x 335 x 1180	520 x 470 x 380
Weight	kg	12.4	30



Product (order n.)		BD 50/60 C Ep Classic (1.127-002.0)	BD 50/50 C Bp Classic (1.127-007.0)	BD 50/70 R Classic Bp Pack (1.161-076.0)
Technical Data				
Benefits		Entry level scrubber with hi-cleaning performance	Entry level battery-powered scrubber	Battery-operated ride-on scrubber drier with disc brush
Category		Compact scrubber drier	Compact scrubber drier	Ride-on scrubber drier
Working width	mm	510 840	510 850	510 900
Brush Vacuum				
Area perform.	m ² /h	2040 (max.)	2000 (max.)	2805 (theoretical)
Brush speed	rpm	180		180
Power rating	W	max. 1100		1400
Wtr. tank (f d)	l	60 60	50 50	70 75
Dim. (LxWxH)	mm	1185 x 540 x 1000		1310 x 590 x 1060
Weight	kg	57	63	112



Product (order n.)		BD 75/120 R Classic Bp (1.161-431.0)	BD 90/160 R Classic Bp (1.246-041.0)	B 90 R Classic Bp with R75 + Squeegee (1.161-306.0)
Technical Data				
Benefits		Big battery capacity; longer running time. Easy maintenance & ergonomic, designed for Asian market	Higher cleaning performance per charge. More safety features	Equipped with V squeegee
Category		Ride-on scrubber drier	Ride-on scrubber drier	Ride-on scrubber drier
Working width	mm	750 1030	900 1200	750 940
Brush Vacuum				
Area perform.	m ² /h	4500 (max. theoretical)	5400 (max. theoretical)	4500 (theoretical)
Power rating	W	2500	2800	2200
Wtr. tank (f d)	l	120 120	160 160	90 90
Dim. (LxWxH)	mm	1430 x 810 x 1650	1740 x 970 x 1440	1450 x 800 x 1200
Weight	kg	227 493 (w/ battery)	360 (empty)	149

Floor Cleaner






Product (order n.)		BR 30/1 C Bp Pack 18/30 (1.783-050.0)
Technical Data		
Benefits		Cordless and convenient, suitable for narrow or hard-to-reach areas
Working width	mm	300
Wtr. tank (f d)	l	1 0.7
Area perform.	m ² /h	up to 200 (theoretical)
Battery type		Removable lithium-ion (18 V/3 Ah)
Charging time	min.	39 (80%) 65 (100%)
Dim. (LxWxH)	mm	340 x 305 x 1200
Weight	kg	7.1

Steam Cleaner & Steam Vacuum Cleaner

Our professional steam cleaner & steam vacuum cleaner clean reliably without the use of chemicals. These efficient machines are used in wet and hygiene areas, on all hard floors, glass and tiled surfaces, as well as fittings and, with the right accessories, textile surfaces.

Steam cleaner & steam vacuum cleaner profesional kami membersihkan dengan handal tanpa penggunaan zat kimia. Mesin-mesin yang efisien ini digunakan pada area basah dan berkebutuhan higienis, semua jenis lantai, kaca, permukaan berpola, berfurnitur dan dengan aksesoris yang tepat, pada permukaan tekstil.



KILLS 99.999%* BACTERIA WITHOUT CHEMICALS

CERTIFIED DISINFECTION



Product (order n.)		SG 4/4 (1.092-104.0)	SGV 8/5 (1.092-010.0)
Technical Data			
Benefit		Continuous steaming with volume control and VapoHydro function for perfect cleaning result without chemicals	Removing excess water immediately during steaming. Extra cleaning programmes & accessory integration.
Category		Steam cleaner	Steam vacuum cleaner
Power rating	W	2300	3000
Tank capacity	l	4	5
Steam pressure	bar/MPa	4	8
Voltage	V	220 - 240	220 - 240
Weight	kg	8	40
Cable length	m	7.5	7.5
Dim. (LxWxH)	mm	475 x 320 x 275	640 x 495 x 965

Industrial Vacuum Cleaners

With wide options in power and container size, you will find the right machine for every industrial application in the Kärcher range of industrial vacuums. These powerful and reliable vacuum cleaners are ideal for non-stop operation. The machines are also available with dust explosion protection and hazardous dust class.

Dengan berbagai pilihan daya dan ukuran kontainer, kebutuhan akan mesin untuk aplikasi industri dapat terpenuhi oleh Kärcher. Pengisap kotoran yang kuat dan terpercaya ini cocok untuk operasional tanpa henti. Tersedia juga mesin untuk klasifikasi **dust explosion protection** dan klasifikasi **hazardous dust**.



Product (order n.)		IVM 40/24-2 (9.989-906.0)	IVR-L 65/12-1 Tc (9.986-055.0)
Technical Data			
Benefits		Durable, robust, compact and mobile, universal absorption of fine and coarse solid matter in industrial environments.	Compact, robust for vacuuming and separating coolants, lubricant emulsions, water or oil containing solids
Class		IVac Solid/dust	IVac Liquids/swarf
Current type	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	2.3	1.2
Air flow rate	l/s m³/h	106 / 381.6	59 / 212.4
Vacuum	mbar/kPa	225 / 22.5	230 / 23
Filter area	m²	1.6	0.25
Container	l	40	65
Dim. (LxWxH)	mm	645 x 655 x 1150	730 x 570 x 1330
Weight	kg	35.7	40



Product (order n.)		IVC 60/24-2 Ap (1.576-104.0)	IVC 60/12-1 Ec H Z22 (1.576-103.0)
Technical Data			
Benefits		Entry-level, with semi automatic filter cleaning, ideal for production areas & machines cleaning	Suitable for continuous use in production & hygiene-sensitive areas (fine dust class H, ATEX zone 22)
Class		Compact	Ex vacuum
Current type	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	2.4	1.2
Air flow rate	l/s m³/h	2 x 74	62.5 225
Vacuum	mbar/kPa	254 / 25.4	244 / 24.4
Filter area	m²	0.95	0.95
Container	l	60	60
Dim. (LxWxH)	mm	970 x 690 x 995	970 x 690 x 995
Weight	kg	60	59

Air Cleaner

AF 100 needs only a couple of minutes to produce fresh, clean air in rooms up to 100 m². Customisable with five special filters – from antibacterial action, filtering hazardous smoke, to eliminating volatile organic compounds. A highly precise sensor monitors the air quality, shows this on the display and regulates the machine automatically.

AF 100 hanya membutuhkan beberapa menit untuk menghasilkan udara bersih dalam ruangan 100 m². Dapat disesuaikan dengan 5 filter khusus - dari anti-bakteri, menyaring asap berbahaya hingga menyingkirkan berbagai komponen organik di udara. Sensor yang sangat akurat memonitor kualitas udara, menunjukkannya pada display dan meregulasi secara otomatis.




Product (order n.)		AF 100 (1.024-811.0)
Technical Data		
Benefits		For optimum air quality in rooms up to 100 m ² with 3 fan speed levels
Sound level	dB(A)	30 - 48 dB(A)
Power rating	W	max. 80
CADR PM 2,5	m ³ /h	>750
CADR formaldehyde	m ³ /h	>350
CCM PM 2.5/ formaldehyde		P4
Dim. (LxWxH)	mm	380 x 380 x 713
Weight	kg	11.3

Dry Ice Cleaning



The spray process with dry ice pellets is ideal for gentle cleaning of sensitive surfaces. This requires no cleaning agents or other additives and leaves no moisture or abrasive material residue.







Proses penyemprotan dengan biang es ideal untuk membersihkan dengan lembut permukaan yang sensitif. Proses ini tidak memerlukan bahan pembersih atau aditif lain dan tidak meninggalkan kelembapan atau residu material abrasif.









Product (order n.)		IB 10/8 L2P (1.574-200.0)
Technical Data		
Benefits		Ergonomic, mobile design and safe handling
Class		Compact
Air pressure	bar	0.7 - 10
Air flow	m ³ /min	0.1 - 0.8
Dry ice consumption	kg/h	2 - 8
Power rating	kW	1
Dim. (LxWxH)	mm	845 x 440 x 938
Weight	kg	90

Optional Accessories






Cold & Hot Water High Pressure Cleaner Accessories		Order Number	Description
1		2.642-999.0	1. FRV 30 (for cold water only)
2		2.642-911.0	2. FRV 30 ME (for hot water only)
3		4.762-010.0	3. Wet blasting attachment with flow control (no nozzle)
4		6.392-978.0	4. Hose solar
5		6.368-092.0	5. Brush iSolar 400
6		6.368-095.0	6. Brush iSolar 800
7		4.405-048.0	7. Y distributor
8		6.394-654.0	8. Jet pipe flexible
9		6.394-690.0	9. Telescopic spray lance
10		4.424-004.0	10. Adapter M 22 Swivel
11		6.373-987.0	11. Restrain belt for telescopic jet pipe
12		6.295-971.0	12. PressurePro Machine Protector RM 110, 1 L
13		6.295-303.0	13. PressurePro Machine Protector RM 110, 10 L
14		6.295-488.0	14. PressurePro Machine Protector RM 110, 20 L

Dry and Carpet Vacuum Cleaner Accessories		Order Number	Description
1		2.860-113.0	1. Upholstery nozzle TURBO
2		2.860-114.0	2. Floor tool TURBO DN 35/32
3		6.904-305.0	3. Fleece filter bags, three-ply
4		6.904-315.0	4. Fleece filter bags, three-ply
5		6.904-335.0	5. Fleece filter bags, three-ply
6		6.907-017.0	6. Fleece filter bags, three-ply
7		8.621-509.0	7. Paper filter bags, two-ply

Wet & Dry Vacuum Cleaner Accessories		Order Number	Description
1		2.679-000.0	1. Drilling dust tool
2		4.130-401.0	2. Wide nozzle NT 55/1 Tact
3		2.640-341.0	3. Baking oven kit ID 35

Carpet Cleaner & Spray Extraction Cleaner Accessories		Order Number	Description
  	1. Upholstery tool	4.130-001.0	Upholstery nozzle, 110 mm.
	2. Hand nozzle DN 38	4.130-163.0	Stainless steel with transparent nozzle, ID 38. For cleaning upholstery or small surfaces that cannot be reached with the floor nozzle.
	3. Spray extraction hose ID 38, 4m	4.440-644.0	Complete, metal coupling. Floor tool


Scrubber & Polisher Accessories		Order Number	Description
      	1. Microfiber pad	6.905-526.0	Excellent cleaning power. Also effectively cleans fine stoneware tiles.
	2. Disk brush 430 mm, Red	6.369-895.0	Medium hardness scrubbing brush.
	3. Disk brush 430, blue-white	6.369-896.0	Medium-soft hardness shampooing brush.
	4. Disk brush 430 mm, black	6.369-898.0	Hard scrubbing brush, GRIT
	5. Pad drive board 430 mm	6.369-899.0	For low speed pad.
	6. FloorPro High Gloss Crystallising Agent, powder RM 775, 5 kg	6.295-117.0	Treating and hardening marble & terrazzo floors. After crystallisation, the floor has an attractive high gloss & is harder and more resistant to wear.
	7. FloorPro Intensive Deep Cleaner Extra RM 752, 10 L	6.295-813.0	Extra powerful deep cleaning agent for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease & mineral stains.

Industrial Vacuum Cleaner Accessories		Order Number	Description
    	1. Standard kit solids/dusts DN 40	9.989-659.0	For textile and Insulating material, food & pharmaceutical industry, apparatus engineering & warehouse cleaning.
	2,3. Vacuum kit DN 51 (3) DN 61 for lighter-duty application	2.641-177.0 2.641-175.0	
	4. Standard kit liquids/swarf DN 50	9.989-658.0	Comprehensive accessory kit for liquid and swarf vacuum. Suitable for cutting industry (cleaning of machine tools - metal splinters and KSS).
	5. Standard kit liquids/swarf DN 40	9.989-657.0	
	6. Adapter accessories	9.989-604.0 9.977-772.0 9.989-690.0 9.989-712.0 9.989-713.0 9.981-231.0	Multipurpose adapter for different size of industrial vacuum suction kit.

Kärcher Service

Our skilled service team provide personalised support over the entire service life of your Kärcher machine. Wherever you need us, we or one of our service partners will be there to assist you on-site.

Tim ahli kami menghadirkan dukungan secara personal selama masa penggunaan mesin Kärcher Anda. Dimana Anda membutuhkan, kami atau rekan servis kami akan hadir untuk membantu Anda.



Service Training

Thanks to our comprehensive training system, our service engineers and those of our service partners are trained using the latest teaching methods. Specialist knowledge is acquired through technical as well as electronic training. A wide range of practical exercises ensure that the service engineers are ideally prepared for working in the field.

Dengan sistem pelatihan kami yang komprehensif, teknisi kami dan rekan servis kami terlatih menggunakan metode pembelajaran terkini. Pengetahuan spesialis diperoleh melalui pelatihan teknis maupun elektronik. Banyaknya jenis latihan terapan memastikan para teknisi secara ideal siap bekerja di lapangan.

Service Contract Packages

The Kärcher Service Contract packages combine accumulated technical expertise and in-depth application knowledge to yield optimal solutions. Each service package is precisely tailored to a defined need. The scope of services ranges from inspection as part of mandatory safety testing, to maintenance at date due, to the flat-rate Full Service. In addition to the service packages, add-on services such as battery, maintenance or the delivery of consumables are possible.

Paket-paket kontrak servis Kärcher menggabungkan keahlian teknis dan pengetahuan aplikasi yang mendalam untuk menghasilkan solusi optimal. Tiap paket servis dirancang untuk kebutuhan tertentu. Cakupan servis meliputi pengecekan sebagai bagian dari kelaikan unit, perawatan berkala, hingga Full Service dengan flat-rate, Layanan tambahan seperti baterai, perawatan atau pengiriman perlengkapan dapat dilakukan sebagai opsional.

Kärcher Service Package	Kärcher Full Service	Kärcher Maintain	Kärcher Inspect
Safety inspection including certificate & inspection plate	■	■	■
inspection	■	■	■
Travel expenses*	■	■	■
Labor costs*	■	■	■
Adjustment of the operating hours within runtime is possible	■	■	■
Preventive replacement of defined wear parts in accordance with the manufacturer's maintenance plan	■	■	
Spare parts & wear parts included (except batteries & consumables such as brushes, roller brushes, suction lips, cleaning agents, etc.)	■		
Functional guarantee - continuous preservation of function*	■		
Consumables included (brushes, roller brushes, suction lips, cleaning agents, etc.)	□	□	□
Battery (maintenance, replacement, repair)	□	□	□

* Does not apply in case of customer fault, improper use, use of force, force majeure, erroneous operation, etc.

HUBUNGI



JL.RAYA JANTI NO.96

YOGYAKARTA

(0274) 493 22 88

08112863773

(CHAT ONLY)

f qhomemart **t qhomemart**

@ qhomemart **v qhomemart**

WWW.QHOMEMART.COM