

GLASS HARDWARE CATALOGUE PARTITION
Exclusive Architectural Hardware Product

MADE IN GERMANY



ARCHITECTURAL HARDWARE
RAFES[®]
ENGLAND
www.rafes.co.id



MADE IN ITALY

EXPERTIZE IN BUILDING HARDWARE



HUBUNGI :  **QHOME MART**


08112863773
CHAT ONLY

6TH EDITION RAFES CATALOGUE

Expertize in Building Hardware



Brief Introduction



Worldwide well-known brand

RAFES is an England leading brand which has been designing for architectural quality ironmongery for over 23 years in Indonesia. We are expertize in Furniture Fittings, Architectural Ironmongery and Hardware, Accesories and Electronics for Door and Windows. Started in Indonesia since 1997, Rafes holds true values that offers best quality, design, innovation and functionality products.

Our branded product are manufactured in many different countries manufactory which have U.K. standard license, made in Germany, Italy, Shanghai, Taiwan and Indonesia. Our overall aim and targets are to make our customers satisfied with our products.



RAFES product priority is the quality, in which we do put a large portion of attention and control on material and mechanic of our chosen products. In order to make sure that our products will provide a durable, reliable and long service function.



RAFES is the solution for professional Architects, Installer and Specifier as our comprehensive range of products provides the complete Architectural Hardware Solution.


No. Page	Description of the hardware page
01 - 02	- Sliding Door Glass Series
03	- Synchronize Sliding Door & Heavy Duty Sliding Door Series
04	- Sliding Door Glass Series
05 - 06	- Folding Door Glass Series
07	- Semi Automatic Sliding Door Series
08	- Synchronize & Telescopic Series
09 - 11	- Sliding Door Series
12	- Sliding Door & Silent System Folding Door Series
13 - 14	- Folding Door Glass Series
15	- Folding Jamb Door Series
16 - 18	- Automatic Door Series
19	- Sliding Door Wood Series
20 - 21	- Flush Handle Series
22 - 24	- Spider Fitting Series
25	- Glass Holder & Sign Board Series
26 - 31	- Hand-Rail Series
32	- Sauna Lock & Rim Lock Series
33 - 34	- Smart Lock & Face Recognition Series
35 - 36	- Digital lock Series
37 - 42	- Apartment Lock & Intelligent Lock - Hotel Lock Series
43 - 44	- Electric Lock Series
45 - 47	- Iron Door Accessories Series
48 - 52	- Iron Door Series
53	- Sliding Gate Wheels Series
54 - 58	- Movable Door Series
59 - 72	- Shower Screen Series
73	- Window Roller Sliding Series
74	- New Arrival
75 - 76	- Hotel Lock Draft Projects

PLANTING COLOUR / FINISHED




** Ukuran dalam katalog ini harus dikonfirmasi kembali

A2



Sliding Door Glass

perfect material and color, applicable for various.
the streamlined art makes the space aesthetics.



Door Stop 2 pcs

Single wheel Hanger (pack)

Type : **SP 6550**

Material : Stainless Steel Sus 304

Capacity Left : 150 kg/set

Qty Package : Wheel Hanger 2 pcs

Stopper 2pcs, Bracket 4pcs

End coop 2pcs



Bracket 4 pcs





Bottom Guide 1 pcs



End Coop 2 pcs



Side Bracket 2 pcs



Double wheel Hanger (pack)

Type : **SP 6261**

Material : Stainless Steel Sus 304

Capacity Left : 180 kg/set

Qty Package : Wheel Hanger 2 pcs

Stopper 2pcs, Bracket 4pcs, End coop 2pcs,

Flush Handle 1 pcs



Bottom Guide 1 pcs



End Coop 2 pcs




Bracket 4 pcs




Door Stop 2 pcs



Flush Handle 1 pcs





Double Wheel Hanger (pack)

Type : **SP 6551**
Material : **Stainless Steel Sus 304**
Capacity Left : **180 kg/set**
Qty Package : **Wheel Hanger 2 Pcs, Stopper 2 Pcs
Bracket 4 Pcs, End Coop 2 Pcs
Bottom Guide 1 Pcs**

End Coop

Bracket


Bottom Guide

Door Stop




Bracket RDG-04A

Type : **SP 6304**
Material : **Stainless Steel Sus 304**
Description : **Top Bracket to wall**




Bracket RDG-05A

Type : **SP 6305**
Material : **Stainless Steel Sus 304**
Description : **Top Bracket to Glass**




Bracket RDG-06A-1

Type : **SP 6307**
Material : **Stainless Steel**
Description : **Upper Bracket**




Door Stop RDG-11A

Type : **SP 6310**
Material : **Stainless Steel Sus 304**
Description : **Endure Ruber system**



Bracket RDG-14A

Type : **SP 6306**
Material : **Stainless Steel Sus 304**
Description : **Side Bracket to Wall**



Guide RDG-10A-i

Type : **SP 6308**
Material : **Solid Nylon**
Description : **Channel Bottom**



Dropper RDG-05A

Type : **SP 6309**
Material : **Stainless Steel Sus 304**
Description : **The security door to rail**




End Cup RDG-12A

Type : **SP 6303**
Material : **Stainless Steel Sus 304**
Description : **Shut Track**



Solid Bar Track Rafes RDG-12A

Type : **SP 6302**
Material : **Stainless Steel**
Long Track : **3000 mm**
Capacity : **120 - 150 kg**



The distance for clamp fixing for track, wall fixing:

1. Weight 80kgs: max-distance between the clamps
= 1/2 the width of the door ;
2. Weight 80kgs-120kgs: max-distance between the clamps
= 1/3 the width of the door ;
3. Weight 120kgs-150kgs: max-distance between the clamps
= 1/4 the width of the door ;

Technological date


Daylight opening	Entry width	Door width	Tube length
910-1010mm	800-900mm	880-980mm	2038mm
1010-1110mm	900-1000mm	980-1080mm	2238mm
1110-1210mm	1000-1100mm	1080-1180	2438mm
1210-1310mm	1100-1200mm	1180-1280mm	2638mm

** Ukuran dalam katalog ini harus dikonfirmasi kembali


Type : **SP 6321**

Qty Package : -/set

Synchronize Sliding Door (use door glass to glass frame)
Material : Stainless Steel Sus 304

Weight
150 kg/door

01. Left / Right Hanger
Qty Package : 4 pcs

02. Left + Right Stopper
Qty Package : 4 pcs

03. Synchronize Device
Qty Package : 2 pcs

04. Bracket (Pipe To Glass)
Qty Package : 6 pcs

05. Anti Jump
Qty Package : 2 pcs

06. End Cup
Qty Package : 2 pcs

07. Guide
Qty Package : 2 pcs

08. Steel Wire
Qty Package : 1 pcs - 7 m


09. Tube Bar Track
Qty Package : 2 Stalk


Synchronize Sliding Door Glass

Type : **SP 6320**

Qty Package : -/set

Synchronize Sliding Door (use door glass to Wall frame)
Material : Stainless Steel Sus 304

Weight
150 kg/door

01. Left / Right Hanger
Qty Package : 4 pcs

02. Left + Right Stopper
Qty Package : 4 pcs

03. Synchronize Device
Qty Package : 2 pcs

06. End Cup
Qty Package : 2 pcs

04. Bracket (Pipe To Wall)
Qty Package : 6 pcs

05. Anti Jump
Qty Package : 2 pcs

07. Guide
Qty Package : 2 pcs

08. Steel Wire
Qty Package : 1 pcs - 7 m

09. Tube Bar Track
Qty Package : 2 Stalk

Heavy Duty Sliding Door Glass Clamp

SP 7091


Heavy Duty
Sliding Door Glass Clamp

Sg8. Sliding Door Glass Heavy Duty



Type : **PS 4793 + SP 7091**

Material : **Stainless Steel Sus 304**

Max Weight : 400 kg/pairs

Confortable to Track RAFES 400 kg Aluminium

Code	Long Track	For Wide Door	Capacity
SP 7080	2.000 mm	1.000 mm - 1.100 mm	400 kg
SP 7081	3.000 mm	1.500 mm - 1.600 mm	400 kg
SP 7082	4.000 mm	2.000 mm - 2.100 mm	400 kg



1. Consulting and follow glass the design and on glass cutting
2. Fix to suspend track length that the proposal is suspend at track intermission and make a call to diameter to act the opening , and taking the offensive the Screw in the way of self again solidating the doorframe upper site beving living stably suspending the track.
3. With ceases piece to place tow wheels suspending up suspends inner place the track,

SP 7014


SP 7067

Sliding Glass Door Clamp

Type : **SP 7067 + SP 7014**

Capacity : 90 kg /door leaf

Material Clamp : Stainless Steel Sus 304



Compatible with Track :


SP 7012 | SP 7019 | SP 7017

Varian Type


Type : **SP 7069**


Capacity : 90 kg /door leaf

Material Clamp : Stainless Steel Sus 304



SP 7014

Varian Type



Compatible with Track :

SP 7012 | SP 7019 | SP 7017

Type : **SP 6250**


SP 7068

Sliding Glass Door Clamp

Type : **SP 7068 + SP 7014**

Capacity : 90 kg /door leaf

Material Clamp : Stainless Steel Sus 304



SP 7014

PS 4782

Sliding Glass Door Clamp

Type : **PS 4782 + SP 7014**


Finish : Ch (chrome)

Type : **PS 4783 + SP 7014**

Finish : Sn (Satin Nickel)

Capacity : 150 kg /door leaf, Material Clamp : Stainless Steel Sus 304

Compatible with Track : SP 7012 | SP 7019 | SP 7017



SP 7014

PS 4780


Sliding Glass Door Clamp

Type : **PS 4780 + SP 7014**

Capacity : 90 kg /door leaf

Material Clamp : Aluminium

Compatible with Track : SP 7012 | SP 7019 | SP 7017



PS 4781



Sliding Glass Door Clamp

Type : **PS 4781 + SP 7014**

Capacity : 150 kg /door leaf

Material Clamp : Aluminium

Compatible with Track : SP 7012 | SP 7019 | SP 7017




Sliding Door Glass

Type : **SP 7070**

Material : Stainless Steel Sus 304

Max Weight : 90 kg-/set

Description Qty : 2 Wheel Hanger,
Guide, 2 Stopper.


Compatible Aluminium Track 80kg New.

Code	Long Track	For Wide Door
SP 7072	2.000 mm	1.000 mm - 1.100 mm
SP 7073	3.000 mm	1.500 mm - 1.600 mm
SP 7074	4.000 mm	2.000 mm - 2.100 mm
SP 7071	Bracket Aluminium Rafes	




Guide Rakes Sliding Door

Type : **SP 3450**

Material : Stainless Steel Sus 304

Thickness Glass : 8-12 mm



** Ukuran dalam katalog ini harus dikonfirmasi kembali







Folding Door Glass Turn Bolt System


Hanger Rafes RDG TH 5700~sn
Type : **SP 8204**
Material : Stainless Steel Sus 304
Max Weight : 80 kg/door leaf

Top Pivot Rafes RDG TH 5700~sn
Type : **SP 8205**
Material : Stainless Steel Sus 304
Max Weight : 80 kg/door leaf

Glass Door Hinge RSH 850H~sn
Type : **APL 0003**
Material : Stainless Steel Sus 304
Max Weight : 80 kg/door leaf

Glass Door Hinge RSH 850H~sn
Type : **APL 0004**
Material : Stainless Steel Sus 304
Max Weight : 80 kg/door leaf

Glass Door Bolt ~sn
Type : **APL 0001**
Material : Stainless Steel Sus 304

Bottom Guide RDG TH 5700~sn
Type : **APL 0000**
Material : Stainless Steel Sus 304
Max Weight : 80 kg/door leaf

Bottom Pivot RDG BP 5700 ~sn
Type : **SP 8206**
Material : Stainless Steel Sus 304
Max Weight : 80 kg/door leaf

Dust Poof Rafes RDP~sn
Type : **APL 0002**
Material : Stainless Steel Sus 304



Track RAFES R250 (Aluminium)

Code	Long Track	For Wide Door	Capacity
SP 8200	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 8201	4.000 mm	2.000 mm - 2.100 mm	250 kg




Channel RAFES R250 (Stainless Steel)


Code	Long Track	For Wide Door	Capacity
SP 8202	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 8203	4.000 mm	2.000 mm - 2.100 mm	250 kg










Warning to Centre Folding
NL : Normal Left
PL : Pivot Left
(PL width : 1/2 NL + 63 mm)

Pivot Hinge System



Frame Hinge System





** Ukuran dalam katalog ini harus dikonfirmasi kembali


Semi Automatic Sliding door (Qty -/set - single door)

Type : **SP 7101**

Size Track : 2 meter (Material aluminium)

Weight : 100 kg -/door leaf

Description Package : Wheel A 1pcs, Rotor Wheel A 1pcs, Automatic Machine 1pcs, Stopper A 2pcs, Clamping to Glass 2pcs, Bracket Clamping 2pcs, Guide 1pcs, Track + Cover Track 1 Stalk.



03. Wheel - A



04. Rotor Wheel - A



06. Stopper - A



05. Automatic Machine



07. Clamping - A




08. Bracket Clamping




09. Guide - A

Adjust Hydraulic Brake by 1 screw
1/4 - 24x3/8" per drawing gear of
hydraulic brake is design with a one way bearing.
For extra heavy door, raise open end 5mm higher
then "close end" for easier closing.


- Long service life
- light door-opening force
- both for right- and left-handed opening types
- A large variety of models
- Easy to install





Position Side R (05+04)



Position Side L (05+04)



Position (06)



Synchronize Sliding door (Qty -/set - double door)

Type : **SP 7102**

Size Track : 4 meter (Material aluminium)

Weight : 75 kg-/door leaf

Description Package : Track 1 Stalk, Double Wheel-A 1pcs, Double Wheel-B 1pcs, Double Wheel-C 1pcs, Double Wheel-D 1pcs, Wheel Wire-E 2pcs, Stopper 4pcs, Guide 2pcs, Steel Wire min 8 m.



02. Double Wheel - A



04. Double Wheel - C



06. Wheel Wire - E



08. Stopper



03. Double Wheel - B




05. Double Wheel - D




07. Guide



09. Steel Rope



NEW ARRIVAL



Telescopic System

Type : SP 0300



JLLD.M

Qty Package (1Pcs)



PD.IAND 4

Qty Package (1Pcs)



Guide

Qty Package (2Pcs)



Steel Wire Diameter 2.3x3m

Qty Package (1Pcs)



JLLD.M.P1

Qty Package (1Pcs)



JLLD.M.P2

Qty Package (1Pcs)



JLLD.M.P4

Qty Package (1Pcs)




JLLD.M.P5

Qty Package (1Pcs)



JLLD.M.P6

Qty Package (2Pcs)



Synchronize System

Type : SP 0301

Max Wide 1M/Door



JL.TB. Roller

Qty Package (2Pcs)



Fixing Set 2

Qty Package (1Pcs)



Fixing Set 1

Qty Package (1Pcs)





Steel Wire Diameter 2.3x7.4M

Qty Package (1Pcs)

** Ukuran dalam katalog ini harus dikonfirmasi kembali

FACE FIXED

SOFFIT FIXED




SP 6980 Bracket



Sliding Door Series (Qty/-set)

Type : SP 7014
Material : Solid Nylon + Steel
Max Capacity : 250 kg/set
Description Qty : 2 Wheel Hanger
Guide, 2 Stopper



Compatible Track Double RAFES R250 kg

Code	Long Track	For Wide Door	Capacity
SP 6982	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 6983	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 6984	4.000 mm	2.000 mm - 2.100 mm	250 kg



Compatible Channel RAFES

Code	Long Track	For Wide Door	Capacity
SP 7008	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7022	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7023	4.000 mm	2.000 mm - 2.100 mm	250 kg




Sliding Door Series

Type : SP 7013
Material : Solid Nylon + Steel
Max Capacity : 100 kg -/pairs
Description Qty : 2 Wheel Hanger
Guide, 2 Stopper


Type : SP 7086
Material : Aluminum Bracket

Bracket Rafes 100kg
Type : SP 7015



Compatible Track RAFES R100 k

Code	Long Track	For Wide Door	Capacity
SP 7011	2.000 mm	1.000 mm - 1.100 mm	100 kg
SP 7020	3.000 mm	1.500 mm - 1.600 mm	100 kg
SP 7021	4.000 mm	2.000 mm - 2.100 mm	100 kg



Compatible Channel RAFES R100 k


Code	Long Channel	For Wide Door	Capacity
SP 7008	2.000 mm	1.000 mm - 1.100 mm	100 kg
SP 7022	3.000 mm	1.500 mm - 1.600 mm	100 kg
SP 7023	4.000 mm	2.000 mm - 2.100 mm	100 kg



Sliding Door Series

Type : SP 7014
Material : Solid Nylon + Steel
Max Capacity : 250 kg/set
Description Qty : 2 Wheel Hanger
Guide, 2 Stopper

SP 7016 Bracket



Compatible Track RAFES R250 k

Code	Long Track	For Wide Door	Capacity
SP 7012	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7019	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7017	4.000 mm	2.000 mm - 2.100 mm	250 kg





Compatible Channel RAFES

Code	Long Channel	For Wide Door	Capacity
SP 7008	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7022	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7023	4.000 mm	2.000 mm - 2.100 mm	250 kg



Sliding Door Series (Qty/-set)

Material : Stainless Steel + Solid Nylon
Max Capacity : 70 kg
Description Qty/-set : 2 pcs Wheel Hanger,
2 Stopper, Guide




Casano - 70 kg/Set (Iron Track)

Set Code	L. Track	L. Channel	For Wide Door
SP 4335	2.100mm	1.600mm	900mm - 1.100mm



Sliding Door Series (Qty -/set)

Material : Stainless Steel + Solid Nylon
Max Capacity : 100 kg
Description Qty -/set : 2 pcs Wheel Hanger,
2 Stopper, Guide, Available Aluminium Track 100 kg





RAFES R100 kg/Set (Aluminium Track)

Set Code	L. Track	L. Channel	For Wide Door	Capacity
SP 7076	2.000mm	900mm	750mm - 900mm	R3 :100 kg
SP 7005	2.400mm	1.250mm	1.100mm - 1.250mm	R5 :100 kg
SP 7006	3.000mm	1.600mm	1.200mm - 1.600mm	R6 :100 kg


Sliding Door Series (Qty -/set)

Material : Stainless Steel + Solid Nylon
Max Capacity : 80 kg
Description Qty -/set : 2 pcs Wheel Hanger,
2 Stopper, Guide, Available Aluminium Track 80 kg



RAFES - 80 kg/Set (Iron Track)

Set Code	L. Track	L. Channel	For Wide Door	Capacity
SP 4330	1.600mm	1.000mm	750mm - 900mm	80 kg
SP 4329	2.000mm	1.100mm	900mm - 1.100mm	80 kg
SP 7078	1.600mm	1.000mm	750mm - 900mm	80 kg
SP 7079	2.000mm	1.000mm	900mm - 1.100mm	80 kg



Sliding Door Series (Qty -/set)

Material Wheel Hanger : Stainless Steel + Solid Nylon
Max Capacity : 80 kg /set
Description Qty -/set : 2 pcs Wheel Hanger,
2 Stopper, Guide, Available Aluminium Track RA. 80 kg



Track RAFES - RA. 80 kg/Set (Steel Track)

Set Code	L. Track	L. Channel	For Wide Door	Capacity
SP 6503	1.600mm	900mm	750mm - 900mm	80 kg
SP 6504	2.000mm	1.100mm	900mm - 1.100mm	80 kg
SP 6505	2.300mm	1.250mm	1.100mm - 1.250mm	80 kg
SP 6506	3.000mm	1.600mm	1.200mm - 1.600mm	80 kg



Sliding Door Series

Type : SP 7024
Material : Solid Nylon + Steel
Capacity : 30 kg -/pairs
Description Qty : 2 Wheel Hanger,
Guide, 2 Stopper




RAFES Sliding for Wardrobe - 30 kg/Set (Aluminium Track)

Code	Long Track	For Wide Door	Capacity
SP 7025	2.000 mm	900 mm - 1.100 mm	30 kg
SP 7026	3.000 mm	1.200 mm - 1.600 mm	30 kg



Sliding Door Wardrobe

Type : EX 6850
Max Capacity : 100 kg -/pairs
Description Qty : 2 Wheel Hanger +
Slow Motion Closed, Guide, 2 Stopper



Smooth & Slow Motion Closed



Sliding Door Series

Type : SP 0059
Material : Steel
Max Capacity : 250 kg
Description : Steel Wheel

Compatible Track + Channel RAFES


Code	Long Track + Long Channel	For Wide Door	Capacity
SP 7053	1.600 mm + 900 mm	750 mm - 900 mm	100 kg
SP 7054	2.000 mm + 1.100 mm	900 mm - 1.100 mm	100 kg

Compatible Channel RAFES R100 k

Code	Long Channel	For Wide Door	Capacity
SP 7008	2.000 mm	1.000 mm - 1.100 mm	100 kg
SP 7022	3.000 mm	1.500 mm - 1.600 mm	100 kg
SP 7023	4.000 mm	2.000 mm - 2.100 mm	100 kg





Compatible with Track RAFES R250

Code	Long Track	For Wide Door	Capacity
SP 7039	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7045	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7046	4.000 mm	2.000 mm - 2.100 mm	250 kg



Sliding Door Series

Type : **SP 4334**
Material : **Stainless Steel SUS 304**
Max Capacity : **100 kg /set**
Description Qty : **2 Wheel Hanger**
Guide, 2 Stopper



Sliding Door Series

Type : **SP 0066**
Material : **Solid Nylon + Steel**
Max Capacity : **80 kg /set**
Description Qty : **2 Wheel Hanger,**
Guide, 2 Stopper, Available Steel Track.




RAFES - 100 kg/Set (Iron Track)

Set Code	L. Track	L. Channel	For Wide Door	Capacity
SP 7053	1.600mm	1.000mm	750mm - 900mm	100 kg
SP 7054	2.000mm	1.100mm	900mm - 1.100mm	100 kg

RAFES - 100 kg/Set (Aluminium Track)



Set Code	L. Track	L. Channel	For Wide Door	Capacity
SP 7072	2.000mm	-	750mm - 900mm	100 kg
SP 7073	3.000mm	-	900mm - 1.100mm	100 kg
SP 7074	4.000mm	-	2.000mm - 2.200mm	100 kg

Heavy Duty Sliding Door Series




Double Wheel Hanger

Type : **SP 7091**
Material : **Stainless Steel 304**
Capacity : **400 kg -/2pcs**



Single Wheel Hanger

Type : **SP 7090**
Material : **Stainless Steel 304**
Capacity : **200 kg -/2pcs**



Stopper door Wood 01

Type : **SP 7092**
Material : **Solid Nylon**




Guide door wood

Type : **SP 7093**
Material : **Stainless Steel 304**




Steel Track Bracket

Type : **SP 7094**
Material : **Steel**



Steel Track Bracket

Type : **SP 7095**
Material : **Steel**




Stopper door Wood

Type : **SP 7089**
Material : **Solid Nylon**



Channel RAFES 400 kg

Code	Long Channel	For Wide Door	Capacity
SP 7083	2.000 mm	1.000 mm - 1.100 mm	400 kg
SP 7084	3.000 mm	1.500 mm - 1.600 mm	400 kg
SP 7085	4.000 mm	2.000 mm - 2.100 mm	400 kg




Track RAFES 400 kg

Code	Long Track	For Wide Door	Capacity
SP 7080	2.000 mm	1.000 mm - 1.100 mm	400 kg
SP 7081	3.000 mm	1.500 mm - 1.600 mm	400 kg
SP 7082	4.000 mm	2.000 mm - 2.100 mm	400 kg



Thickness : 5 mm




Description :

1. Track
2. Channel
3. Double Wheel Hanger / Single Wheel Hanger
4. Stopper
5. Guide

Capacity Wight : 400 kg



1. Double Wheel - 2 pcs-/1set



J1. Sliding Door for wood Silent System

Type : **SP 6260**

- Material : **Stainless Steel Sus 304**
- Weight Capacity : **200 kg**
- Description Qty -/set : **Double Wheel 2 pcs, 2 Stopper, Bracket 4 pcs, Guide 1 pcs**



2. Stopper - 2 pcs-/1set



3. Bracket - 4 pcs-/1set




4. Guide - 1 pcs-/1set

The Width of the Door

Width Door	Use Bracket	Weight
960 - 1060 mm	4 pcs	80 kg
1060 - 1260 mm	4 pcs - 6 pcs	80 kg - 120 kg
1260 - 1360 mm	6 pcs - 8 pcs	120 kg - 150 kg
1360 - 2000 mm	8 pcs - 12 pcs	150 kg - 200 kg


Package does not include pipe rail





Silent System Folding Door Series



Bracket



Type : **SP 7016**
Material : **Steel**


Bracket


Type : **SP 7018**
Material : **Steel**


SP 6203


Double Wheel Hanger

Type : **SP 6203 + SP 7014**
Material : **SS + Nylon**
Capacity Folding : **60 kg/door leaf**


Track RAFES R250 kg

Code	Long Track	For Wide Door	Capacity
SP 7012	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7019	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7017	4.000 mm	2.000 mm - 2.100 mm	250 kg


Aluminium Track



Channel RAFES R.250


Code	Long Channel	For Wide Door
SP 0081	2.000 mm	1.000 mm - 1.100 mm
SP 0082	3.000 mm	1.500 mm - 1.600 mm
SP 0083	4.000 mm	2.000 mm - 2.100 mm

Aluminium Channel




SP 6202

Double Wheel Hanger

Type : **SP 6202 + SP 7014**
Material : **Stainless + Solid Nylon**
Capacity Folding : **60 kg/door leaf**


Top Pivot Hinge + Bottom

Type : **SP 6200**
Material : **Stainless Steel**


Guide Rafes 250 kg

Type : **SP 6201**
Material : **Stainless Steel**

** Ukuran dalam katalog ini harus dikonfirmasi kembali



Thickness : 5 mm

Track RAFES 400 kg

Code	Long Track	For Wide Door	Capacity
SP 7080	2.000 mm	1.000 mm - 1.100 mm	400 kg
SP 7081	3.000 mm	1.500 mm - 1.600 mm	400 kg
SP 7082	4.000 mm	2.000 mm - 2.100 mm	400 kg



Steel Track Bracket

Type : SP 7094


Material : Steel



Plate Thickness : 2mm

Aluminium Channel RAFES R250

Code	Long Channel	For Wide Door
SP 0081	2.000 mm	1.000 mm - 1.100 mm
SP 0082	3.000 mm	1.500 mm - 1.600 mm
SP 0083	4.000 mm	2.000 mm - 2.100 mm




Steel Track Bracket

Type : SP 7095

Material : Steel

SP 7091



Double Wheel Hanger

Type : SP 7096 + SP 7091

Material : Stainless Steel 304

Capacity : 100 kg -/door leaf

SP 7090




Single Wheel Hanger

Type : SP 7096 + SP 7090

Material : Stainless Steel 304

Capacity : 70 kg -/door leaf

SP 7091



Centre Double Wheel Hanger

Type : SP 6205 + SP 7091

Material : Stainless Steel 304

Capacity : 100 kg -/door leaf

SP 7092




Top Pivot Folding Door

Type : SP 7096 + SP 7092

Material : Solid Nylon + SS. Sus 304


Capacity : 100 kg -/door leaf



Bottom Pivot Folding Door

Type : SP 7098


Material : Stainless Steel 304



Wheel Guide Bottom

Type : SP 7097

Material : Stainless Steel 304



Track RAFES - S.250 kg

Code	Long Track	For Wide Door	Capacity
SP 7039	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7045	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7046	4.000 mm	2.000 mm - 2.100 mm	250 kg





Plate Thickness : 2mm



Steel Channel RAFES S.250

Code	Long Channel	For Wide Door
SP 7040	2.000 mm	1.000 mm - 1.100 mm
SP 7047	3.000 mm	1.500 mm - 1.600 mm
SP 7048	4.000 mm	2.000 mm - 2.100 mm





Plate Thickness : 2mm




Double Wheel Hanger

Type : SP 7043

Material : Steel

Capacity : 60 kg/door leaf




Double Wheel Hanger

Type : SP 7044

Material : Steel

Capacity : 60 kg/door leaf



Single Wheel Hanger

Type : SP 7032

Material : Steel

Capacity : 30 kg/door leaf





Single Wheel Hanger

Type : SP 7033

Material : Steel



Capacity : 30 kg/door leaf



Top Pivot Folding Door

Type : SP 7034


Material : Steel



Folding Door Guide (L)

Type : SP 7038

Material : Stainless Steel



Bottom Pivot Folding Door

Type : SP 7036

Material : Steel



Folding Door Guide

Type : SP 7035

Material : Stainless Steel

Ø20mm



Apron Plate

Type : SP 7031

Material : Steel



Stopper

Type : SP 7030

Material : Steel



Guard Plate

Type : SP 7037

Material : Steel



Side Bracket

Type : SP 7041

Material : Steel




Bracket

Type : SP 7042


Material : Steel




Folding in/out Position




Centre Folding Position



Folding in/out Position



Centre Folding Position



** Ukuran dalam katalog ini harus dikonfirmasi kembali

Folding Jamb Door (Steel Wheel Series)




Double Wheel Hanger

Type : **SP 7060**
Material : Steel + Sus 304
Capacity : 60 kg/door leaf



Single Wheel Hanger


Type : **SP 7061**
Material : Steel + Sus 304
Capacity : 30 kg/door leaf



Hinge


Type : **SP 7062**
Material : Steel + Sus 304

Ø 20



Track RAFES - S.250 kg

Set Code	Long Track	For Wide Door	Capacity
SP 7039	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7045	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7046	4.000 mm	2.000 mm - 2.100 mm	250 kg



Steel Channel RAFES S.250

Set Code	Long Channel	For Wide Door
SP 7040	2.000 mm	1.000 mm - 1.100 mm
SP 7047	3.000 mm	1.500 mm - 1.600 mm
SP 7048	4.000 mm	2.000 mm - 2.100 mm


Side Bracket
Type : **SP 7041**
Material : Steel

Bracket
Type : **SP 7042**
Material : Steel

Folding Jamb Door (Nylon Wheel Series)




Nylon Double Wheel Hanger

Type : **SP 7065**
Material : Nylon+ Sus 304
Capacity : 60 kg/door leaf



Nylon Single Wheel Hanger


Type : **SP 7064**
Material : Nylon + Sus 304
Capacity : 30 kg/door leaf



Single Hinge

Type : **SP 7063**
Material : Sus 304 + Solid Brass

Ø 20



Track RAFES R250 kg

Set Code	Long Track	For Wide Door	Capacity
SP 7012	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7019	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7017	4.000 mm	2.000 mm - 2.100 mm	250 kg




Channel RAFES R250

Set Code	Long Channel	For Wide Door
SP 0084	2.000 mm	1.000 mm - 1.100 mm
SP 0085	3.000 mm	1.500 mm - 1.600 mm
SP 0086	4.000 mm	2.000 mm - 2.100 mm



Bracket



Type : **SP 7016**
Material : Steel



AUTOMATIC DOOR MODEL RAD - 1250 - D

ARCHITECTURAL HARDWARE
RAFES
ENGLAND



Automatic Door

Type : **SP 2011**
Automatic Door (Double Door)
Auto Door RAFES RAD - 1250 - D
Weight Capacity : 120 kg/Leaf
Door Track/Rail : 4.200 mm (No Cover)



Motor

Qty Package : 1 pcs



Hanger

Qty Package : 4 pcs



Idle Pulley

Qty Package : 1 pcs



Terminal Switch

Qty Package : 1 pcs



Controller

Qty Package : 1 pcs



Sensor

Qty Package : 2 pcs



Guide

Qty Package : 1 pcs



Stopper (L/R)

Qty Package : 2 pcs



Toothed Belt

Qty Package : 1 set



Remote

Qty Package : 2 pcs



Belt Bracket (Left)

Qty Package : 1 pcs



Belt Bracket (Right)

Qty Package : 1 pcs

** Ukuran dalam katalog ini harus dikonfirmasi kembali

Automatic Door



Description Package	Qty
Door Track/Rail (No cover)	2.1 Meter
Motor + Slave Drive + Belt	1 Set
Hanger	2 Pcs
Stopper	2 Pcs
Sensor	2 Pcs

Automatic Door (Single Door) RAD-1250-Single

Type : **SP 2010**


Weight Capacity : 150 Kg/Leaf



Automatic Door Track/Rail RAD-TT-1250 (3M)

Type : **SP 2014**

Long Track : 3 Meter



Description Package	Qty
Door Track/Rail (No cover)	4.8 Meter
Motor + Slave Drive + Belt	1 Set
Hanger	4 Pcs
Stopper	2 Pcs
Sensor	2 Pcs

Automatic Door (Double Door) RAD-2500-Double

Type : **SP 2012**

Weight Capacity : 250 Kg/Leaf



Automatic Door Track/Rail RAD-TT-2500 (3M)

Type : **SP 2015**

Long Track : 3 Meter



Microwave Sensor
RAFES RAD-MW-246Hz

Type : **SP 2013**



Auto Door Van Belt
RAFES RAD-V8-10Meter


Type : **SP 2016**



Auto Door
Safety Beam Sensor

Type : **SP 2018**

Automatic Door




Automatic Door

Type : **SP 2020**

Weight Capacity : 120 Kg/Leaf

Qty	Description Package		Qty
1 Pcs	Control	Sensor	2 Pcs
1 Pcs	Power Supply	Glass Clamp	4 Set
1 Pcs	Electric Bolt	Fiberglass Driver Belt	7 M
1 Set	Safety Beam	Hanger	4 Pcs
1 Pcs	Motor	Pulpy Ideal Wheel	1 Pcs
2 Pcs	Guide	Remote	1 Pcs
1 Set	Controller Optional		

Aluminium Track + Cover Track (2m + 2m)



Description Package	Qty
Door Track/Rail (No cover)	4.2 Meter
Motor + Slave Drive + Belt	1 Set
Hanger	4 Pcs
Stopper	2 Pcs
Sensor	2 Pcs

Automatic Door (Double Door) CAD-120

Type : **SP 2024**

Weight Capacity : 100 Kg/Leaf

CASANO

Automatic Door 125 - B

Type : **OD 0000**

Weight Capacity : 120 Kg/Leaf

PSB®

Description Package	Qty
Motor	1 Pcs
Hanger	4 Pcs
Idle Puley	1 Pcs
Terminal Switch	1 Set
Controller	1 Pcs
Beam Sensor	1 Pcs
Belt Bracket (R/L)	2 Pcs
Stopper (R/L)	2 Pcs
Sensor	2 Pcs
Guide	2 Pcs
Toothed Belt	1 Pcs
Remote	2 Pcs
Clamping 1m	2 Pcs

Aluminium Track/Rail (4.2M) + Cover Track

Automatic Door

Type : **OD 0001**

Weight Capacity : 250 Kg/Leaf

PSB®

Description Package	Qty
Motor	1 Pcs
Hanger	4 Pcs
Idle Puley	1 Pcs
Terminal Switch	1 Set
Controller	1 Pcs
Beam Sensor	1 Pcs
Belt Bracket (R/L)	2 Pcs
Stopper (R/L)	2 Pcs
Sensor	2 Pcs
Guide	2 Pcs
Toothed Belt	1 Pcs
Remote	2 Pcs
Clamping 1,5m	2 Pcs

Aluminium Track/Rail (3M 2Pcs) No cover

** Ukuran dalam katalog ini harus dikonfirmasi kembali



CARBON STEEL ROLLER SERIES


Type : **SP 4332**

Material : **Carbon Steel**



Optional
Damper Hidrolic

Type : **EX 6860**



Roller Hanger
Qty Package : 2 set



Wall Anchors
Qty Package : 5 pcs



Bolt
Qty Package : 4 pcs



Door Top Guide
Qty Package : 2 pcs



Door Blocks
Qty Package : 5 pcs




Stopper Left - Right
Qty Package : 2 pcs




Guide
Qty Package : 1 pcs

Track 2M
Qty Package : 1 set


Flush Handle (for glass edition) SLIDING GLASS SERIES




Material : Stainless Steel Sus 304
Type : HT 2462
Size A : 69 mm, Size B : 121 mm



Material : Stainless Steel Sus 304
Type : HT 2463
Size A : 69 mm, Size B : 121 mm



Material : Stainless Steel Sus 304
Type : HT 2452
Size A : 75 mm, Size B : 75 mm




Material : Stainless Steel Sus 304
Type : HT 2450
Size A : 36 mm, Size B : 75 mm



Material : Stainless Steel Sus 304
Type : HT 1178
Size A : 50 mm, Size B : 88 mm



Material : Stainless Steel Sus 304
Type : HT 1177
Size A : 50 mm, Size B : 88 mm



Material : Stainless Steel Sus 304
Type : HT 2451
Size A : 38 mm, Size B : 63 mm



Material : Stainless Steel Sus 304
Type : HT 2461
Size A : 48 mm, Size B : 68 mm



Material : Stainless Steel Sus 304
Type : HT 2460
Size A : 52 mm, Size B : 68 mm



Material : Stainless Steel Sus 304
Type : TL 7820
Size A : 56 mm, Size B : 72 mm

FLUSH HANDLE DOOR SLIDING WOOD SERIES





Plate Thickness : 3,5mm
Type : HT 2118 - Sn
Size : A.90mm, B.90mm
Material : Stainless Steel Sus 304




Type : HT 2117
Size : A.54mm, B.71mm
Material : Stainless Steel Sus 304




Plate Thickness : 2mm
Type : HT 2105 - Sn
Size : A.135mm, B.66mm
Material : Stainless Steel Sus 304




Material Solid Brass
Type : HT 6150
Size A : 155mm, Size B : 45mm
Type : HT 6149
Size A : 122mm, Size B : 45mm



Material : Stainless Steel
Type : HT 2000
Size A : 160mm, Size B : 50mm



Material : Stainless Steel
Type : HT 2001
Size A : 160mm, Size B : 50mm



Material Stainless Steel 304
Type : HT 1974
Size A : 35mm, Size B : 19mm

Type : HT 1975
Size A : 49mm, Size B : 30mm

Type : HT 1976
Size A : 65mm, Size B : 40mm



Material : Stainless Steel Sus 304
Type : HT 1971
Size A : 90 mm, Size B : 71 mm



** Ukuran dalam katalog ini harus dikonfirmasi kembali



Plate Thick : 2mm

Material Solid Brass

Type : HT 6152

Size A : 180mm, Size B : 45mm

Type : HT 6151

Size A : 147mm, Size B : 45mm




Plate Thickness : 2mm

Type : HT 1171

Size : A.150mm, B.50mm

Type : HT 1170

Size : A.100mm, B.50mm

Material : Stainless Steel Sus 304




Plate Thickness : 2mm

Type : HT 1173 - Sn

Size : A.120mm, B.40mm

Type : HT 1175 - Sn

Size : A.180mm, B.60mm

Material : Stainless Steel Sus 304




Plate Thickness : 2mm

Type : HT 1179 - Ab

Size : A.120mm, B.40mm

Type : HT 1176 - Sn

Size : A.120mm, B.40mm

Material : Stainless Steel Sus 304



Plate Thickness : 2mm

Type : HT 1180 - Ab

Size : A.180mm, B.60mm

Material : Stainless Steel Sus 304




Plate Thickness : 2mm

Type : HT 1971

Size : A.150mm, B.50mm

Type : HT 1970

Size : A.180mm, B.60mm

Material : Stainless Steel Sus 304




Plate Thickness : 1,5mm

Type : HT 1978

Finish : Sn (satin nickel)

Type : HT 1966

Finish : Ab (antique brass)

Material : Stainless Steel Sus 304




Plate Thickness : 1,5mm

Type : HT 1977

Finish : Sn (satin nickel)

Type : HT 1965

Finish : Ab (antique brass)

Material : Stainless Steel Sus 304




Plate Thickness : 2mm

Type : HT 2910

Size : A.110mm, B.65mm

Type : HT 2900

Size : A.160mm, B.65mm

Material : Stainless Steel Sus 304




Plate Thickness : 2,5mm

Type : HT 2111 - Sn

Size : A.120mm, B.40mm

Type : HT 2112 - Pvd

Size : A.120mm, B.40mm

Material : Stainless Steel Sus 304




Plate Thickness : 2mm

Type : HT 1174

Size : A.150mm, B.50mm

Material : Stainless Steel Sus 304



Plate Thickness : 1,5mm

Type : HT 4860

Size : A.110mm, B.40mm

Material : Stainless Steel




Plate Thickness : 2,5mm

Type : HT 2113 - Sn

Size : A.118mm, B.51mm

Type : HT 2115 - Ab

Size : A.118mm, B.51mm

Type : HT 2116 - Pvd

Size : A.118mm, B.51mm

Material : Stainless Steel Sus 304




Plate Thickness : 2,5 mm

Type : HT 2114

Size : A.118mm, B.51mm

Plate Thickness : 2 mm

Type : HT 1972

Size : A.120mm, B.50mm

Material : Stainless Steel Sus 304



Plate Thickness : 2 mm

Type : HT 1973

Size : A.128mm, B.80mm

Material : Stainless Steel Sus 304



Plate Thickness : 2 mm

Type : HT 1172

Size : A.120mm, B.40mm

Material : Stainless Steel Sus 304



Plate Thickness : 2 mm

Type : HT 2010

Size : A.120mm, B.40mm

Material : Stainless Steel Sus 304


SPIDER FITTINGS SERIES

Simple, practical and generous are here to play with the greatest effect as of the cold summer,



HUBUNGI :  **QHOME MART**



08112863773
CHAT ONLY



Material : Stainless Steel Sus 304

Type : **BX 8322**
Size L : 85 mm



Type : **BX 8321**
Size L : 60 mm



Type : **BX 8323**

Size : 120 mm




Material : Stainless Steel Sus 304



Type : **BX 8324**

Size : 120 mm



Material : Stainless Steel Sus 304



Type : **BX 8325**

Size : 120 mm

Material : Stainless Steel Sus 304





Type : **BX 8326**


Size : 120 mm

Material : Stainless Steel Sus 304


** Ukuran dalam katalog ini harus dikonfirmasi kembali



SPIDER FITTINGS



Stainless Steel Sus 304



Material : Stainless Steel Sus 304

Type : **BX 8304**
Size L : 150 mm


Type : **BX 8305**
Size L : 110 mm



Type : **BX 8302**

Size : 220 mm



Material : Stainless Steel Sus 304



Type : **BX 8303**

Size : 220 mm


Material : Stainless Steel Sus 304



Type : **BX 8301**

Size : 220 mm


Material : Stainless Steel Sus 304




Type : **BX 8300**


Size : 220 mm

Material : Stainless Steel Sus 304







Type : **BX 8314**
Side : R (Right) 45°
Material : Stainless Steel Sus 304




Type : **BX 8313**
Side : L (Left) 45°
Material : Stainless Steel Sus 304




Type : **BX 8312**
Size : 95 mm
Material : Stainless Steel Sus 304




Type : **BX 8315**
Size : 200 mm
Material : Stainless Steel Sus 304




Type : **BX 8318**
Side : R (Right) 45°
Material : Stainless Steel Sus 304



Type : **BX 8317**
Side : L (Left) 45°
Material : Stainless Steel Sus 304




Type : **BX 8316**
Size : 95°
Material : Stainless Steel Sus 304




Type : **BX 8319**
Size : 200 mm
Material : Stainless Steel Sus 304


** Ukuran dalam katalog ini harus dikonfirmasi kembali

Type : **BX 3000**

Material : Stainless Steel 304
Finish : Sn (Satin Nickel)
Wight : 50 kg/pcs
Glass Thickness : 10 - 12 mm

Type : **BX 5473**

Material : Stainless Steel 304
Finish : Sn (Satin Nickel)
Wight : 50 kg/pcs
Glass Thickness : 10 - 12 mm

Type : **BX 5474**

Material : Stainless Steel 304
Finish : Sn (Satin Nickel)
Wight : 50 kg/pcs
Glass Thickness : 10 - 12 mm

Type : **BX 5501**

Material : Stainless Steel 304 Glass Thickness : 10 - 12 mm

Type : **BX 5502**

Material : Stainless Steel 304 Glass Thickness : 10 - 12 mm

Type : **BX 5540**

Material : Stainless Steel 304 Glass Thickness : 10 - 12 mm



Sign Board Series



Description :
Material : - Stainless Steel
- Stainless Steel Sus 304
Finish : Sn (Satin Nickel)
Glass Thickness : 6 - 12 mm

Stainless Steel

Type : **BX 3209**

Size L : 30 mm
Size Q : 18 mm

Type : **BX 3220**

Size L : 30 mm
Size Q : 25 mm

Type : **BX 3221**

Size L : 45 mm
Size Q : 25 mm

Type : **BX 3223**

Size L : 35 mm
Size Q : 30 mm

Type : **BX 3227**

Size L : 80 mm
Size Q : 30 mm

Type : **BX 3222**

Size L : 35 mm
Size Q : 30 mm

Type : **BX 3224**

Size L : 45 mm
Size Q : 30 mm

Type : **BX 3226**

Size L : 60 mm
Size Q : 30 mm

Type : **BX 3225**

Size L : 50 mm
Size Q : 30 mm

Type : **BX 3215**

Size L : 20 mm
Size Q : 25 mm

Type : **BX 3216**

Size L : 25 mm
Size Q : 25 mm

Type : **BX 3217**

Size L : 25 mm
Size Q : 18 mm

Type : **BX 3218**

Size L : 56 mm
Size Q : 25 mm

Type : **BX 3219**

Size L : 75 mm
Size Q : 25 mm

Type : **BX 5489**

Size L : 45 mm
Size Q : 25 mm

Type : **BX 5477**

Size L : 30 mm
Size Q : 25 mm

Type : **BX 5479**

Size L : 50 mm
Size Q : 32 mm

Type : **BX 3210**

Size L : 20 mm
Size Q : 18 mm

Type : **BX 3211**

Size L : 25 mm
Size Q : 18 mm

Type : **BX 3212**

Size L : 30 mm
Size Q : 18 mm

Type : **BX 3213**

Size L : 40 mm
Size Q : 18 mm

Type : **BX 3214**

Size L : 45 mm
Size Q : 18 mm



Material : Stainless Steel
Description : Hollow Pipe

Sign Board Series

Type : BX 0600 Size L : 15 mm Size Q : 16 mm	Type : BX 0601 Size L : 20 mm Size Q : 16 mm	Type : BX 0602 Size L : 25 mm Size Q : 16 mm	Type : BX 0603 Size L : 15 mm Size Q : 19 mm	Type : BX 0604 Size L : 20 mm Size Q : 19 mm
Type : BX 0605 Size L : 25 mm Size Q : 19 mm	Type : BX 0606 Size L : 35 mm Size Q : 19 mm	Type : BX 0607 Size L : 45 mm Size Q : 19 mm	Type : BX 0608 Size L : 20 mm Size Q : 25 mm	Type : BX 0609 Size L : 24 mm Size Q : 25 mm
Type : BX 0610 Size L : 35 mm Size Q : 25 mm	Type : BX 0611 Size L : 45 mm Size Q : 25 mm	Type : BX 0612 Size L : 55 mm Size Q : 25 mm	Type : BX 0613 Size L : 75 mm Size Q : 25 mm	Type : BX 0614 Size L : 25 mm Size Q : 30 mm
Type : BX 0615 Size L : 35 mm Size Q : 30 mm	Type : BX 0616 Size L : 45 mm Size Q : 30 mm	Type : BX 0617 Size L : 55 mm Size Q : 30 mm	Type : BX 0618 Size L : 75 mm Size Q : 30 mm	Type : BX 0619 Size L : 96 mm Size Q : 30 mm
Type : BX 0620 Size L : 55 mm Size Q : 40 mm	Type : BX 0621 Size L : 75 mm Size Q : 40 mm	Type : BX 0622 Size L : 95 mm Size Q : 40 mm	Type : BX 0623 Size L : 145 mm Size Q : 40 mm	

Stainless Steel 304


Type : BX 3228 Size L : 15 mm Size Q : 18 mm	Type : BX 3229 Size L : 20 mm Size Q : 18 mm	Type : BX 3230 Size L : 25 mm Size Q : 18 mm	Type : BX 3231 Size L : 30 mm Size Q : 18 mm
Type : BX 3232 Size L : 35 mm Size Q : 18 mm	Type : BX 3233 Size L : 45 mm Size Q : 18 mm	Type : BX 3236 Size L : 25 mm Size Q : 25 mm	Type : BX 3237 Size L : 35 mm Size Q : 25 mm
Type : BX 3238 Size L : 45 mm Size Q : 25 mm	Type : BX 3239 Size L : 55 mm Size Q : 25 mm	Type : BX 3234 Size L : 30 mm Size Q : 25 mm	Type : BX 3235 Size L : 20 mm Size Q : 25 mm
Type : BX 3240 Size L : 75 mm Size Q : 25 mm	Type : BX 3241 Size L : 25 mm Size Q : 30 mm	Type : BX 3242 Size L : 30 mm Size Q : 30 mm	Type : BX 3243 Size L : 35 mm Size Q : 30 mm
Type : BX 3244 Size L : 50 mm Size Q : 30 mm	Type : BX 3245 Size L : 60 mm Size Q : 30 mm	Type : BX 3246 Size L : 75 mm Size Q : 30 mm	

Sign Board Series



HAND - RAIL SERIES






Glass To Pipe

Material : Stainless Steel Sus 304

Type	Size B	Size C	Finish
ART 0055	45 mm	55 mm	Sn
ART 0026	54 mm	53 mm	Sn



Wall To Pipe

Material : Stainless Steel Sus 304

Type	Size B	Size C	Finish
ART 0024	55 mm	57 mm	Sn
ART 0034	54 mm	55 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0037	38 mm	65 mm	60 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0002	0-80 mm	65 mm	51 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0038	51 mm	88 mm	90 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0044	40 mm	125 mm	100 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0029	- mm	50 mm	80 mm	Sn



Wall To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0003	0-80 mm	65 mm	50 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0014	- mm	55 mm	57 mm	Sn



Glass To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0006	44 mm	46 mm	67 mm	Ch
ART 0005	51 mm	60 mm	55 mm	Sn



Wall To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0004	50 mm	70 mm	65 mm	Sn
ART 0011	50 mm	60 mm	70 mm	Ch
ART 0012	50 mm	70 mm	65 mm	Ch



Wall To Pipe

Material : Stainless Steel Sus 304


Type	Size A	Size B	Size C	Finish
ART 0007	0-90 mm	38,1 mm	55 mm	Sn
ART 0008	0-80 mm	65 mm	51 mm	Sn



Type : ART 0001

Material : Stainless Steel Sus 304

Finish : Sn (Satin Nickel)



Wall To Pipe

Material : Stainless Steel Sus 304


Type	Size B	Size C	Finish
ART 0022	50 mm	57 mm	Sn



Wall To Pipe

Material : Stainless Steel Sus 304

Type	Size B	Size C	Finish
ART 0023	55 mm	60 mm	Sn



Material : Stainless Steel Sus 304


Type	Size A	Size B	Thickness	Finish
RT 0052	12,8 mm	6000 mm	1,2 mm	Sn
RT 0050	12,8 mm	6000 mm	1,2 mm	Ch



Type : RT 0062

Material : Stainless Steel Sus 304

Finish : Sn (Satin Nickel)



Type : ART 0009

Finish : Sn (Satin Nickel)


Material : Solid Stainless Steel Sus 304



Type : ART 0041

Material : Solid Stainless SUS 304












Finish : Sn (Satin Nickel)




Type : ART 0015

Finish : Sn (Satin Nickel)

Material : Solid Stainless Steel Sus 304




Stainless Steel Sus 304 with Nickel 8%

Type : **RT 0065**


Material : Stainless Steel Sus 304

Description : Hand-Rail for Glass

Type : **RT 0081**


Material : Stainless Steel Sus 304

Description : Hand-Rail for Glass

Type : **RT 0082**


Material : Stainless Steel Sus 304

Description : Hand-Rail for Glass

Type : **RT 0084**

Material : Stainless Steel Sus 304


Description : Hand-Rail for Glass

Type : **RT 0122**

Finish : Ch (Chrome)

Material : Stainless Steel Sus 304

Description : Hand-Rail for Glass

Type : **RT 0068**


Finish : Sn (Satin Nickel)

Type : **RT 0067**

Finish : Ch (Chrome)

Material : Stainless Steel SUS 304

Description : Hand-Rail for Pipe

Type : **RT 0070**


Finish : Sn (Satin Nickel)

Type : **RT 0069**

Finish : Ch (Chrome)


Material : Stainless Steel SUS 304

Description : Hand-Rail for Glass

Type : **RT 0116**


Material : Stainless Steel Sus 304

Description : Hand-Rail for Glass


Type : **RT 0109**

Material : Stainless Steel Sus 304


Description : Hand-Rail for pipe




Type : **RT 0106**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass




Type : **RT 0118**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass




Type : **RT 0114**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass




Type : **RT 0123**
Finish : Ch (Chrome)
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass




Type : **RT 0111**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass



Type : **RT 0104**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Pipe




Type : **RT 0102**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Pipe




Type : **RT 0110**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Pipe


** Ukuran dalam katalog ini harus dikonfirmasi kembali




Type : **RT 0119**
Finish : Ch (Chrome)
Material : SS SUS 304 + Wood
Description : Hand-Rail for Pipe




Type : **RT 0100**
Material : SS SUS 304 + Wood
Description : Hand-Rail for Pipe




Type : **RT 0101**
Material : SS SUS 304 + Wood
Description : Hand-Rail for Glass




Type : **RT 0113**
Material : SS SUS 304 + Wood
Description : Hand-Rail for pipe




Type : **RT 0103**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass




Type : **RT 0120**
Finish : Sn (Satin Nickel)
Material : SS SUS 304 + Wood
Description : Hand-Rail for Glass



Type : **RT 0117**
Material : Stainless Steel Sus 304
Description : Hand-Rail for pipe



Type : **RT 0115**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass



Type : **RT 0105**
Material : Stainless Steel Sus 304
Description : Hand-Rail for Glass

**Mechanical Sauna Lock**Type : **BX 3510**

Description : TM Card System

**TM Card**
Type : **BX 3513****TM Card**
Type : **BX 3514****Back - Up Battery**Type : **HL 0004**

Description : 6 V / AA 1,5 V

**TM Card**
Type : **BX 3511****TM Card**
Type : **BX 3512****Technical Parameter of TM card Sauna Lock:**

1. Read mode : Touch style
2. Card Type : TM card
3. Static Current : <30uA
4. Dynamic Current : <300mA
5. Working temperature : -10oC- +70oC
6. Undervoltage Tips : <4.8V Alarm, still can be opened 100times
7. Memory : 1pcs system card, 3pcs manage card, 1 pcs guest card, 36pcs server cards.

Rim - Lock Series**Rim-Lock**Type : **KH 0038**

Material : Stainless Steel Sus 304

Description : Computer Key System (5 key)

**Rim-Lock**Type : **KH 0026**

Material : Stainless Steel Sus 304

Description : Computer Key System (5 key)

**LEVELS STAINLESS STEEL****Tips Levels of Stainless Steel / Tips Kadar Stainless Steel**

Name / nama	Levels Nickel % / Kadar Nickel %	Interaction to Magnet / Interaksi terhadap Magnet	Characteristic / Sifat
Stainless Steel Sus 200	0 %	Not Sticky / Tidak Lengket	Can Rust / Bisa Karat
Stainless Steel Sus 201	1 %	Not Sticky / Tidak Lengket	Can Rust / Bisa Karat
Stainless Steel Sus 202	2 %	Not Sticky / Tidak Lengket	Can Rust / Bisa Karat
Stainless Steel Sus 301	6 %	No Sticky / Tidak Lengket	Relatively Not Rust / Relatif Tidak Karat (Hindari Pembersih Berbahan Kimia)
Stainless Steel Sus 304	8 %	Not Sticky / Tidak Lengket	Relatively Not Rust / Relatif Tidak Kara (Hindari Pembersih Berbahan Kimia)
Stainless Steel Sus 430	8 %	Sticky / Lengket	No Rust / Tidak Karat
Stainless Steel Sus 316	11 %	Not Sticky / Tidak Lengket	No Rust (Corrosion-Resistant) / Tidak Karat (Tahan Korosi)

** Ukuran dalam katalog ini harus dikonfirmasi kembali

SMART LOCK BETA

**Fingerprint****Mifare Card****Pin****Phone Open****Doorbell****Lowbat Notif****Mifare Card****Type : KH 0075**

SMART LOCK BETA

Smarthome system lock

Type : KH 0036

Description : (L) Left Open

Type : KH 0035

Description : (R) Right Open



CARD

Mifare One S50

Type : KH 0024

GATEWAY

For Connect to Phone

Type : KH 0037

open the door anywhere with your phone

**Fingerprint Unlocking****Card Unlocking****Password Unlocking****Mechanical Key****Remote Open****Self-locking Protection****Automatic backlight****Visual Intercom Unlocking****Voice navigation****Fingerprint Storage****Handle-up Automatic Lockout****Low Power Alarm Function****Doorbell Function****Emergency Power Interface****T9 Morse****Fireproofing****Integrated Manufacturing****Double Track Dust Proof Cover**

Password capacity	1Group
Fingerprint capacity	100Pcs
User Card capacity	10Group
Card capacity	100Pcs
Remote user number	15 Pcs

Card type	Mifare One S50
Card frequency	13.56MHZ
Reading distance	1.5CM
Read time	< 1S
Power Supply	4 xAA

Low-pressure index	5.0V(± 0.2V)
Battery life	1 year
Resolution rate	500DPI
FRR	≤ 0.01%
Error rate	≤ 0.0001%

Static current	≤ 70uA
Dynamic current	≤ 300mA
Working temperature	-20°C ~ 55°C
Storage temperature	-30°C ~ 70°C
Working humidity	15%RH ~ 93%RH

ALPHA GATES



Face Recognition

SCANNER FACE SYSTEM LOCK

Type : **KH 0030**

Description : (L) Left Open

Type : **KH 0029**

Description : (R) Right Open



Mifare One S50

Type : **KH 0024**



Mifare Card

Type : **KH 0075**

HOW TO OPEN



Fingerprint Unlocked
(Convenient and Secure)



Password Unlocked
(Sensitive Touch Keypad)



Card Unlocked
(Convenient for the Elders)



Manual Keys Unlocked
(Mechanical for the Emergency)



DIGITAL LOCK SERIES FOR ALUMINIUM DOOR

PASSWORD - FINGERPRINT - CARD - MANUAL KEYS

DOUBLE LOCK

Type : KH 0073

Description : For Aluminium
Folding Door




DOUBLE HOOK

Type : KH 0074

Description : For Aluminium
Sliding Door

Type : KH 0075

Description : Mifare Card



35

** Ukuran dalam katalog ini harus dikonfirmasi kembali

Digital Lock Series



FINGERPRINT, CARD & PASSWORD

BIG SCREEN

Type : KH 1926
Description : For Wood Door

Type : KH 1927
Description : For Glass Door



Type : KH 1662

Description : (R) Right Open Side Handle.
MF Card System

Used to Open the Door & Manage the Lock with MF Card



Mifare One S50

Type : KH 0024



Mifare Card

Type : KH 0075



Type : KH 1663

Description : (L) Left Open Side Handle.
MF Card System

Used to Open the Door & Manage the Lock with MF Card

** Ukuran dalam katalog ini harus dikonfirmasi kembali



RAFES Stand-Alone System
(Apartment Lock System)

Type: **KH 0033**

Description : (R) Right
Open Side Handle.

Type: **KH 0034**

Description : (L) Left
Open Side Handle.



MF Card

Type : **KH 0024**

Used to Open the door
and manage the Lock



Office Door Lock
Digital Key Pad,
Finger Print, MF Card

Type : **KH 0021**

Description : (R) Right Open -
Side Handle.

Type : **KH 0022**

Description : (L) Left Open -
Side Handle.



MF Card

Type : **KH 0023**

Used to Open the door
and manage the Lock

Comfortable with RF Card : KH 0023 (Magnetic Frequency System Card)



RAFES Stand-Alone System
(Apartment Lock System)

Type: **KH 0009**

Description : (R) Right
Open Side Handle.

Type: **KH 0010**

Description : (L) Left
Open Side Handle.



EM Card

Type : **BX 3750**

Used to Open the door
and manage the Lock

Comfortable with RF Card : BX 3750 (Electric Magnetic System Card)





Type : **KH 1656**

Description : (R) Right Open Side Handle.
Key Pad System + TM Card System
Mechanical Digital Key Pad

Type : **KH 1657**

Description : (L) Left Open Side Handle.
Key Pad System + TM Card System
Mechanical Digital Key Pad





RAFES Intelligent Lock

Type : **KH 0027**

Material : Solid Casting Stainless Steel Sus 304.

Description : (R) Right Open Side Handle.

Type : **KH 0028**

Material : Solid Casting Stainless Steel Sus 304.

Description : (L) Left Open Side Handle.

Used to Open the Door & Manage the Lock with RF Card KH 0019



Hotel Lock System, Manage Card Intelligent Lock



Type : **KH 1658**

In Side Position

Description : (R) Right Open Side Handle.

MF Card System

Used to Open the Door & Manage the Lock with MF Card



Type : **KH 1659**

In Side Position

Description : (L) Left Open Side Handle.

MF Card System

Used to Open the Door & Manage the Lock with MF Card

** Ukuran dalam katalog ini harus dikonfirmasi kembali





Right Side

Type : **KH 0031**

Unit Lock RF Hotel - R

Integrate to RF Software
intelligent hotel lock system

Material : Stainless Steel Sus 304

110



Left Side

Type : **KH 0032**

Unit Lock RF Hotel - L

Integrate to RF Software
intelligent hotel lock system

Material : Stainless Steel Sus 304

110



MF Card

Type : **KH 0024**

Used to Open the door and
manage the Lock



Data Collector

Type : **HL 0013**

Lock Opening Record Card, Lock body
information card, Time setting card & Room
Setting Card can be set according to different
requirements.



Reader Writer / Encoder

Type : **HL 0010**

Used to issue and Manage Card



Lift Controller / Elevator Controller

Type : **HL 0012**

- Each elevator control board can control 8 Floors,
(available floors up to 27 floors)
- One Card Reader is Available. (One more card reader can be added)
- Datas can be extracted after connected to the PC by RS-485/USB.



Energy Saver / Key Tek

Type : **HL 0011**

Power is off automatically after
15 seconds by taking out the card



Wall Reader

Type : **HL 0014**

Rafes Hotel Access Controller with
hotel Card System in one. Therefore,
The RF Card Can be used for 2 system
in one.



Unit Lock Handle



Data Collector



Comp. Server



Reader Writer



MF Card




Energy Saver



** Ukuran dalam katalog ini harus dikonfirmasi kembali

● Simpe
 ● Modern
 ● Inovative
 ● Secure



INTELLIGENT LOCK / CARD LOCK HOTEL SERIES



Unit Lock Handle

Data Collector

Comp. Server



Reader Writer

RF Card

Energy Saver

Card Type : RF ID Card

Read Distance : Standard 2CM (85x54mm)


Unlocking Methods : Mechanical Key / Card

Work Frequency : 125KHZ

Working Voltage : DC4.5 -6.5V 4pcs

AA Alkaline Battrey

Right Side



Left Side



RF Card

Type : **KH 0019**

Used to Open the door and
manage the Lock


Data Collector

Type : **HL 0007**

Lock Opening Record Card, Lock body
information card, Time setting card & Room
Setting Card can be set according to different
requirements.


Reader Writer / Encoder

Type : **HL 0006**

Used to issue and Manage Card



Lift Controller / Elevator Controller

Type : **HL 0009**

- Each elevator control board can control 8 Floors,
(available floors up to 27 floors)
- One Card Reader is Available. (One more card reader can be added)
- Datas can be extracted after connected to the PC by RS-485/USB.


Energy Saver / Key Tek

Type : **HL 0005**

Power is off automatically after
15 seconds by taking out the card


Wall Reader

Type : **HL 0008**

Rafes Hotel Access Controller is with
hotel Card System in one. Therefore,
The RF Card Can be used for 2 system
in one.




Finger Print Access Control & Attendance Time Clock

Type : **BX 0301**
Function : Key Pad, EM Card, Finger Print

Introduction :

This product is an innovative Fingerprint time clock as well as a professional access Controller that can be used in both Time Attendance Check and Access Control applications, it adopts the latest and accurate industrialized algorithm. It has refined fashion, integrates Powerfull attendance management software, Very competitive price with good performance, designed specially in the purpose of popularizing the fingerprint products. It could store 2,000 fingerprint templates and 30,000 transaction records. This product has an excellent function and competitive price. This device can connect with magnetic lock/ electronic lock or bolt lock. When the enrolled fingerprint punch, the door will open. Complete access control system consists of (1) Fingerprint machine, (2) Exit button, (3) Electric lock, (4) Power supply.




Access Control

Type : **BX 0326**
Function : Key pad + EM Card

This machine has the fastest Card Detection Quality, also High Accuracy. Low Price and Good Performance making this card access control machine the best choice and many have been using it. Complete access control system consists of : (1) Fingerprint machine, (2) Exit button, (3) Electric lock, (4) Power supply.

Introduction :

Card Access Control Machine with EM Technology, just by moving EM card near the machine then the door will be opened or closed automatically.



Access Control

Type : **BX 0303**
Function : Use Key Pad, Use Finger Print

It is able to perform well for long duration and also has high stability. Widely technology support of it brings out its capability to solve many of company's need and factory which in need of complex, global, and integrated solution.



Smart Card / EM Card

Type : **BX 3750**
Description : Access Control



Id Card / EM Card

Type : **BX 0327**
Description : Access Control



Switch / Push Button

Type : **BX 0300**
Description : Use inside Room

Power Supply / Ups

Type : **BX 0335**
Input : AC 200/230V 50 Hz
Output : DC 12V, 3.0Amps+

- RADES Power Supply standby type power
- With controlled lock-ended output, adjustable 0-25 second delay time
- Two DC output end point
- With overload, short circuit protection
- Two Trigger signal access terminal (switch/pulse signal)



Switch / Push Button

Type : **BX 0305**
Description : Use inside Room



Door Bell

Type : **BX 0304**
Description : Use In the Room



Bracket Electric Bolt PFEC 100
Type : **BX 0313**
Desc : In Frameless Glass Door



Bracket Electric Bolt PFEC 130
Type : **BX 0314**
Desc : In Frameless Glass Door



Bracket Electric Bolt PZEC 200
Type : **BX 0315**
Desc : In Frameless Glass Door



Bracket Electric Bolt PZEC 235
Type : **BX 0316**
Desc : In Frameless Glass Door



Electric Bolt EC 200 - 2
Type : **BX 0307**




Electric Bolt EC 235 - 1
Type : **BX 0308**



Magnetic Lock MC 150 T
Type : **BX 0328**



Magnetic Lock MC 270 L
Type : **BX 0329**



Magnetic Lock MC 150 D
Type : **BX 0330**



Magnetic Lock MC 270 DL
Type : **BX 0331**



Magnetic Lock MC 500 L
Type : **BX 0332**



Bracket For Magnetic Lock PLMC 150 D
Type : **BX 0333**



Bracket For Magnetic Lock PLMC 270 D
Type : **BX 0334**



Bracket For Magnetic Lock PLMC 270
Type : **BX 0321**



Bracket For Magnetic Lock PZMC 150
Type : **BX 0317**



Bracket For Magnetic Lock PZMC 270-300
Type : **BX 0318**



Bracket For Magnetic Lock PUMC 150
Type : **BX 0323**



Bracket For Magnetic Lock PUMC 270 - 300
Type : **BX 0324**



Electric Strike
OC 3201
Type : **BX 0310**





Electric Strike
OC 3201 - L
Type : **BX 0309**



Electric Strike
OC 3211 - K
Type : **BX 0311**


Electric Locks System Diagram




Type : **RG 0058**

Material : Stainless Steel SUS 304

Top Wheel Middle RD 4 / Roda Atas Tengah RD 4



Type : **RG 0064**

Material : Stainless Steel SUS 304

Top Wheel Middle RD 2 / Roda Atas Tengah RD 2




Acc garage door series

FULL STAINLESS STEEL SUS 304
5 x LEBIH KUAT dari bahan biasa

Type : **RG 0059**


Material : Stainless Steel SUS 304

Bottom Wheels Middle / Roda Bawah Tengah


Type : **RG 0057**


Material : Stainless Steel SUS 304

Bottom Edge Wheels / Roda Bawah Pinggir


Type : **RG 0056**


Material : Stainless Steel SUS 304

Top Edge Wheels / Roda Atas Pinggir


Type : **RG 0065**


Material : Stainless Steel SUS 304

Top Wheel Middle RD 2 / Roda Atas Tengah L RD 2


Type : **RG 0072**


Material : Stainless Steel SUS 304

Top Wheel Middle RD 2 / Roda Atas pinggir L RD 2


Type : **RG 0060**


Material : Stainless Steel SUS 304

Middle Hinges / Engsel Tengah


Type : **RG 0061**


Material : Stainless Steel SUS 304

Engsel Tengah Kupu-Kupu


Type : **RG 0062**


Material : Stainless Steel SUS 304

Roda Atas Tengah Engsel Kupu-Kupu RD 2


Type : **RG 0067**


Material : Stainless Steel SUS 304

Wheels on the Centre / Roda Atas Center


Type : **RG 0073**


Material : Stainless Steel SUS 304

Roda Bawah Lipat Pinggir


Type : **RG 0066**

Material : Stainless Steel SUS 304

Roda Atas Lipat Pinggir RD 2


Type : **RG 0063**

Material : Stainless Steel SUS 304

Roda Bawah Tengah Engsel Kupu-Kupu

PLAT ENGSEL STAINLESS STEEL SUS 304



Thickness Plate : 2 mm

Steel Bottom Chennel / Rel Bawah

Type : **RG 0009** Long Channel : 2,4 mtr

Type : **RG 0023** Long Channel : 3 mtr

Thickness Plate : 3 mm Material : Aluminium

Type : **SP 0087** Long Channel : 2,4 mtr

Type : **SP 0088** Long Channel : 3 mtr

Type : **SP 0089** Long Channel : 4 mtr



Thickness Plate : 2 mm

Steel Track / Rel Atas

Type : **RG 0008** Long Track : 2,4 mtr

Type : **RG 0022** Long Track : 3 mtr




Thickness Plate : 2 mm

Upper Track Curve / Rel Tikung Atas

Type : **RG 0010**


Material : Steel Degree : 90°



Type : **RG 0004**

Material : Stainless Steel Sus 304


Top Wheel Middle RD 4 / Roda Atas Tengah RD 4



Type : **RG 0000**

Material : Stainless Steel Sus 304

Top Wheel Middle RD 2 / Roda Atas Tengah RD 2



Thickness Plate : 2 mm

Bottom Chennel Curve / Rel Tikung Bawah


Type : **RG 0011**

Material : Steel Degree : 90°

Type : **R G 0053**

Material : Aluminium Degree : 90°


Thickness Plate : 3 mm



Type : **RG 0002**

Material : Stainless Steel Sus 304


Bottom Wheels Middle / Roda Bawah Tengah



Type : **RG 0003**

Material : Stainless Steel Sus 304


Bottom Edge Wheels / Roda Bawah Pinggir



Type : **RG 0001**

Material : Stainless Steel Sus 304


Top Edge Wheels / Roda Atas Pinggir



Type : **RG 0024**

Material : Steel + Iron / Besi


Roda Atas Lipat Tengah RD 4



Type : **RG 0005**

Material : Stainless Steel Sus 304


Middle Hinges / Engsel Tengah



Type : **TL 6316**

Material : Stainless Steel Sus 304

In Side, Solid Pull Handle Edition



Long As Pipe Door Bolt : 75cm

Type : **RG 0007**

Material : Stainless Steel Sus 304

Type : **RG 0020**

Material : Iron / Besi

Long As Pipe Door Bolt : 100cm


Type : **RG 0068**

Material : Stainless Steel Sus 304

Type : **RG 0069**

Material : Iron / Besi

Latch, Door Bolt Garage / Grendel



Long As Pipe Door Bolt : 50cm


Type : **RG 0006**

Material : Stainless Steel Sus 304

Type : **RG 0019**

Material : Iron / Besi

Wheels door bolt / Grendel Beroda




Type : **TP 5475**

Material : Stainless Steel Sus 304

In Side, Hollow Pull Handle Edition

** Ukuran dalam katalog ini harus dikonfirmasi kembali


BESI GALVANIS



Type : **RG 0016**

Material : Iron/Besi


Top Wheel Middle RD 4 / Roda Atas Tengah RD 4



Type : **RG 0012**

Material : Iron/Besi


Top Wheel Middle RD 2 / Roda Atas Tengah RD 2



Type : **RG 0013**

Material : Iron/Besi


Top Edge Wheels / Roda Atas Pinggir



Type : **RG 0014**

Material : Iron/Besi


Bottom Wheels Middle / Roda Bawah Tengah



Type : **RG 0015**

Material : Iron/Besi


Bottom Edge Wheels / Roda Bawah Pinggir



Type : **RG 0017**

Material : Iron/Besi


Middle Hinges / Engsel Tengah



Type : **RG 0031**

Material : Iron/Besi


Roda Atas Tengah L



Type : **RG 0033**

Material : Iron/Besi


Roda Atas Pinggir L



Type : **RG 0034**

Material : Iron/Besi Coating


Hanging Bracket / Bracket Gantung



Type : **RG 0018**

Material : Iron/Besi Coating


Side Bracket / Braket Samping



Type : **RG 0039**

Material : Iron/Besi


Engsel Tengah Kupu-kupu



Type : **RG 0037**

Material : Iron/Besi


Roda Atas Tengah Kupu-kupu



Type : **RG 0038**

Material : Iron/Besi


Roda Bawah Tengah Kupu-kupu



Type : **RG 0052**

Material : Iron/Besi


Roda Bawah Lipat Pinggir



Type : **RG 0051**

Material : Iron/Besi

Roda Atas Lipat Pinggir RD 2






Type : **RG 0083**











Material : Iron/Besi

Roda Atas Lipat Pinggir RD 4

Pintu Garasi Tikung



- * Standard Pintu Besi : 68cm x 238cm
- * Min. Tinggi dari Plafon > : 20cm
- * Penggunaan Pintu Garasi Tikung RD.4 Minimal Lebar 70cm, Tinggi 270cm.






** Ukuran dalam katalog ini harus dikonfirmasi kembali

Folding Door Garage

Pintu Lipat Garasi

* Standard Jarak Antara Bracket : 50cm



* Material Tebal Plate Pintu Besi : 2mm


* Max. Tinggi Pintu : 400cm

* Ukuran Lebar Max Pintu : 75cm


* Penunjang Depan Tebal : 4cm

* Berat Pintu Besi Standard + : 46kg/-daun


RE 110




RE 111




RE 112




RE 113




RE 114




RE 115




RE 116




RE 117















RE 118




RE 119






** Ukuran dalam katalog ini harus dikonfirmasi kembali


RE 135




RE 136




RE 137




RE 138




RE 139




RE 140




RE 141




RE 142




RE 143





* Ukuran Standard Pintu Utama /
Standard Size Mine Door : 40 x 900 x 2150mm

Choice of Color / Pilihan Warna :




** Ukuran dalam katalog ini harus dikonfirmasi kembali


Sliding Gate Wheels



Wheels



Bracket




Double Bearing

Type	Bracket	Capacity	Size A	Size B	Size C	Size D	Size E
SG 0000	SG 0004	400 Kg	80 mm	23 mm	70 mm	100 mm	38 mm
SG 0001	SG 0005	500 Kg	90 mm	23 mm	80 mm	115 mm	38 mm
SG 0002	SG 0006	600 Kg	100 mm	26 mm	80 mm	115 mm	38 mm
SG 0003	SG 0007	700 Kg	120 mm	28 mm	88 mm	130 mm	42 mm



Double Wheel Hanger

Type : **SP 6205 + SP 7091**
Material : **Stainless Steel 304**
Capacity : **400 kg -/door leaf**




Thickness : 5 mm

Track RAFES 400 kg


Code	Long Track	For Wide Door	Capacity
SP 7080	2.000 mm	1.000 mm - 1.100 mm	400 kg
SP 7081	3.000 mm	1.500 mm - 1.600 mm	400 kg
SP 7082	4.000 mm	2.000 mm - 2.100 mm	400 kg

Aluminium Track



Hung Top Bracket

Type : **SP 7094**
Material : **Steel**



Type : **GT 2520**

Size : **12" Flush Bolt Heavy Duty**
Material : **Solid Stainless Steel Sus 304**



Type : **GX 2875**
Dead Bolt





Type : **BX 6300**
Dust Prof



Side Top Bracket

Type : **SP 7095**
Material : **Steel**



Track RAFES R250 kg

Code	Long Track	For Wide Door	Capacity
SP 7012	2.000 mm	1.000 mm - 1.100 mm	250 kg
SP 7019	3.000 mm	1.500 mm - 1.600 mm	250 kg
SP 7017	4.000 mm	2.000 mm - 2.100 mm	250 kg


Aluminium Track



Channel RAFES R.250

Code	Long Channel	For Wide Door
SP 0081	2.000 mm	1.000 mm - 1.100 mm
SP 0082	3.000 mm	1.500 mm - 1.600 mm
SP 0083	4.000 mm	2.000 mm - 2.100 mm

Aluminium Channel




Side Top Bracket

Type : **SP 7016**
Material : **Steel**




Hung Top Bracket

Type : **SP 7018**
Material : **Steel**




Double Wheel Hanger

Type : **SP 6203 + SP 7014**
Material : **Steel + Solid Nylon**
Capacity : **60 kg -/door leaf**



Type : **GT 2151**

Material : **Stainless Steel Sus 304**







Wonder Series

Type : RF 65E

Max. Wide / Lebar : 1200 mm
Max. Height / Tinggi : 4000 mm
Approx. Weight / berat : 25 kg/m²

Used For : Restaurant, Small Conference Room, Class Room, etc.

Di Gunakan Untuk : Restoran, Ruang Konfrensi Kecil, Ruang Kelas, dll.





Warrior Series

Type : RF 65

Max. Wide / Lebar : 1200 mm
Max. Height / Tinggi : 4000 mm
Sound Rating STC / Tingkat Suara STC : 39
Approx. Weight / berat : 28 kg/m²

Used For : Restaurant, Conference Room, Class Room, Meeting Room, etc.

Di Gunakan Untuk : Restoran, Ruang Konfrensi, Ruang Kelas, Ruang Rapat, dll.





Harier Series

Type : RF 99

Max. Wide / Lebar : 1200 mm
Max. Height / Tinggi : 10.000 mm
Sound Rating STC / Tingkat Suara STC : 45
Approx. Weight / berat : 41 kg/m²

Used For : Function Room, Banquette Hall, Conference room, Ballroom, Music Hall, etc.

Di Gunakan Untuk : Ruang Serba guna, Ruang Perjamuan, Ruang Konfrensi, Ballroom, Ruang Konser, dll.







Higher Cross Series


Type : RF 83 - C

Max. Wide / Lebar : 1200 mm
Max. Height / Tinggi : 10.000 mm
Sound Rating STC / Tingkat Suara STC : 48
Approx. Weight / berat : 41 kg/m²



Used For: Function Room, Banquette Hall, Conference room, Ballroom, Music Hall, etc.



Di Gunakan Untuk : Ruang Serba guna, Ruang Perjamuan, Ruang Konfrensi, Ballroom, Ruang Konser, dll.



Higher Runner Series


Type : RF 83 - R

Max. Wide / Lebar : 1200 mm
Max. Height / Tinggi : 10.000 mm
Sound Rating STC / Tingkat Suara STC : 48
Approx. Weight / berat : 41 kg/m²




Used For: Function Room, Banquette Hall, Conference room, Ballroom, Music Hall, etc.

Di Gunakan Untuk : Ruang Serba guna, Ruang Perjamuan, Ruang Konfrensi, Ballroom, Ruang Konser, dll.



Shaped Aluminium SP - 83



Ceiling Contact Device / Rubber Floor




Flush Handle
Stainless Steel Sus 304

Accessories Pass Door



Cylinder Ring
Stainless Steel Sus 304



Cylinder Key + Key
Size : 80 mm



Cylinder Ring
Stainless Steel Sus 304



Cylinder Key + Turn
Size : 80 mm



Cylinder Ring
Stainless Steel Sus 304



Flush Handle With Key
Brushed Stainless Steel



Rockwool Insulated
Density 60 - 80 kg/m³




Mortice Roller - Lockcase
Backsete : 55 mm

** Ukuran dalam katalog ini harus dikonfirmasi kembali



Type : **SP 4133**
 Material : **Solid Nylon Wheel Movable**
 200 Kg/ 2 Pcs





Type : **SP 4132**
 Size Long : 6.000 mm
 Material : **Aluminium Track Movable**





Type : **RF R- 400 kg**

Rail : Steel (SS 41 5thk)
 Runner : C 600kg / R-type
 Bearing Ø : 40mm -/4 pcs
 Hanger Bolt Steel (5450 H) Ø:13



Type : **RF R- 200 kg**


Rail : Aluminium Anodize (H-base 3-5 thk)
 Runner : C 200kg / Cross-type
 Bearing Ø : 28mm -/2 pcs
 Nylon Bearing Cover Ø : 63 (2-3 thk)
 Hanger Bolt base ring Steel Ø : 12





Type : **RF R- 150 kg**

Rail : Aluminium Anodize (H-base 2,5 thk)
 Runner : C 100kg / Centre-type
 Bearing Ø : 28mm -/4 pcs
 Hanger Bolt base Ring Steel Ø:10
 Fiber Guide : 2 pcs


Panel Type **SP - 65**




Panel Type **SP - 65 E**



Horizontal type **RF - 99**




Horizontal type **RF - 65E and RF - 65**




Movable - Sliding Walls Door / Dinding Pintu Sliding


Standard Panel










Hinged Panel



Telescopic Panel






** Ukuran dalam katalog ini harus dikonfirmasi kembali

Feroza Series Type



Feroza Series

Type : **SP 6531**



Type : F.003 - 4 - 7

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Flush Handle Qty Use : 2 pcs for one set sliding door glass



Type : F.004 - 8 - 2

SP 6532 Long Track 1 : 1000 mm



SP 6533 Long Track 2 : 2000 mm

SP 6534 Long Track 3 : 3000 mm

Size Pipe : 30 x 10 mm

Finish : Ch (Chrome)

material : Stainless Steel Sus 304



Type : F.004 - 1 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Wheel Sliding Qty Use : 4 pcs for one set sliding door glass




Type : F.004 - 2 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Stopper Sliding Qty Use : 4 pcs for one set sliding door glass



Type : F.003 - 3 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Glass Bracket Qty Use : 4 pcs for one set sliding door glass




Type : F.004 - 4 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Pipe Bracket Qty Use : 2 pcs for one set sliding door glass




Type : F.004 - 5 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Pipe Bracket L Qty Use : 1 pcs for one set sliding door glass






Type : F.004 - 1 - 2

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Bottom Guide Qty Use : 2 pcs for one set sliding door glass



** Ukuran dalam katalog ini harus dikonfirmasi kembali

Monza Series Type



Monza Series

Type : **SP 6529**




Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Flush Handle Qty Use : 2 pcs for one set sliding door glass



Type : F.004 - 8 - 2

SP 6532 Long Track 1 : 1000 mm
SP 6533 Long Track 2 : 2000 mm
SP 6534 Long Track 3 : 3000 mm
Size Pipe : 30 x 10 mm
Finish : Ch (Chrome)
material : Stainless Steel Sus 304



pe : F.004 - 5 - 4
Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Pipe Bracket L Qty Use : 1 pcs for one set sliding door glass



Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Wheel Sliding Qty Use : 4 pcs for one set sliding door glass




Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Stopper Sliding Qty Use : 4 pcs for one set sliding door glass



Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Glass Bracket Qty Use : 4 pcs for one set sliding door glass






Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Guide Track Qty Use : 4 pcs for one set sliding door glass



Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Track Bracket Qty Use : 2 pcs for one set sliding door glass



Weight : 65 kg
Finish : Ch (Chrome)
material : Stainless Steel Sus 304
Bottom Guide Qty Use : 2 pcs for one set sliding door glass



** Ukuran dalam katalog ini harus dikonfirmasi kembali

Blezzer Series Type



Blezzer Series

Type : **SP 6530**



Type : B.004 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Flush Handle Qty Use : 1 pcs for one set sliding door glass



Type : F.004 - 8 - 2

SP 6532 Long Track 1 : 1000 mm


SP 6533 Long Track 2 : 2000 mm

SP 6534 Long Track 3 : 3000 mm

Size Pipe : 30 x 10 mm

Finish : Ch (Chrome)

material : Stainless Steel Sus 304



Type : B.001 - 1 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Wheel Sliding Qty Use : 2 pcs for one set sliding door glass



Type : B.001 - 5 - 2

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Stopper Sliding Qty Use : 2 pcs for one set sliding door glass



Type : B.001 - 2 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Glass Bracket Qty Use : 2 pcs for one set sliding door glass




Type : B.001 - 3 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Guide Track Qty Use : 2 pcs for one set sliding door glass



Type : B.001 - 4 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Track Bracket Qty Use : 2 pcs for one set sliding door glass






Type : B.001 - 6 - 4

Weight : 65 kg

Finish : Ch (Chrome)

material : Stainless Steel Sus 304


Bottom Guide Qty Use : 1 pcs for one set sliding door glass



** Ukuran dalam katalog ini harus dikonfirmasi kembali

Escudo Series Type





Type : PS 4715

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm





Capacity : 50 kg/set

Wall To Glass Shower Hinge : 2 pcs (for one door glass shower)

Wall to Glass

 Ch (Chrome)  Sn (Satin Nickel)

- Material : Stainless Steel Sus 304
- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used.
- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.
- Fasten all of the fixing screws.




Material : Stainless Steel SUS 304

Type : HK 1612

C/C1 : 500 mm Size Pipe Ø : 1"

C/C2 : 200 mm Finish : Ch

Shower Hinge




Type : PS 4745

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to floor)




Type : PS 4744

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 8 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to wall)




Type : PS 4738

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to glass)




Type : PS 1957

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 2 pcs (for pipe to wall)





Type : PS 1958

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 4 pcs (for pipe to glass)



Type : PS 1955

for pipe : 3/4"

Finish : Ch (Chrome)


material : Solid Brass

Reinforcement Qty Use : 1 pcs (for pipe to pipe 90°)



** Ukuran dalam katalog ini harus dikonfirmasi kembali

Futura Series



Type : PS 4717

Finish : Ch (Chrome)

material : Stainless Steel Sus 304



Thickness Glass : 10 - 12 mm

Capacity : 50 kg/set

Glass to Glass 90°

 Ch (Chrome)
  Sn (Satin Nickel)

- Material : Stainless Steel Sus 304
- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used.
- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.
- Fasten all of the fixing screws.



Material : Stainless Steel SUS 304




Type : HK 1612

C/C1 : 500 mm

C/C2 : 200 mm

Size Pipe Ø : 1"

Finish : Ch

Shower
Hinge


Type : PS 4745

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to floor)




Type : PS 4744

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 8 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to wall)




Type : PS 1957

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 2 pcs (for pipe to wall)




Type : PS 1958

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 4 pcs (for pipe to glass)



Type : PS 1955



for pipe : 3/4"

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Reinforcement Qty Use : 1 pcs (for pipe to pipe 90°)





Type : PS 4718


Finish : Ch (Chrome)

material : Stainless Steel Sus 304



Thickness Glass : 10 - 12 mm

Capacity : 50 kg/set


Glass to Glass 135°

 Ch (Chrome) Sn (Satin Nickel)

- Material : Stainless Steel Sus 304
- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used.
- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.
- Fasten all of the fixing screws.



Shower Handle



Material : Stainless Steel SUS 304

Type : HK 1821



C/C1 : 500 mm Size Pipe Ø : 3/4"

C/C2 : 200 mm Finish : Ch

Type : HK 1832

C/C1 : 500 mm Size Pipe Ø : 3/4"

C/C2 : 200 mm Finish : Sn




Type : PS 4745

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to floor)




Type : PS 4744

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 8 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to wall)




Type : PS 1957

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 2 pcs (for pipe to wall)




Type : PS 1958

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 4 pcs (for pipe to glass)



Type : PS 1987

for pipe : 3/4"

Finish : Ch (Chrome)


material : Solid Brass

Reinforcement Qty Use : 1 pcs (for pipe to Pipe)



** Ukuran dalam katalog ini harus dikonfirmasi kembali

Baleno Series




Type : PS 4716

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm



Capacity : 50 kg/set




Glass to Glass 180°

■ Ch (Chrome) ■ Sn (Satin Nickel)

- Material : Stainless Steel Sus 304
- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used.
- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.
- Fasten all of the fixing screws.



Shower Handle



Material : Stainless Steel SUS 304

Type : HK 1821


C/C1 : 500 mm Size Pipe Ø : 3/4"

C/C2 : 200 mm Finish : Ch

Type : HK 1832

C/C1 : 500 mm Size Pipe Ø : 3/4"

C/C2 : 200 mm Finish : Sn




Type : PS 4745

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to floor)




Type : PS4744

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 8 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to wall)




Type : PS 1957

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 2 pcs (for pipe to wall)



Type : PS 1958


for pipe : 3/4"

Finish : Ch (Chrome)


material : Solid Brass

Reinforcement Qty Use : 4 pcs (for pipe to glass)





PS 4708




Type : PS New HS

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Capacity : 80 kg/set



Wall to Glass



Ch (Chrome) Sn (Satin Nickel)

- Material : Stainless Steel Sus 304

- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used.

- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.

- Fasten all of the fixing screws.





Material : Stainless Steel SUS 304

Type : HK 1612

C/C1 : 500 mm Size Pipe Ø : 1"

C/C2 : 200 mm Finish : Ch

Shower
Hinge



Type : PS 4745

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to floor)




Type : PS 4744

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 8 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to wall)




Type : PS 4738

Finish : Ch (Chrome)

material : Stainless Steel Sus 304

Thickness Glass : 10 - 12 mm

Glass Clamp Qty Use : 2 pcs (for glass to glass)




Type : PS 1957

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 2 pcs (for pipe to wall)




Type : PS 1958

for pipe : 3/4"

Finish : Ch (Chrome)

material : Solid Brass

Reinforcement Qty Use : 4 pcs (for pipe to glass)



Type : PS 1955

for pipe : 3/4"

Finish : Ch (Chrome)



material : Solid Brass

Reinforcement Qty Use : 1 pcs (for pipe to pipe 90°)



** Ukuran dalam katalog ini harus dikonfirmasi kembali


Phanter Series




Wall to Glass

Ch (Chrome) Sn (Satin Nickel)

- Material : Solid Brass
- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used,
- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.
- Fasten all of the fixing screws.




PS 4521



Type : P - K31 - 1

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm
Capacity : 35 kg/set


PS 4525



Type : P.731 - 2

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm

PS 5942




Type : P.731 - 5

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm





Size Pipe : 1" x 1"
Finish : Ch (Chrome)
material : Stainless Steel Sus 304



Type : P.004 - 8 - 2

Long Track 1 : 1000 mm
Long Track 2 : 2000 mm
Long Track 3 : 3000 mm




Glass to Glass

Ch (Chrome) Sn (Satin Nickel)

- Material : Solid Brass
- Fits 10 mm thick of glass 10 - 12 mm is also suitable if pads are used.
- Double action non-handed 90°, self-closing when the door stay at 25°, approximately.
- Fasten all of the fixing screws.


PS 4524



Type : P.731 - 4

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm

PS 4522




Type : P - K31 - 2

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm
Capacity : 35 kg/set



PS 4526



Type : P.731 - 3

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm




PS 4523




Type : P.731 - 1

Finish : Ch (Chrome)
material : Solid Brass
Thickness Glass : 10 - 12 mm



** Ukuran dalam katalog ini harus dikonfirmasi kembali

WINDOW SLIDING ROLLER WHEELS SERIES




Stainless Steel Roller Wheels

Description : Window Sliding Roller Wheels

Type	Size			Material
	A	B	C	
RS 4000	155	30	70	Nylon
RS 4001	155	30	70	Steel
RS 4002	155	30	70	Iron

adjust : 0-6 mm

Unit : mm




Iron Roller Wheels

Description : Window Sliding Roller Wheels

Type	Size				Material
	A	B	C	D	
RS 5400	71	15	35	16	Iron

Unit : mm






Stainless Steel Roller Wheels

Description : Window Sliding Roller Wheels

Type	Size			Material
	A	B	C	
RS 2001	86	28	35	Steel

Unit : mm



Compatible Channel Brown RAFES

Code	Long Track	For Wide Door
SP 7202	2.000 mm	1.000mm-1.100mm
SP 7203	3.000 mm	1.500mm-1.600mm
SP 7204	4.000 mm	2.000mm-2.100mm

New Arrival

Type : **SP 7087**

Qty Package : -/set


Folding Door Accessories

Material : Solid Nylon + Steel




Hanger + Plate

Qty Package : 2 pcs



Front View



Upper View

Plate Thickness : 2mm



Guide

Qty Package : 2 pcs




Plate Thickness : 2 mm

RAFES - 100 kg/Set (Aluminium Track)

Set Code	L. Track	For Wide Door	Capacity
SP 7072	2.000mm	750mm - 900mm	100 kg
SP 7073	3.000mm	900mm - 1.100mm	100 kg
SP 7074	4.000mm	2.000mm - 2.200mm	100 kg



Channel RAFES

Code	Long Channel	For Wide Door
SP 0081	2.000 mm	1.000 mm - 1.100 mm
SP 0082	3.000 mm	1.500 mm - 1.600 mm
SP 0083	4.000 mm	2.000 mm - 2.100 mm

Aluminium Channel





Plate Thickness : 2mm




Weight
40 Kg/Leaf

Type : **SP 6203**


Material : Stainless SUS 304

Description : Plate For Wheel Hanger

Type : **SP 6204**

Material : Stainless SUS 304

Description : Folding Door Guide

Type : **SP 6205**


Material : Stainless SUS 304

Description : Plate For Wheel Hanger

Type : **SP 7029**

Material : Iron


Description : Plate



SP 6207


Material : Stainless Steel SUS 304

Description : Plate Wheel Hanger

Type : **SP 6206**

Material : Stainless Steel SUS 304

Description : Folding Door Guide

Type : **SP 6313**


Description : Pipe to Wall

Material : Stainless Steel SUS 304

Type : **SP 6036**

Material : Iron

Description : Folding Door Guide

Type : **SP 6210**

Material : Iron

Description : Plate Wheel Hanger




Door Clamp + Guide

Type : **SP 7103**


Description : Aluminum Door Clamp

L : 100 mm

Type : **SP 6312**

Description : Pipe to Glass

Material : Stainless Steel SUS 304



Sliding Glass Door Clamp

Type : **SP 6250**

Capacity : 90 kg /door leaf

Material Clamp : Stainless Steel Sus 304

** Ukuran dalam katalog ini harus dikonfirmasi kembali

Rafes Projects



Selica Mulia Hotel ★★★★★
Jl. Bhayangkara, Samarinda - Kalimantan Timur



Sutan Raja Hotel ★★★★★
Jl. Tuperv, Cirebon - Jawa Barat



Toraja Heritage Hotel ★★★★★
Jl. Ke'te Ketsu, Toraja Utara Sulawesi Selatan



Puri Erewin ★★★★★
Jl. Dwi Sri, Kuta Denpasar - Bali



Bumi Paser Hotel ★★★
Tanah Grogot, Kab. Paser Kalimantan Timur



Sofian inn SRI GUNTING
Jl. Pangrango, Bogor Jawa Barat



Smarthomm Hotel
Jl. R.E Martadinata, Jakarta Utara



Golden Palace Hotel ★★★
Jl. Cendrawasih, No. 32 Ambon



D'Komo Hotel
Jl. Lapijan, Komo Manado Sulawesi Utara



Jezz Resort
Jl. Senggigi, Lombok NTB



Mahakam Hotel
Jl. Bung Tomo, Samarinda - Kalimantan Timur



Matahari Hotel
Jl. Sukarno Hatta, Labuan Bajo - NTT



De Jehans Hotel
Kuningan, Cirebon - Jawa Barat

Rafes Projects



The Sintesa
Jimbaran - Bali



Mexolie Hotel
Jl. Pemuda, Kebumen - Jawa Tengah



Grand Permata Hati Hotel
Jl. Sultan Iskandar Muda - Banda Aceh



Jimmers Montain Resort
Puncak, Bogor - Jawa Bart



Anugrah Hotel
Jl. Jend. Sudirman, Palembang - Sumatra Selatan



Hakunama Tata Resort
Jl. Tanjung Blra, Bira Sulawesi Selatan



Ancol Beach City
Pantai Carnival Ancol - Jakarta Utara



Cibinong City Mall
Jl. Tegar Beriman, Cibinong, Bogor Jawa Barat



Metro Pol Mall
Jl. K H Noor Ali, Pekayon Bekasi, Jawa Barat



MNC Tower
Jl. Kebon Sirih, Menteng - Jakarta Pusat



South Quarter Tower
Jl. R. A. Kartini, Cilandak - Jakarta Selatan



RS Siaga Medika
Jl. Pramuka, Banyumas Purwokerto - Jawa Tengah



Calistha Dago Resinece
Jl. Gandaria, Cigadung - Bandung



Casa Goya Resident / casa goya group
Jl. Kebon Jeruk - Jakarta Barta



Jeruk Purut Resident
Jl. Jeruk Purut, Kemang - Jakarta Selatan



Lanata Resinece
Ciganjur, - Jakarta Selatan



De Botanica Resident
Bogor - Jawa Barat



Global Islamic Scholl
Serpong, Depok, Bekasi, Condet Jakarta

** Ukuran dalam katalog ini harus dikonfirmasi kembali

DRAFT RAFES PROJECTS

HUBUNGI :  **QHOME MART**

08112863773
CHAT ONLY



Hotel 88 - Jakarta



Best Kiu Hotel - Palembang



De Jehans Hotel - Kuningan



Tematik Hotel Pluit - Jakarta



Fashion Hotel - Jakarta



B. Fashion Hotel - Jakarta



Anugrah Hotel - Palembang



Prma Sthala Hotel Ubud - Bali



Horison Hotel - Palembang



The Premier Hotel - Pekanbaru,
Palembang



Grand Zuri Hotel : Jakarta,
Padang, Yogyakarta, Dumai, Bali



Zuri Express Hotel - Jakarta,
Palembang, Cikarang



Exelton Hotel - Palembang



Pelangi Hotel - Palembang



Aquarius Hotel - Pekanbaru



Swiss Bell - Jakarta



RS. Santosa - Bandung



RS. Permata - Cirebon



Gading Ikon City Apartment
Kelapa Gading - Jakarta



Puri Garden Apartment
- Jakarta



Haris Apartment - Bandung



Rainbow Hill Resort - Bogor



Jimmers Montain Resort - Bogor



Dea Tower Kuningan - Jakarta

Powered by Reliable World Wide Factories

Di dukung dengan Kecanggihan Technology Pabrik Jaringan Internasional di dunia

GERMANY



ITALY



INDONESIA



TAIWAN



CHINA

