

LESSO



•
PVC Conduit and Fittings
JIS PVC Pipe and Fittings
PP-R Water Pipe and Fittings (Green)

PRODUCT CATALOG



HUBUNGI :  **HOMEMART**

08112863773
CHAT ONLY

CONTENTS

PVC Conduit and Fittings	P01-07
JIS PVC Pipe and Fittings	P08-19
PP-R Water Pipe and Fittings (Green)	P20-30

LESSO



PVC Conduit and Fittings



PVC Conduit (Grade B)

SAP No. (plain end/2,9M)	Size (mm)	Wall Thickness	Pack Qty
8030050055	16	1.3	35
8030050068	20	1.5	25
8030050080	25	1.6	20
8030050090	32	1.9	10
8030050101	40	2.0	10
8030050110	50	2.2	5



Flexible Coupling

SAP Number	Size (mm)	PCS /CTN
8030020141	20	500
8030020142	25	320
8030020143	32	200



PVC Corrugated Conduit

SAP No.	Size (mm)	Length (m/coil)
8030020808	20	50M
8030020812	25	50M
8030020754	32	100M



Flexible Reducer

SAP Number	Size (mm)	PCS /CTN
8030020399	25×20	
8030020400	32×16	
8030020401	32×20	
8030020402	32×25	



Coupling

SAP Number	Size (mm)	PCS /CTN
8030020288	20	500
8030020289	25	250
8030020290	32	120



Tee

SAP Number	Size (mm)	PCS /CTN
8030020171	20	200
8030020172	25	130
8030020173	32	70



Male Adapter (for corrugated conduit)

SAP Number	Size (mm)	PCS /CTN
8030020351	20	350
8030020352	25	200
8030020353	32	140



Reducer

SAP Number	Size (mm)	PCS /CTN
8030020271	25×20	480
8030020272	32×20	264
8030020273	32×25	264



Male Adapter (for corrugated conduit)II

SAP Number	Size (mm)	PCS /CTN
8030021225	20	350



Change Union (for corrugated conduit)

SAP Number	Size (mm)	PCS /CTN
8030020790	20	350



45 ° Elbow



SAP Number	Size (mm)	PCS /CTN
8030021230	20	400
8030021231	25	200
8030021212	32	100
8030021213	40	

90 ° Elbow



SAP Number	Size (mm)	PCS /CTN
8030020207	20	320
8030020208	25	160
8030020209	32	90

90 ° Long Sweep Bend



SAP Number	Size (mm)	PCS /CTN
8030020202	20	250
8030020203	25	130
8030020204	32	60

Elbow with Cover



SAP Number	Size (mm)	PCS /CTN
8030020221	20	200
8030020222	25	125
8030020223	32	60

Tee with Cover



SAP Number	Size (mm)	PCS /CTN
8030020185	20	80
8030020186	25	60
8030020187	32	30

1 Way Terminal Box (with cover)



SAP Number	Size (mm)	H	PCS /CTN
8030020232	65×40/1/20	40	60
8030020233	65×40/1/25	40	60

2 Way Through Box (with cover)



SAP Number	Size (mm)	H	PCS /CTN
8030020257	65×40/2/20	40	50
8030020258	65×40/2/25	40	50

2 Way Angle Box (with cover)



SAP Number	Size (mm)	H	PCS /CTN
8030020240	65×40/2L/20	40	50
8030020241	65×40/2L/25	40	50

3 Way Tee Box (with cover)



SAP Number	Size (mm)	H	PCS /CTN
8030020192	65×40/3/20	40	50
8030020193	65×40/3/25	40	40

4 Way Cross Box (with cover)



SAP Number	Size(mm)	H	PCS/CTN
8030020247	65×40/4/16	40	50
8030020248	65×40/4/20	40	40
8030020249	65×40/4/25	40	35

1 Way Deep Terminal Box (concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020113	65×65/1/20	65	30
8030020114	65×65/1/25	65	30
8030020378	65×70/1/20	70	30
8030020368	65×70/1/25	70	30

2 Way Deep Through Box (concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020268	65×65/2/20	65	30
8030020269	65×65/2/25	65	30
8030020380	65×70/2/20	70	30
8030020381	65×70/2/25	70	30

2 Way Deep Angle Box (concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020116	65×65/2L/20	65	30
8030020117	65×65/2L/25	65	25
8030020379	65×70/2L/20	70	30
8030020367	65×70/2L/25	70	25

3 Way Deep Tee Box (concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020168	65×65/3/20	65	30
8030020169	65×65/3/25	65	25
8030020382	65×70/3/20	70	30
8030020383	65×70/3/25	70	25

4 Way Deep Cross Box (concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020119	65×65/4/20	65	25
8030020120	65×65/4/25	65	25
8030020122	65×70/4/20	70	25
8030020123	65×70/4/25	70	25

Gang Box (with active foot,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020044	77×77/20	38	40
8030020046	77×77/20 25	38	40



8030020045	77×77/20	48	35
8030020047	77×77/20 25	48	35

Gang Box (with active foot,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020062	77×77/20	56	30
8030020064	77×77/20 25	56	30



8030020063	77×77/20	70	30
8030020065	77×77/20 25	70	30

Gang Box (with active foot,concealed installation)




SAP Number	Size (mm)	H	PCS /CTN
8030020052	164×77/16×2 20 25	38	22

Gang Box (with active foot,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020054	164×77/20×2 25×2	50	18

Gang Box (with active foot,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020055	141×80/20	50	22

Gang Box (with Active Foot, Conncealed Installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020053	255×75/20×225x2	50	12

Deeper Assembling Gang Box (through reinforcement type,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020066	81×81/20	50	35
8030021130	81×81/25	50	35

Insert Reinforce Lengthened Assembling Gang Box (through reinforcement type,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020917	77×77/20	60	32
8030020864	77×77/20	70	27
8030020865	77×77/20 25	70	27
8030020866	77×77/25	70	27

Gang Box (surface installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020071	86×86/20 25	40	40
8030021168	86×86/20	40	40



SAP Number	Size (mm)	H	PCS /CTN
8030020070	86×86/20	54	30
8030020072	86×86/20 25	54	30




SAP Number	Size (mm)	H	PCS /CTN
8030020068	86×86/20	46	36
8030020069	86×86/20 25	46	36

Transfer Frame



SAP Number	Size (mm)	H	PCS /CTN
8030020388	77×77	22	91

Gang Box (through reinforcement type, conncealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020056	77×77/20	50	37
8030020057	77×77/20	60	32
8030020058	77×77/20	70	28
8030020562	77×77/20 25	50	37
8030020059	77×77/20 25	60	32
8030020060	77×77/20 25	70	28



SAP Number	Size (mm)	H	PCS /CTN
8030020618	77×77/20	70	28
8030020619	77×77/20 25	70	28
8030020918	77×77/20	60	32
8030020919	77×77/20 25	60	32

Gang Box (typy III ,concealed installation)




SAP Number	Size (mm)	H	PCS /CTN
8030020617	77×77/20	50	50

Gang Box (through reinforcement type,concealed installation)



141×80



164×77

SAP Number	Size (mm)	H	PCS /CTN
8030020620	141×80/20	50	22
8030020663	164×77/16 20 25	38	22
8030020664	164×77/20 25	50	18

Rib-piercing Deeper Assembling Gang Box (through reinforcement type, concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030021235	77×77/20	70	24
8030021236	77×77/20 25	70	24

Gang Box (through reinforcement type, with 8 active feet,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020661	77×77/20	70	38
8030020763	77×77/20	60	40
8030020764	77×77/25	60	40

Rib-piercing Gang Box (through reinforcement type, with 8 active feet,concealed installation)



SAP Number	Size (mm)	H	PCS /CTN
8030020041	77×77/20	50	45
8030020042	77×77/20	60	40
8030020043	77×77/20	70	38
8030020557	77×77/20 25	70	38
8030020851	77×77/25	70	38

Gang Box Cover




Size:75×75~86×86



Size:100×75~172×86

SAP Number	Size (mm)	H	PCS /CTN
8030020387	75×75		340
8030020920	77×77		250
8030020369	86×86		230
8030020384	100×75		
8030020385	147×86		160
8030020386	164×77		160
8030020733	172×86		

Box Cover(with 8 active feet)




SAP Number	Size (mm)	PCS /CTN
8030021196	77×77	

Box Cover



SAP Number	Size (mm)	PCS /CTN
8030020255	65	600

Assembling Clamp



SAP Number	Size (mm)	PCS /CTN
8030020421	20	1000
8030020422	25	1000
8030020423	32	500

Clamp



(Ø20-Ø50)

SAP Number	Size (mm)	PCS /CTN
8030020127	20	1000
8030020128	25	900
8030020129	32	500

U Style Clamp



SAP Number	Size (mm)	PCS /CTN
8030021111	20	900
8030021112	25	700
8030020594	20	1500
8030020595	25	1000
8030020596	32	500

Double U Clamp



SAP Number	Size (mm)	PCS /CTN
8030020737	20	900
8030020750	25	600
8030020751	32	

Plug




SAP Number	Size (mm)	PCS /CTN
8030020159	20	3000
8030020160	25	2000

Bending Spring (for Grade B Conduit)



SAP Number	Size (mm)	PCS /CTN
8030020361	20	20
8030020364	25	12
8030020376	32	8

Installation Example for Conduit and Fittings



LESSO

Tanpa Timbal



JIS PVC Pipe and Fittings



HUBUNGI :  **HOMEMART**

08112863773
CHAT ONLY

JIS PVC-U AW PIPE

NO.	DN		OD (mm)	Thickness (mm)
	mm	Inch		
8010012683	16	1/2"	22	1.50
8010012684	20	3/4"	26	1.80
8010012691	25	1"	32	2.00
8010012692	35	1-1/4"	42	2.30
8010012693	40	1-1/2"	48	2.30
8010012694	50	2"	60	2.30
8010012695	65	2-1/2"	76	2.60
8010012696	75	3"	89	3.10
8010012697	100	4"	114	4.10
8010013700	125	5"	140	5.40
8010012698	150	6"	165	6.40
8010013701	200	8"	216	8.30
8010013702	250	10"	267	10.30
8010013703	300	12"	318	12.20


JIS PVC-U D PIPE

NO.	DN		OD (mm)	Thickness (mm)
	mm	Inch		
8020012377	35	1-1/4"	42	1.30
8020012378	40	1-1/2"	48	1.30
8020012379	50	2"	60	1.30
8020012380	65	2-1/2"	76	1.40
8020012381	75	3"	89	1.60
8020012382	100	4"	114	2.00
8020013759	125	5"	140	2.60
8020012383	150	6"	165	3.00
8020013760	200	8"	216	4.20
8020013761	250	10"	267	5.20
8020013762	300	12"	318	6.20

© **Form Supplied:**


- 4 meters straight length (all size)
- Other forms are also available upon request

Socket (AW)




SAP Number	Size (mm)	L	Z	PCS /CTN
8010024550	1/2"	67	7	375
8010024551	3/4"	77	7	250
8010024448	1"	87	7	160
8010024386	1-1/4"	95	4	120
8010024387	1-1/2"	117	7	78
8010024812	2"	133	7	96
8010024327	2-1/2"	145	19	56
8010024552	3"	155	27	40
8010024388	4"	200	32	20
8010024948	6"	286	22	6

Elbow (AW)




SAP Number	Size (mm)	H	Z	PCS /CTN
8010024350	1/2"	30	13	300
8010024351	3/4"	50	15	200
8010024318	1"	58	40	125
8010024352	1-1/4"	68	22.5	70
8010024403	1-1/2"	82	27	45
8010024319	2"	96	33	32
8010024353	2-1/2"	110	47	40
8010024354	3"	120	56	24
8010024355	4"	153	69	10
8010025333	6"	230	98	3

45°Elbow (AW-45L)




SAP Number	Size (mm)	L	Z	PCS /CTN
8010024438	1/2"	37	7	320
8010024347	3/4"	44	9	200
8010024348	1"	51	11	100
8010024349	2"	80	17	60
8010024873	4"	122	38	12
8010024874	6"	184	52	3

Tee (AW)




SAP Number	Size (mm)	H	Z	PCS /CTN
8010024356	1/2"	43	13	180
8010024192	3/4"	50	15	125
8010024357	1"	58	18	75
8010024358	1-1/4"	69	23.5	48
8010024359	1-1/2"	82	27	72
8010024360	2"	96	33	48
8010024361	2-1/2"	110	47	24
8010024362	3"	120	56	15
8010024363	4"	152	68	8
8010024982	6"	230	98	2

Reducing Tee (AW)




SAP Number	Size (mm)	H	H1	Z	Z1	PCS /CTN
8010024440	3/4"×1/2"	48	45	13	15	150
8010024324	1"×1/2"	53	48	13	18	100
8010024368	1"×3/4"	55	53	15	18	100
8010024369	1-1/4"×1/2"	59	54	13.5	24	60
8010024414	1-1/4"×3/4"	60.5	59	15	24	60
8010024444	1-1/4"×1"	64	63	18.5	23	54
8010024370	1-1/2"×1/2"	68	57	13	27	48
8010024371	1-1/2"×3/4"	70	62	15	27	42
8010024372	1-1/2"×1"	73	67	18	27	39
8010024373	1-1/2"×1-1/4"	78	73	23	27.5	75
8010024374	2"×1/2"	76	63	13	33	72
8010024375	2"×3/4"	78	68	15	33	72
8010024376	2"×1"	81	73	18	33	60
8010024377	2"×1-1/4"	86	79	23	33.5	50
8010024378	2"×1-1/2"	90	88	27	33	48
8010024415	3"×2"	105	110	41	47	20

Valve Socket (AW)




SAP Number	Size (mm)	L	W	d	B	PCS /CTN
8010024411	1/2"	54	6	13	28.4	525
8010024659	3/4"	64	8	18	33	300
8010024412	1"	71	8	23	39.3	180
8010024660	1-1/4"	80	10	31	49.3	130
8010024367	1-1/2"	92	10	37	56.2	120
8010024442	2"	106	12	48	70	150
8010024810	3"	127	16	75	101	24
8010024443	4"	157	18	98	129	24

Valve Socket (AW)




SAP Number	Size (mm)	L	W	d	B	PCS /CTN
8010024658	3/4"×1/2"	59	6	13	34	360
8010024561	1/2"×1"	64	8	23	36	300
8010024549	3/4"×1"	64	8	23	36	270

Faucet Socket (AW)




SAP Number	Size (mm)	L	W	D1	D2	PCS /CTN
8010024365	1/2"	51	5	30	30	400
8010024323	3/4"	59	4.5	37	39	250
8010024423	1"	68	6	46	48	150
8010024366	1-1/4"	72	9	53	53	132
8010024321	1-1/2"	84	10	58	58	96
8010024322	2"	99	12	73	73	54

Faucet Socket (AW)




SAP Number	Size (mm)	L	W	D1	D2	PCS /CTN
8010024876	3/4"×1/2"	55	2	22.5	30	300
8010024408	1"×1/2"	63	2	22.5	30	240
8010024548	1/2"×1"	60	6	34.5	46	250
8010024320	3/4"×1"	64	6	35.5	46	200

Faucet Socket With Metal Insert (AW)




SAP Number	Size (mm)	L	W	D1	D2	PCS /CTN
8010024389	1/2"	51	4	22.5	30	300
8010024197	3/4"	59	4.5	28	38.5	180
8010024198	3/4"×1/2"	57	4	22.5	30	240

Faucet Tee (AW)




SAP Number	Size (mm)	Z	Z1	W	H	H1	D1	D2	PCS /CTN
8010024364	1/2"	10	15	2	43	32	30	34	204
8010024421	3/4"	15	17	2.5	50	36	37	42	125

Faucet Tee (AW)




SAP Number	Size (mm)	Z	Z1	W	H	H1	D1	D2	PCS /CTN
8010024440	3/4"×1/2"	12	17	2	47	34	30	34	160
8010024422	1"×1/2"	12	21	2	52	38	30	34	108

Faucet Tee With Metal Insert (AW)




SAP Number	Size (mm)	Z	Z1	W	H	H1	D1	D2	PCS /CTN
8010024563	1/2"	13	14	4	43	30	30	33	120
8010024424	3/4"	15	18	4	50	36	38.5	42	90
8010024425	3/4"×1/2"	12	18	4	47	34	30	33	120

Faucet Elbow (AW)




SAP Number	Size (mm)	Z	W	H	H1	D1	D2	PCS /CTN
8010024875	1/2"	13	4	43	30	30	34	300
8010024806	3/4"	15	4	50	36	37	42	200
8010024562	1"	21	5	61	43	46	50	120

Faucet Elbow (AW)




SAP Number	Size (mm)	Z	W	H	H1	D1	D2	PCS /CTN
8010024807	3/4"×1/2"	12	2	47	34	30	34	250
8010024808	1"×1/2"	12	2	52	38	30	34	160

Faucet Elbow With Metal Insert (AW)




SAP Number	Size (mm)	Z	W	H	H1	D1	D2	PCS /CTN
8010024449	1/2"	13	4	43	30	30	33	240
8010024418	3/4"	15	4	50	36	37	42	120
8010024426	3/4"×1/2"	12	4	47	34	30	33	180

Union Socket (AW)




SAP Number	Size (mm)	L1	L2	L3	D1	PCS /CTN
8010024553	1/2"	35	28	34	56	150
8010024813	3/4"	41	30	39	62	100
8010024419	1"	46	32	45	69.5	60
8010024450	1-1/4"	53	36	53	84.4	46
8010024420	1-1/2"	63	39	63	96.4	30

Union Threaded (AW)




SAP Number	Size (mm)	L1	L2	L3	D1	PCS /CTN
8010024554	1/2"	32.5	28	31	56	150
8010024949	3/4"	33	30	30	62	125
8010024814	1"	38	32	35	69.5	80
8010024451	1-1/4"	42	36	37	84.4	50
8010024452	1-1/2"	48	39	41	96.4	40

Plug (AW)




SAP Number	Size (mm)	L	I	D	D1	PCS /CTN
8010024809	1/2"	25.5	16.6	R1/2"	13	2500
8010024877	3/4"	28	18.7	R3/4"	18	1200
8010024878	1"	32	21	R1"	23	750

Double Nipple (AW)




SAP Number	Size (mm)	L	W	B	PCS /CTN
8010024409	1/2"	38	6	24	1000
8010024410	3/4"	42	8	33	450
8010024441	1"	48	8	40	300

Cap (AW)





SAP Number	Size (mm)	L	PCS /CTN
8010024405	1/2"	34	800
8010024406	3/4"	39.2	480
8010024547	1"	45.5	300
8010024407	2"	68.8	72
8010024439	3"	71.65	80
8010024663	4"	93.55	36

Flange PVC (AW)




SAP Number	Size (mm)	L	B	D	D1	D2	D3	PCS /CTN
8010024802	2"	70	16	55	155	120	18	25
8010024803	3"	75	21	85	200	160	18	10
8010024804	4"	95	22	107	212	180	18	18
8010024805	6"	144	23	154	285	240	22	6

Reducing Socket (AW)





SAP Number	Size (mm)	L	Z	PCS /CTN
8010024193	3/4"×1/2"	71	6	300
8010024416	1"×1/2"	84	14	200
8010024194	1"×3/4"	84	9	180
8010024379	1-1/4"×1/2"	99	23.5	180
8010024326	1-1/4"×3/4"	93	12.5	180
8010024195	1-1/4"×1"	93	7.5	120
8010024325	1-1/2"×1/2"	110	25	90
8010024196	1-1/2"×3/4"	114	24	84
8010024380	1-1/2"×1"	114	19	108
8010024381	1-1/2"×1-1/4"	114	13.5	70
8010024417	2"×1/2"	136	43	60
8010024445	2"×3/4"	136	37	120
8010024661	2"×1"	136	30	120
8010024662	2"×1-1/4"	125	16	60
8010024446	2"×1-1/2"	136	15	60
8010024382	3"×2"	165	35	60
8010024811	4"×1-1/2"	199	57	24
8010024383	4"×2"	182	32	24
8010024384	4"×3"	190	42	24
8010024385	6"×3"	275	79	6
8010024447	6"×4"	295	79	6

Large Radius Tee (AW-LT)





SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8010025106	4"	341	129	212	128	45	128	5

Large Radius Tee (AW-LT)





SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8010025107	4×2"	150	116	153	66	32	90	11
8010025487	6×4"	260	185	236	128	53	152	2

Socket (D-DS)




SAP Number	Size (mm)	L	Z	PCS /CTN
8020022639	1-1/4"	39	3	280
8020022808	1-1/2"	47	3	210
8020022667	2"	53	3	120
8020022624	2-1/2"	73	3	60
8020022668	3"	84	4	72
8020022669	4"	104	4	36
8020022670	6"	164	4	12

Elbow (D-DT)




SAP Number	Size (mm)	L	Z	PCS /CTN
8020022746	1-1/4"	44	26	170
8020022760	1-1/2"	49	27	110
8020022822	2"	58	33	60
8020022619	2-1/2"	77	42	60
8020022650	3"	88	48	35
8020022806	4"	112	62	18
8020022807	6"	168	88	5

45° Elbow (D-45L)





SAP Number	Size (mm)	L	Z	PCS /CTN
8020022805	1-1/4"	30	12	220
8020022754	1-1/2"	36	14	140
8020022742	2"	43	18	70
8020022618	2-1/2"	57	22	75
8020022755	3"	65	25	40
8020022756	4"	80	30	21
8020022757	6"	124	44	6

Large Radius Elbow (D-DLL)





SAP Number	Size (mm)	L	Z	PCS /CTN
8020022759	1-1/4"	63	45	120
8020022649	2"	91	66	40
8020022789	3"	140	100	12
8020022744	4"	178	128	10
8020022745	6"	250	170	3

Tee (D-DT)




SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022651	1-1/4"	40	40	40	22	22	19.3	110
8020022652	1-1/2"	49	49	49	27	27	24.3	75
8020022784	2"	59	59	59	34	34	30.9	40
8020022628	2-1/2"	77	78	77	42	43	38.9	46
8020022761	3"	88	89	88	48	49	44.4	28
8020022653	4"	112	113	112	62	63	57.5	10
8020022638	6"	169	170	169	89	90	82.7	3

Tee (D-DT)




SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022747	3"×1-1/2"	67	68	70	27	28	48	40
8020022762	3"×2"	74	75	73	34	35	48	38
8020022763	3"×2-1/2"	82	83	83	42	43	48	30
8020022823	4"×2"	84	85	87	34	35	62	20
8020022815	4"×3"	98	99	102	48	49	62	16
8020022847	6"×4"	142	144	138	62	64	88	5

Large Radius Tee (D-LT)





SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022629	1-1/2"	74	45	74	52	23	52	50
8020022748	2"	91	51	91	66	26	66	60
8020022846	2-1/2"	125	68	125	90	33	90	28
8020022785	3"	140	70	140	100	30	100	18
8020022764	4"	178	95	178	128	45	128	8
8020022881	6"	250	145	250	170	65	170	2

Large Radius Tee (D-LT)





SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022765	1-1/2"×1-1/4"	59	42	60	37	20	42	70
8020022786	2"×1-1/2"	77	48	79	52	23	57	35
8020022787	2-1/2"×1-1/2"	87	59	88	52	24	66	45
8020022766	2-1/2"×2"	101	62	99	66	27	74	36
8020022749	3"×2"	106	69	104	66	29	79	25
8020022630	3"×2-1/2"	130	72	130	90	32	95	20
8020022655	4"×2"	116	82	115	66	32	90	20
8020022656	4"×3"	150	83	150	100	33	110	10
8020022750	6"×4"	208	133	202	128	53	152	3

Y Branch PVC (D)




SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022813	2"	43	101	101	18	76	76	55
8020022821	3"	64	151.5	151.5	24	111.5	111.5	32
8020022790	4"	80	192.5	192.5	30	142.5	142.5	20
8020022636	6"	124	284	290	44	204	290	8
8020022648	1-1/2"	34	80	84	12	58	62	2

Y Branch PVC (D)





SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022814	1-1/2"×1-1/4"	30	76	79	8	54	57	65
8020022743	2"×1-1/4"	28	86	87	3	61	69	40
8020022940	3"×2"	43	126	123	3	86	98	30
8020022758	4"×2"	42	148	143	8	98	118	20
8020022791	4"×3"	69	168	172	19	118	132	10
8020022637	6"×4"	84	245	235	6	165	185	3

Large Radius Double Tee (D-WLT)




SAP Number	Size (mm)	L1	L2	L3	Z1	Z2	Z3	PCS /CTN
8020022631	2"×2"	90	51	91	66	26	63.73	20
8020022632	3"×2"	106	69	106	66	29	79	18
8020022824	4"×4"	178	95	178	128	45	124.04	5

P-Trap (D)




SAP Number	Size (mm)	L	L1	H	H1	H2	H3	PCS /CTN
8020022917	2"	68.5	18.2	145.2	111.7	110	107	45

Cleanout With Plug (D)




SAP Number	Size (mm)	L	L1	L2	H	H1	D	D1	PCS /CTN
8020022809	2"	26.7	3.5	6.7	34.2	15	73	73	150
8020022671	3"	39.1	3.5	7.1	42.5	20.5	102.5	102.5	60
8020022672	4"	49	3.5	8	53	28.5	128	128	30

Cleanout With Cap (D)




SAP Number	Size (mm)	L	H	D	PCS /CTN
8020022753	4"	64	30.5	135	24

Cap (D)



SAP Number	Size (mm)	L	PCS /CTN
8020022620	1-1/4"	20.7	650
8020022621	1-1/2"	24.7	400
8020022622	2"	28.1	200
8020022623	3"	43.6	138
8020022654	4"	54.5	60

Increaser (D-IN)




SAP Number	Size (mm)	L	Z	PCS /CTN
8020022657	1-1/2" x 1-1/4"	60	20	170
8020022658	2" x 1-1/4"	63	20	125
8020022751	2" x 1-1/2"	67	20	100
8020022788	2-1/2" x 1-1/2"	77	20	70
8020022659	2-1/2" x 2"	80	20	90
8020022660	3" x 1-1/2"	87	25	66
8020022661	3" x 2"	90	25	66
8020022752	3" x 2-1/2"	100	25	115
8020022662	4" x 2"	105	30	48
8020022663	4" x 2-1/2"	115	30	56
8020022664	4" x 3"	120	30	56
8020022665	6" x 3"	161	41	18
8020022666	6" x 4"	170	40	15

PP-R Water Pipe and Fittings (Green)



Straight Pipe

**S 5 (PN 1.25)**

* Suitable for Cold Water Supply

SAP No. (5.8M)	INCH	d _n (mm)	e _n (mm)
8010060771	1/2"	20	2.0
8010060772	3/4"	25	2.3
8010060773	1	32	2.9
8010060774	1-1/4"	40	3.7
8010060775	1-1/2"	50	4.6
8010060776	2"	63	5.8
8010060777	2-1/2"	75	6.8
8010060778	3"	90	8.2
8010060779	4"	110	10.0
8010060780	6"	160	14.6

S 4 (PN 1.6)

* Suitable for Cold Water Supply

SAP No. (5.8M)	INCH	d _n (mm)	e _n (mm)
8010061300	1/2"	20	2.3
8010061301	3/4"	25	2.8
8010061302	1	32	3.6
8010061303	1-1/4"	40	4.5
8010061304	1-1/2"	50	5.6
8010061305	2"	63	7.1
8010061306	2-1/2"	75	8.4
8010061307	3"	90	10.1
8010061298	4"	110	12.3
8010061299	6"	160	17.9


S 3.2 (PN 2.0)

* Suitable for Cold or Hot Water Supply

SAP No. (5.8M)	INCH	d _n (mm)	e _n (mm)
8010060781	1/2"	20	2.8
8010060782	3/4"	25	3.5
8010060783	1	32	4.4
8010060784	1-1/4"	40	5.5
8010060785	1-1/2"	50	6.9
8010060786	2"	63	8.6
8010060787	2-1/2"	75	10.3
8010060788	3"	90	12.3
8010060789	4"	110	15.1
8010061048	6"	160	21.9


- ◎ **Material:** Random Polypropylene
- ◎ **Size:** full 20mm through 160mm availability
- ◎ **Pressure Rating:** 1.25MPa, 1.6MPa, 2.0MPa,
- ◎ **Standard:** GB/T 18742-2, EN ISO 15874-2, BS EN ISO 15874-2, DIN8077, DIN8078, NSF/ANSI/CAN 61, NSF/ANSI N372
- ◎ **Colors:**
 - Green, pipe for cold water is marked with blue stripes, pipe for hot water is marked with red stripes.
 - Other colors are also available upon request.
- ◎ **Form Supplied:**
 - 4 meters straight length (all size), Other forms are also available upon request.

Coupling (Soc×Soc)




SAP Number	Size (mm)	Inch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071377	20	1/2"	1.5	16	33.5	870	410x280x330
8010071378	25	3/4"	1.5	18	37.5	520	410x280x330
8010071379	32	1"	2	20	42	300	410x280x330
8010071380	40	1-1/4"	1.5	22.5	46.5	210	410x280x330
8010071381	50	1-1/2"	2	25.5	53	260	560x420x330
8010071382	63	2"	2	29.5	61	150	560x420x330
8010071383	75	2-1/2"	2	31.5	65	100	560x420x330
8010071384	90	3"	3.5	36.5	76.5	50	560x420x330
8010071385	110	4"	5	42	89	36	560x420x330
8010071386	160	6"	9	58.5	126	10	560x420x330

Reducer (Soc×Soc)




SAP Number	Size (mm)	Inch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071445	25×20	3/4"×1/2"	2	16	34.5	480	410x280x330
8010071446	32×20	1"×1/2"	2	18	38.5	420	410x280x330
8010071447	32×25	1"×3/4"	2	18	39.5	300	410x280x330
8010071448	40×20	1-1/4"×1/2"	2.5	16	44	252	410x280x330
8010071449	40×25	1-1/4"×3/4"	2	18	42.5	252	410x280x330
8010071450	40×32	1-1/4"×1"	3	20	45	210	410x280x330
8010071451	50×20	1-1/2"×1/2"	1.5	16	46	120	410x280x330
8010071452	50×25	1-1/2"×3/4"	2	18	48.5	120	410x280x330
8010071453	50×32	1-1/2"×1"	2.5	20	50.5	120	410x280x330
8010071454	50×40	1-1/2"×1-1/4"	1.6	22.5	51.5	120	410x280x330
8010071455	63×25	2"×3/4"	3	18	52.5	120	410x280x330
8010071456	63×32	2"×1"	2	20	57	100	410x280x330
8010071457	63×40	2"×1-1/4"	2	22.5	57.5	100	410x280x330
8010071458	63×50	2"×1-1/2"	2	22.5	53	150	560x420x330
8010072361	75×32	2-1/2"×1"	3	20	56	140	560x420x330
8010071459	75×40	2-1/2"×1-1/4"	3	22.5	57.5	140	560x420x330
8010071460	75×50	2-1/2"×1-1/2"	3	25.5	60	140	560x420x330
8010071461	75×63	2-1/2"×2"	3	29.5	60.5	90	560x420x330
8010071462	90×40	3"×1-1/4"	3	22.5	63	80	560x420x330
8010071463	90×50	3"×1-1/2"	2	25.5	66	80	560x420x330
8010071464	90×63	3"×2"	2.5	29.5	68	80	560x420x330
8010071465	90×75	3"×2-1/2"	2.5	31.5	73	50	560x420x330
8010071466	110×50	4"×1-1/2"	3	25.5	73	50	560x420x330
8010071467	110×63	4"×2"	4	29.5	78	45	560x420x330
8010071468	110×75	4"×2-1/2"	4	31.5	80.5	50	560x420x330
8010071469	110×90	4"×3"	5.5	37.5	82.5	36	560x420x330
8010071470	160×110	6"×4"	3	42	85	10	560x420x330

Double Female Thread Elbow with Seat (Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	Z	L1	H	PCS /CTN	Carton Size (mm×mm×mm)
8010072359	20×1/2"	80	150	51.5	48	410x280x330

Stub Flange (Soc×Flange)




SAP Number	Size (mm)	luch	D	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071331	40	1-1/4"	72	22.5	26	160	410x280x330
8010071332	50	1-1/2"	85	25.5	29	90	410x280x330
8010071333	63	2"	106	29.5	34.5	60	410x280x330
8010071341	75	2-1/2"	129	31.5	37	50	410x280x330
8010071334	90	3"	144	34.5	40	30	410x280x330
8010071335	110	4"	164	42	50	20	410x280x330
8010071336	160	6"	285	57.5	85	10	410x280x330

45°Elbow (Soc×Soc)




SAP Number	Size (mm)	Inch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071435	20	1/2"	6.3	16	22.3	600	410x280x330
8010071436	25	3/4"	7	18	25	360	410x280x330
8010071437	32	1"	10	20	30	180	410x280x330
8010071438	40	1-1/4"	10.5	22.5	33	112	410x280x330
8010071439	50	1-1/2"	12	25.5	37.5	140	560x420x330
8010071440	63	2"	14	29.5	43.5	80	560x420x330
8010071441	75	2-1/2"	16.5	31.5	48	50	560x420x330
8010071442	90	3"	21.5	37.5	59	30	560x420x330
8010071443	110	4"	25.5	42	67.5	20	560x420x330
8010071444	160	6"	49.5	58.5	108	5	560x420x330

90°Elbow (Soc×Soc)




SAP Number	Size (mm)	Inch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071401	20	1/2"	11	16	27	480	410x280x330
8010071402	25	3/4"	13.5	18	31.5	360	410x280x330
8010071403	32	1"	17.5	20	37.5	192	410x280x330
8010071404	40	1-1/4"	21	22.5	43.5	96	410x280x330
8010071405	50	1-1/2"	26.5	25.5	52	120	560x420x330
8010071406	63	2"	32.5	29.5	62	70	560x420x330
8010071407	75	2-1/2"	37.5	31.5	69	40	560x420x330
8010071408	90	3"	44.5	37.5	82	25	560x420x330
8010071409	110	4"	55	42	97	15	560x420x330
8010071410	160	6"	92.5	58.5	151	4	560x420x330

Tee (Soc×Soc)




SAP Number	Size (mm)	luch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071411	20	1/2"	10	16	54	360	410x280x330
8010071412	25	3/4"	14	18	64	240	410x280x330
8010071413	32	1"	17.8	20	75.5	140	410x280x330
8010071414	40	1-1/4"	21.5	22.5	88	90	410x280x330
8010071415	50	1-1/2"	26.5	25.5	104	100	560x420x330
8010071416	63	2"	32.5	29.5	124	60	560x420x330
8010071417	75	2-1/2"	37.8	31.5	138.5	30	560x420x330
8010071418	90	3"	45.5	37.5	166	20	560x420x330
8010071419	110	4"	55.5	42	195	12	560x420x330
8010071420	160	6"	91.5	58.5	300	4	560x420x330

Pipe Clamp




SAP Number	Size (mm)	luch	L	do	H	PCS /CTN	Carton Size (mm×mm×mm)
8010071430	20	1/2"	27.5	19	22	1080	410x280x330
8010071431	25	3/4"	32	24.6	24.5	1050	410x280x330
8010071432	32	1"	39	31.5	28.5	840	410x280x330
8010071433	40	1-1/4"	47.5	38.5	32	480	410x280x330
8010071434	50	1-1/2"	57.5	48.5	37	360	410x280x330

Union (Soc×Soc)




SAP Number	Size (mm)	luch	L1	L2	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071338	20	1/2"	16	16	45	240	410x280x330
8010071339	25	3/4"	18	17	48	200	410x280x330
8010071340	32	1"	20.5	18	58	108	410x280x330

Cap (Soc)




SAP Number	Size (mm)	luch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071421	20	1/2"	4.5	16	20.5	1290	410x280x330
8010071422	25	3/4"	4.5	17	22.5	900	410x280x330
8010071423	32	1"	6.5	20	26.5	420	410x280x330
8010071424	40	1-1/4"	8	22.5	30.5	306	410x280x330
8010071425	50	1-1/2"	9.5	25.5	35	180	410x280x330
8010071426	63	2"	12	29.5	41.5	180	560x420x330
8010071427	75	2-1/2"	13	31	44	140	560x420x330
8010071428	90	3"	15.5	35.5	51	80	560x420x330
8010071429	110	4"	18	42	60	40	560x420x330
8010071736	160	6"	48.5	58.5	107	14	560x420x330

Stop Valve (Soc×Soc)




SAP Number	Size (mm)	luch	L	L1	PCS /CTN	Carton Size (mm×mm×mm)
8010071345	20	1/2"	64	16	72	410x280x330
8010071346	25	3/4"	74	18	60	410x280x330
8010071347	32	1"	82	20.5	36	410x280x330
8010071348	40	1-1/4"	85	22	36	410x280x330
8010071349	50	1-1/2"	115	25	30	410x280x330
8010071350	63	2"	121	29	20	410x280x330

Cross (Soc×Soc×Soc×Soc)




SAP Number	Size (mm)	luch	Z	L1	L	L2	PCS /CTN	Carton Size (mm×mm×mm)
8010072477	20	1/2"	11	27	27	16	300	410x280x330
8010072478	25	3/4"	14.8	32.8	32.8	18	192	410x280x330
8010072479	32	1"	17.8	37.8	37.8	20	105	410x280x330

Ball Valve (Spig×Spig)




SAP Number	Size (mm)	luch	L	G	H	PCS /CTN	Carton Size (mm×mm×mm)
8010072514	20	1/2"	142	3/4"	35	96	410x280x330
8010072515	25	3/4"	153	1"	37	72	410x280x330
8010072516	32	1"	172	1 1/4"	47.5	36	410x280x330

Ture Union Ball Valve (Socket Type)II (Soc×Soc)




SAP Number	Size (mm)	luch	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071342	20	1/2"	16	85.8	96	410x280x330
8010071343	25	3/4"	18	93.8	72	410x280x330
8010071344	32	1"	20	103.2	36	410x280x330

Female Thread Tee I (Soc×Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L2	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071471	20×1/2"	1/2"	11.5	38	16	55	192	410x280x330
8010072484	20×3/4"	1/2"×3/4"	13.5	38.5	16	59	168	410x280x330
8010071472	25×1/2"	3/4"×1/2"	12	41	18	60	150	410x280x330
8010071473	25×3/4"	3/4"	13.5	40.5	18	63	120	410x280x330
8010071474	32×1/2"	1"×1/2"	11.8	41.5	20	63.5	120	410x280x330
8010071475	32×3/4"	1"×3/4"	14.5	42	20	69	108	410x280x330

Female Thread Tee II
(Soc×Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L2	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010070525	20×1/2"	1/2"	13	44	16	58	180	410x280x330
8010071476	32×1"	3/4"	16.5	53.5	20	73	60	410x280x330
8010071289	40×1-1/4"	1"	28.5	65	22.5	102	36	410x280x330

Male Thread Tee I
(Soc×Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L2	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071477	20×1/2"	1/2"	11.5	49.5	16	55	180	410x280x330
8010071478	20×3/4"	1/2"×3/4"	13.5	50	16	59	150	410x280x330
8010071479	25×1/2"	3/4"×1/2"	12	52.5	18	60	150	410x280x330
8010071480	25×3/4"	3/4"	13.5	52.5	18	63	120	410x280x330
8010071481	32×1/2"	1"×1/2"	11.8	56	20	63.5	120	410x280x330
8010071482	32×3/4"	1"×3/4"	14.5	56	20	69	90	410x280x330

Male Thread Tee II
(Soc×Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L2	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071483	32×1"	1"	16.5	72.5	20	73	60	410x280x330
8010071287	40×1-1/4"	1-1/4"	28.5	86	22.5	102	24	410x280x330
8010071875	50×1-1/4"	1-1/2"	32	91	25.5	115		

Female Thread Union
(Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	L1	L2	L	PCS /CTN	Carton Size (mm×mm×mm)
8010072270	20×1/2"	1/2"	16	16	42	300	410x280x330
8010072271	25×3/4"	3/4"	18	17	47	180	410x280x330
8010072305	25×1"	3/4"×1"	18	18	56.5	180	410x280x330
8010072306	32×3/4"	1"×3/4"	20.5	15	56	120	410x280x330
8010072355	32×1"	1"	20.5	18	52	120	410x280x330

Male Thread Union
(Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	L1	L2	L	PCS /CTN	Carton Size (mm×mm×mm)
8010072272	20×1/2"	1/2"	16.5	72.5	20	300	410x280x330
8010072273	25×3/4"	3/4"	28.5	86	22.5	180	410x280x330
8010072307	25×1"	3/4"×1"	32	91	22.5	180	410x280x330
8010072308	32×3/4"	1"×3/4"				120	410x280x330
8010072356	32×1"	1"				108	410x280x330
8010072850	40×1 1/4"	5.92"				36	410x280x330
8010072852	50×1-1/2"	9.66"				36	410x280x330
8010072851	63x2"	16.53"				24	410x280x330

Reducing Tee (Soc×Soc×Soc)




SAP Number	Size (mm)	luch	Z1	Z2	L1	L2	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071360	25×20	3/4"×1/2"	11.5	29.5	18	16	59	280	410x280x330
8010071361	32×20	1"×1/2"	12	33.5	20	18	64	160	410x280x330
8010071362	32×25	1"×3/4"	14	35	20	18	68	150	410x280x330
8010071363	40×20	1-1/4"×1/2"	12	37.5	22.5	16	69	112	410x280x330
8010071364	40×25	1-1/4"×3/4"	14.5	40.5	22.5	18	74	112	410x280x330
8010071365	40×32	1-1/4"×1"	17.5	42	22.5	20	80	88	410x280x330
8010071366	50×20	1-1/2"×1/2"	11.3	42.2	25.5	16	73.5	180	560x420x330
8010071367	50×25	1-1/2"×3/4"	13.5	44	25.5	18	78	168	560x420x330
8010071368	50×32	1-1/2"×1"	17.5	47.3	25.5	20	86	120	560x420x330
8010071369	50×40	1-1/2"×1-1/4"	21.5	49.3	22.5	22.5	94	120	560x420x330
8010071370	63×25	2"×3/4"	13.2	42.5	29.5	18	85.6	96	560x420x330
8010071371	63×32	2"×1"	16.5	55.5	29.5	20	92	96	560x420x330
8010071372	63×40	2"×1-1/4"	20.5	54	29.5	22.5	100	80	560x420x330
8010071373	63×50	2"×1-1/2"	25.8	56.8	29.5	25.5	110.5	60	560x420x330
8010072304	75×32	2-1/2"×1"	17	62	31.5	20	97	60	560x420x330
8010071374	75×40	2-1/2"×1-1/4"	21	59.5	31.5	22.5	105	50	560x420x330
8010071375	75×50	2-1/2"×1-1/2"	25.5	62.5	31.5	25.5	114	50	560x420x330
8010071376	75×63	2-1/2"×2"	32	67.2	31.5	29.5	127	36	560x420x330
8010071352	90×40	3"×1-1/4"	21.3	74	37.5	22.5	117.5	30	560x420x330
8010071353	90×50	3"×1-1/2"	26	71.5	37.5	25.5	127	28	560x420x330
8010071354	90×63	3"×2"	32.3	75	37.5	29.5	139.5	28	560x420x330
8010071355	90×75	3"×2-1/2"	37.5	77.5	37.5	31.5	150	25	560x420x330
8010071356	110×50	4"×1-1/2"	27.8	79.5	42	25.5	139.5	18	560x420x330
8010071357	110×63	4"×2"	33.8	84	42	29.5	151.5	15	560x420x330
8010071358	110×75	4"×2-1/2"	39	87.5	42	31.5	162	15	560x420x330
8010071359	110×90	4"×3"	46	91.5	42	37.5	176	14	560x420x330

Female Thread Adapter I
(Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071387	20×1/2"	1/2"	26.5	16	42.5	288	410x280x330
8010072347	20×3/4"	1/2"×3/4"	26	16	42	240	410x280x330
8010071388	25×1/2"	3/4"×1/2"	26.5	18	44.5	300	410x280x330
8010071389	25×3/4"	3/4"	27	18	45	180	410x280x330
8010072348	32×1/2"	1"×1/2"	31	20	51	180	410x280x330
8010071731	32×3/4"	1"×3/4"	27.5	20	47.5	210	410x280x330

Female Thread Adapter II
(Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010072480	20×1/2"	1/2"	34	16	50	300	410x280x330
8010072481	20×3/4"	1/2"×3/4"	38.5	16	54.5	192	410x280x330
8010072482	25×3/4"	3/4"	39.5	18	57.5	180	410x280x330
8010071390	32×1"	1"	38	20	58	96	410x280x330
8010072349	40×1"	1-1/4"×1"	37	22	59	84	410x280x330
8010071391	40×1 1/4"	1-1/4"	43	22.5	65.5	48	410x280x330
8010070614	50×1 1/4"	1-1/2"×1-1/4"	41.5	25.5	67	48	410x280x330
8010071392	50×1 1/2"	1-1/2"	42.5	25.5	68	36	410x280x330
8010071393	63×2"	2"	46.5	29.5	76	36	410x280x330

Male Thread Adapter I
(Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071491	20×1/2"	1/2"	38	16	54	240	410x280x330
8010072350	20×3/4"	1/2"×3/4"	38	16	54	180	410x280x330
8010071492	25×1/2"	3/4"×1/2"	38	18	56	210	410x280x330
8010071493	25×3/4"	3/4"	38.5	18	56.5	180	410x280x330
8010071494	32×1/2"	1"×1/2"	45	20	65	180	410x280x330
8010071732	32×3/4"	1"×3/4"	51.5	20	71.5	180	410x280x330

Male Thread Adapter II
(Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L1	L	PCS /CTN	Carton Size (mm×mm×mm)
8010071616	32×1"	1"	57	20	77	72	410x280x330
8010072351	40×1"	1-1/4"×1"	56	22	78	48	410x280x330
8010071495	40×1-1/4"	1-1/4"	64	22.5	86.5	48	410x280x330
8010070745	50×1-1/4"	1-1/2"×1-1/4"	62.5	25.5	88	36	410x280x330
8010071496	50×1-1/2"	1-1/2"	63.5	25.5	89	36	410x280x330
8010071497	63×2"	2"	71.5	29.5	101	24	410x280x330

Female Thread Elbow I (Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L	L1	PCS /CTN	Carton Size (mm×mm×mm)
8010071733	20×1/2"	1/2"	11.5	37.5	16	240	410x280x330
8010072354	20×3/4"	1/2"×3/4"	13.1	38.5	16	210	410x280x330
8010071394	25×1/2"	3/4"×1/2"	12	40.5	18	210	410x280x330
8010071395	25×3/4"	3/4"	13	41	18	180	410x280x330
8010072485	32×1/2"	1"×1/2"	15	42	20	180	410x280x330
8010071734	32×3/4"	1"×3/4"	18	42	20	150	410x280x330

Female Thread Elbow II (Soc×Fipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L	L1	PCS /CTN	Carton Size (mm×mm×mm)
8010070552	20×1/2"	1/2"	13	44	16	240	410x280x330
8010071396	32×1"	1"	16.5	54.5	20	72	410x280x330
8010071288	40×1 1/4"	1-1/4"	28.5	65	22.5	36	410x280x330
8010071230	50×1 1/2"	1-1/2"	32	70	25.5	36	410x280x330

Male Thread Elbow I (Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L	L1	PCS /CTN	Carton Size (mm×mm×mm)
8010071397	20×1/2"	1/2"	11.5	49	16	240	410x280x330
8010072352	20×3/4"	1/2"×3/4"	13.1	50	16	150	410x280x330
8010071398	25×1/2"	3/4"×1/2"	12	52	18	210	410x280x330
8010071399	25×3/4"	3/4"	17	52.5	18	150	410x280x330
8010072483	32×1/2"	1"×1/2"	15	56	20	150	410x280x330
8010071735	32×3/4"	1"×3/4"	18	56	20	120	410x280x330

Male Thread Elbow II (Soc×Mipt with Metal Insert)




SAP Number	Size (mm)	luch	Z	L	L1	PCS /CTN	Carton Size (mm×mm×mm)
8010071400	32×1"	1"	21	73.5	20	72	410x280x330
8010071286	40×1-1/4"	1-1/4"	28.5	86	22.5	36	410x280x330
8010071874	63×2"	2"	33.5	107	29.5	24	410x280x330

Bending pipe



SAP Number	Size (mm)	luch	PCS /CTN	Carton Size (mm×mm×mm)
8010072494	dn20	0.135	250	410x280x330
8010072495	dn25	0.219	120	410x280x330
8010072496	dn32	0.386	80	410x280x330

Flange (Steel Tray)



SAP Number	Size (mm)	luch	D	D1	D2	PCS /CTN	Carton Size (mm×mm×mm)
8010070234	40	1-1/4"	140	100	18		
8010070235	50	1-1/2"	150	110	18		
8010070236	63	2"	160	125	18		
8010070237	75	2-1/2"	185	145	18		
8010070238	90	3"	200	160	18		
8010070232	110	4"	220	180	18		
8010070233	160	6"	285	240	22		

Rubber Gasket



SAP Number	Size (mm)	luch	PCS /CTN	Carton Size (mm×mm×mm)
8010070749	40	1-1/4"		
8010070750	50	1-1/2"		
8010070751	63	2"		
8010070752	75	2-1/2"		
8010070753	90	3"		
8010070747	110	4"		
8010070748	160	6"		



LESSO

HUBUNGI:



QHOMEMART

WWW.QHOMEMART.COM

JL.RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

 [qhmemart](#)  [qhmemart](#)  [qhmemart](#)  [qhmemart](#)