

WHY CATRISTO

If the best things in life are free, CATRISTO comes a close second.
How much do you value good design, quality and durability?
What about added assurance and total peace of mind?

When it comes to creating our appliances, our team of product designers, professional chefs, culinary aficionados and engineers are committed to developing products that suit your lifestyle & habits; products that add comfort and convenience to your daily lives. Products which do not compromise on functionality, designs and safety.

How is this made possible?

For CATRISTO, that means a lifestyle and culinary collection that is curated from the best design, materials, craftsmanship and finishing; backed by stringent quality checks from inception to the final delivery to our customers' home.






WHAT IS INDUCTION COOKING?





LUNA 95 DHT

A



SIZE & WEIGHT DETAIL

Product Size	:	915 x 534 x 55 mm
Cut Out Dimension	:	897 X 507 MM
Packing Dimension	:	955 x 600 x 120 mm
Gross Weight	:	17.5 Kg
Net Weight	:	12.2 Kg

Fitur


Total cooking zone	:	5
Diameter zone (adjust zone)	:	16-28 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt

Electrical specification

left zone (adjust zone)	:	1600Watt
right zone (adjust zone)	:	2000Watt
rear right (adjust zone)	:	2000Watt
rear left (adjust zone)	:	2500Watt
total power	:	8600Watt
Delivered with cable	:	*YES 120cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 64 DHT

A



SIZE & WEIGHT DETAIL

Product Size	:	590 X 520 X 61mm
Cut Out Dimension	:	560 x 490mm
Packing Dimension	:	7mm
Gross Wight	:	10.14 kg
Net Wight	:	8.55kg

Fitur


Total cooking zone	:	4
Diameter zone (adjust zone)	:	190 x 190mm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99
Color	:	Black
Touch control	:	yes
The power start from	:	150 watt
Flexizone Induction	:	Yes

Electrical specification

left zone (adjust zone)	:	1800 / 2100W
right zone (adjust zone)	:	1800 / 2100W
rear right (adjust zone)	:	1800 / 2100W
rear left (adjust zone)	:	1800 / 2100W
total power	:	3000W
Delivered with cable	:	Yes
Electrical Plug	:	220 - 240V / 50hz

LUNA 728 HE

A



SIZE & WEIGHT DETAIL

Product Size	:	900 X 620 X 61 MM
Cut Out Dimension	:	870 X 490 MM
Packing Dimension	:	1125 X 600 X 150 MM
Gross Wight	:	34 Kg
Net Wight	:	30 Kg

Fitur

Total cooking zone	:	2
Diameter zone (adjust zone)	:	16(cm),18(cm)
Direct access levels (per zone)	:	No
Boost fuction	:	Yes
Automatic Pan detection timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt
Flexizone Induction	:	Yes

Electrical specification

left zone (adjust zone)	:	1500Watt
right zone (adjust zone)	:	1500Watt
rear right (adjust zone)	:	2000Watt
rear left (adjust zone)	:	2000Watt
total power	:	7110Watt
Delivered with cable	:	*YES 120cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 728 HEP

A



SIZE & WEIGHT DETAIL

Product Size	:	900 X 620 X 61 MM
Cut Out Dimension	:	870 X 490 MM
Packing Dimension	:	1125 X 600 X 150 MM
Gross Wight	:	34 Kg
Net Wight	:	30 Kg

Fitur


Total cooking zone	:	2
Diameter zone (adjust zone)	:	16(cm),18(cm)
Direct access levels (per zone)	:	No
Boost fuction	:	Yes
Automatic Pan detection timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt
Flexizone Induction	:	Yes

Electrical specification

left zone (adjust zone)	:	1500Watt
right zone (adjust zone)	:	1500Watt
rear right (adjust zone)	:	2000Watt
rear left (adjust zone)	:	2000Watt
total power	:	7110Watt
Delivered with cable	:	*YES 120cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 96 HM

MA



A. 585 mm
B. 508 mm
C. 900 mm
D. 520 mm

SIZE & WEIGHT DETAIL

Product Size	:	900 x 520 x 55 mm
Cut Out Dimension	:	585 X 508 mm
Packing Dimension	:	955 x 600 x 120 mm
Gross Weight	:	17.5 Kg
Net Weight	:	12.2 Kg

Fitur


Total cooking zone	:	5
Diameter zone (adjust zone)	:	16-28 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt

Electrical specification

left zone (adjust zone)	:	1600Watt
right zone (adjust zone)	:	2000Watt
rear right (adjust zone)	:	2000Watt
rear left (adjust zone)	:	2500Watt
total power	:	8600Watt
Delivered with cable	:	*YES 120cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 64 HM

MA



A. 560 mm
B. 490 mm
C. 590 mm
D. 520 mm

SIZE & WEIGHT DETAIL

Product Size	:	590 X 520 X 61mm
Cut Out Dimension	:	560 x 490mm
Packing Dimension	:	670 x 575 x 120 mm
Gross Wight	:	10.14 kg
Net Wight	:	8.55kg

Fitur


Total cooking zone	:	4
Diameter zone (adjust zone)	:	190 x 190mm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99
Color	:	Black
Touch control	:	yes
The power start from	:	150 watt
Flexizone Induction	:	Yes

Electrical specification

left zone (adjust zone)	:	1800 / 2100W
right zone (adjust zone)	:	1800 / 2100W
rear right (adjust zone)	:	1800 / 2100W
rear left (adjust zone)	:	1800 / 2100W
total power	:	3000W
Delivered with cable	:	Yes
Electrical Plug	:	220 - 240V / 50hz

LUNA 32 HM

MA



- A. 495 mm
- B. 268 mm
- C. 520 mm
- D. 290 mm

SIZE & WEIGHT DETAIL

Product Size	:	300 x 520 x 62 mm
Cut Out Dimension	:	270 X 500 MM
Packing Dimension	:	380 x 575 x 125 mm
Gross Weight	:	5.82 Kg
Net Weight	:	4.87 Kg

Fitur


Total cooking zone	:	2
Diameter zone (adjust zone)	:	16-18 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	150watt

Electrical specification

left zone (adjust zone)	:	2000Watt
right zone (adjust zone)	:	1500Watt
rear right (adjust zone)	:	
rear left (adjust zone)	:	
total power	:	3500Watt
Delivered with cable	:	*YES 150cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 95

M



SIZE & WEIGHT DETAIL


Product Size	:	915 x 534 x 55 mm
Cut Out Dimension	:	897 X 507 MM
Packing Dimension	:	955 x 600 x 120 mm
Gross Weight	:	17.5 Kg
Net Weight	:	12.2 Kg

Fitur

Total cooking zone	:	5
Diameter zone (adjust zone)	:	16-28 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt

Electrical specification


left zone (adjust zone)	:	1600Watt
right zone (adjust zone)	:	2000Watt
rear right (adjust zone)	:	2000Watt
rear left (adjust zone)	:	2500Watt
total power	:	8600Watt
Delivered with cable	:	*YES 120cm
Electrical Plug	:	220 - 240V / 50hz



A. 897 mm
B. 507 mm
C. 915 mm
D. 534 mm

LUNA 64 H

MB



SIZE & WEIGHT DETAIL


Product Size	:	590 x 520 x 55 mm
Cut Out Dimension	:	576 x 495 mm
Packing Dimension	:	660 x 595 x 125 mm
Gross Weight	:	10.5 Kg
Net Weight	:	9 Kg

Fitur

Total cooking zone	:	4
Diameter zone (adjust zone)	:	21.5(cm),38(cm)
Direct access levels (per zone)	:	No
Boost fuction	:	Yes
Automatic Pan detection timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt
Flexizone Induction	:	Yes

Electrical specification



left zone (adjust zone)	:	2000Watt
right zone (adjust zone)	:	1600Watt
rear right (adjust zone)	:	2000Watt
rear left (adjust zone)	:	1600Watt
total power	:	7000Watt
Delivered with cable	:	*YES 120cm
Electrical Plug	:	220 - 240V / 50hz



A. 576 mm
B. 495 mm
C. 590 mm
D. 520 mm

LUNA 72

MB+P



A. 695 mm
B. 410 mm
C. 730 mm
D. 430 mm

SIZE & WEIGHT DETAIL

Product Size	: 730 x 430 x 62 mm
Cut Out Dimension	: 695 X 410 MM
Packing Dimension	: 810 x 485 x 120 mm
Gross Weight	: 9.08 Kg
Net Weight	: 8.08 Kg

Fitur



Total cooking zone	: 2
Diameter zone (adjust zone)	: 16-16 cm
Direct access levels (per zone)	: Yes
Boost fuction	: Yes
Automatic Pan detection	: Yes
timer	: Yes
if yes number of timers	: 1-99 minutes
Color	: black glass
Touch control	: Yes
The power start from	: 150watt

Electrical specification

left zone (adjust zone)	: 1000Watt
right zone (adjust zone)	: 1000Watt
rear right (adjust zone)	:
rear left (adjust zone)	:
total power	: 2000Watt
Delivered with cable	: *YES 120cm
Electrical Plug	: 220 - 240V / 50hz

LUNA 64

MB+P



A. 560 mm
B. 490 mm
C. 590 mm
D. 520 mm

SIZE & WEIGHT DETAIL

Product Size	: 590 x 520 x 62 mm
Cut Out Dimension	: 560 X 490 MM
Packing Dimension	: 670 x 575 x 120 mm
Gross Weight	: 10.27 Kg
Net Weight	: 9.27 Kg

Fitur


Total cooking zone	: 4
Diameter zone (adjust zone)	: 16-18 cm
Direct access levels (per zone)	: Yes
Boost fuction	: Yes
Automatic Pan detection	: Yes
timer	: Yes
if yes number of timers	: 1-99 minutes
Color	: black glass
Touch control	: Yes
The power start from	: 100watt

Electrical specification

left zone (adjust zone)	: 1500Watt
right zone (adjust zone)	: 1800Watt
rear right (adjust zone)	: 1500Watt
rear left (adjust zone)	: 1800Watt
total power	: 4000Watt
Delivered with cable	: *YES 150cm
Electrical Plug	: 220 - 240V / 50hz

LUNA 63

MB+P



SIZE & WEIGHT DETAIL

Product Size	:	590 x 520 x 62 mm
Cut Out Dimension	:	560 X 490 MM
Packing Dimension	:	670 x 575 x 120 mm
Gross Weight	:	10.27 Kg
Net Weight	:	9.27 Kg

Fitur



Total cooking zone	:	3
Diameter zone (adjust zone)	:	16-18 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	100watt

Electrical specification

left zone (adjust zone)	:	1500Watt
right zone (adjust zone)	:	1850Watt
rear right (adjust zone)	:	
rear left (adjust zone)	:	1800Watt
total power	:	4850Watt
Delivered with cable	:	*YES 150cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 32

MB+P



A. 500 mm
B. 270 mm
C. 520 mm
D. 300 mm

SIZE & WEIGHT DETAIL

Product Size	:	300 x 520 x 62 mm
Cut Out Dimension	:	270 X 500 MM
Packing Dimension	:	380 x 575 x 125 mm
Gross Weight	:	5.82 Kg
Net Weight	:	4.87 Kg

Fitur



Total cooking zone	:	2
Diameter zone (adjust zone)	:	16-18 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	150watt

Electrical specification

left zone (adjust zone)	:	2000Watt
right zone (adjust zone)	:	1500Watt
rear right (adjust zone)	:	
rear left (adjust zone)	:	
total power	:	3500Watt
Delivered with cable	:	*YES 150cm
Electrical Plug	:	220 - 240V / 50hz

LUNA 31

MB+P



A. 500 mm
B. 270 mm
C. 520 mm
D. 300 mm

SIZE & WEIGHT DETAIL

Product Size	:	300 x 520 x 62 mm
Cut Out Dimension	:	270 X 500 MM
Packing Dimension	:	380 x 575 x 125 mm
Gross Wight	:	5.09 Kg
Net Wight	:	4.14 Kg

Fitur

Total cooking zone	:	1
Diameter zone (adjust zone)	:	18 cm
Direct access levels (per zone)	:	Yes
Boost fuction	:	Yes
Automatic Pan detection	:	Yes
timer	:	Yes
if yes number of timers	:	1-99 minutes
Color	:	black glass
Touch control	:	Yes
The power start from	:	150watt

Electrical specification

Mid Zone	:	1850Watt
total power	:	1850Watt
Delivered with cable	:	*YES 150cm
Electrical Plug	:	220 - 240V / 50hz

CERAMIC HOB




THE DIFFERENCE BETWEEN INDUCTION HOBS AND CERAMIC HOBS

Induction hobs use electromagnetic energy to heat pots and pans directly. In comparison, the electric stove does not heat the pan directly. The electric stove uses a heating element, and sends radiant energy to the food.

ASTRO 64

MB



Specification

60cm 4 Zone Virocreamic Hob

4 cooking zone

-Front left : 20cm 1.8kW

-Rear left : 16.5cm 1.2kW

-Front right : 16.5cm 1.2kW

Total power 6.4kW

Touch controls

9cooking positions

Residual heat indicator

Timer 1 to 99mins


Pack 5 securities

Dimension of overall product (mm)

H51 x W580 x D510

Built in dimensions 590x520x70 (mm)

Start from 150 Watt



ASTRO 32

MB



Specification

30cm 2 Zone Virocreamic Hob

2 cooking zone

-Front :16.5cm 1.2kW

- Rear : 12/20cm 07/1.7kW

Total power 2.9W

Touch controls

9cooking positions

Residual heat indicator

Timer 1 to 99mins

Pack 5 securities


Dimension of overall product (mm)

H64.9 x W288 x D510

Built in dimensions

Glass Size: 300x520mm

Start from 150 Watt




BUILT - IN HOB



BUILT-IN GAS HOBS COLLECTIONS

- * CATRISTO combine gas rangetop with the finesse of dual stacked, sealed burner heat, and the even cooking performance of an electric dual convention oven.
- * The result is industry-leading performance with precise control and even heat distribution.

PROTECTION DEVICE REFUSING GAS LEAK



SAFETY DEVICE

Thermocouple safety system is located in each burner, which activates as soon as you touch the controller to turn it on. if necessary, this thermocouple instantly and automatically cuts off the gas supply to prevent leakage from accidental extinguishing of the fire.

HEAT RESISTANCE BURNERS

Equipped with Cast Iron work and grid supports and brass burners that with stand heat up to 800C, you can be assured of the fastest heat transfer and the most efficient cooking

brass burners and caps with self inter locking system means easy & fuss free cleaning



POWERFUL, FAST & EVENT HEATING

Power ful, fast and Event Heating

the new series Of Gas Hobs Boast of top aspiration technology and five unjektor burner for

added safety , better air ventilation resulting in higher and stronger with work burner with 5.5 0 kw power on triple ring burners you save on gas consumption & cook time





ENZO 95 X

A

90cm Gas Hob

Specification

5 Gas Inox Hob
 Sabaf Burners and Taps
 Triple Crown (TC) Burner 3,8 kW
 Brushed Inox Burner Plate
 Flame Failure Device (FFD)
 Underknob Auto-Ignition
 Matt Black Cast Iron Grid
 Dimension(WxDxH): 920×510x140 (mm)





ENZO 95 V

A

90cm Gas Hob

Specification

5 Gas On Glass Hob
 Sabaf Burners and Taps
 Triple Crown (TC) Burner 3,8 kW
 Tempered Glass Burner Plate 8mm
 Flame Failure Device (FFD)
 Underknob Auto-Ignition
 Break Resistance Glass
 Matt Black Cast Iron Grid
 Dimension(WxDxH): 920×510x140 (mm)




ENZO 64 X

A

60cm Gas Hob

Specification

4 Gas Inox Hob
Sabaf Burners and Taps
Brushed Inox Burner Plate
Flame Failure Device (FFD)
Underknob Auto-Ignition
Matt Black Cast Iron Grid
Dimension(WxDxH): 600×510x140 (mm)




ENZO 64 V

A

60cm Gas Hob

Specification

4 Gas On Glass Hob
Sabaf Burners and Taps
Tempered Glass Burner Plate 8mm
Flame Failure Device (FFD)
Underknob Auto-Ignition
Matt Black Cast Iron Grid
Break Resistance Glass
Dimension(WxDxH): 600×510x140 (mm)



DANTE 95 X

MA



304 Stainless steel panel
Cast Iron Pan Support
With Metallic knobs
Safety device
Battery Ignition
Dimension 915 x 510 x 115mm

DANTE 64 X

MA



304 Stainless steel panel
Cast Iron Pan Support
With Metallic knobs
Safety device
Battery Ignition
Dimension 580 x 560 x 125mm

DANTE 94 X

M



SIZE & WEIGHT DETAIL

Product Size	: 780 X 450 X 160 mm
Cut Out Dimension	: 680 X 380 mm
Glass thickness	: 8mm
Packing Dimension	: 810 X 490 X 210 mm
Gross Weight	: 13.8 Kg
Net Weight	: 12.5 Kg

Fitur

Total burner	: 2
Number of Triple Ring Burner	: N/A
Wok Burner	: 5.5 kw, 5.5 Kw
Medium Burner	: N/A
Smal Burner	: N/A
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Cast iron Grid	

DANTE 94 V

M



SIZE & WEIGHT DETAIL

Product Size	: 780 X 450 X 160 mm
Cut Out Dimension	: 680 X 380 mm
Glass thickness	: 8mm
Packing Dimension	: 810 X 490 X 210 mm
Gross Weight	: 13.8 Kg
Net Weight	: 12.5 Kg

Fitur



Total burner	: 2
Number of Triple Ring Burner	: N/A
Wok Burner	: 5.5 kw, 5.5 Kw
Medium Burner	: N/A
Smal Burner	: N/A
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Cast iron Grid	

DANTE 936 X

MA



A. 800 mm
B. 470 mm
C. 900 mm
D. 500 mm

SIZE & WEIGHT DETAIL


Product Size	:	900*500*160mm
Cut Out Dimension	:	800*470mm
Glass Thickness	:	8mm
Packing Dimension	:	950*550*240mm
Gross Weight	:	17.5kg
Net Weight	:	15.5kg

Fitur	:	3
Total Burner	:	3
Number of Triple Ring Burner	:	5.5kw, 5.5kw
Wok Burner	:	5.2kw
Medium Burner	:	N/A
Small Burner	:	Yes
ECO Gas System	:	Yes
Safety Device	:	Yes
Battery Ignition System	:	Stainless steel
Top Plate	:	No
Italian Import Sabaf Burner	:	Yes
Enamel Pan Support	:	Steel

Accessories	:	
Knob Wok Adapter	:	No
Extra Nozzle for Natural Gas	:	No
Enamel Pan Support	:	No

CARLO 9311

MA





A. 830 mm
B. 430 mm
C. 900 mm
D. 520 mm

Size & Weight Detail

Product Size	:	900*520*160mm
Cut Out Dimension	:	830*430mm
Glass Thickness	:	8mm
Packing Dimension	:	920*550*200mm
Gross Weight	:	15.5kg
Net Weight	:	12.0kg

Fitur	:	
Total Burner	:	3
Number of Triple Ring Burner	:	3
Wok Burner	:	5.5kw, 5.5kw
Medium Burner	:	5.2 kw
Small Burner	:	N/A
ECO Gas System	:	Yes
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered Glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes
Accessories	:	
Knob	:	Steel
Wok Adapter	:	No
Extra Nozzle for Natural Gas	:	No
Enamel Pan Support	:	No

DANTE 933



A. 830 mm
B. 360 mm
C. 880 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	:	880*450*160mm
Cut Out Dimension	:	830*360mm
Glass thickness	:	8mm
Packing Dimension	:	910*490*210mm
Gross Weight	:	11.5Kg
Net Weight	:	9.8kg


Fitur

Total burner	:	3
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.0Kw,5.0Kw,5.0Kw
Medium Burner	:	
Smal Burner	:	
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES

Knob	:	Zinc
Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	No

DANTE 7310



A. 680 mm
B. 380 mm
C. 780 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	:	780 X 450 X 160 mm
Cut Out Dimension	:	680 X 380 mm
Glass thickness	:	8mm
Packing Dimension	:	810 X 490 X 210 mm
Gross Weight	:	13.8 Kg
Net Weight	:	12.5 Kg

Fitur

Total burner	:	3
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.5 kw, 5.5 Kw
Medium Burner	:	
Smal Burner	:	1.5 Kw
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered Glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES

Knob	:	Metal
Wok Adapter	:	No
Extra Nozzle for Natural Gas	:	No
Cast iron Grid	:	

DANTE 736 X

M

SIZE & WEIGHT DETAIL


Product Size	:	780 x 450 x 160 mm
Cut Out Dimension	:	680*380mm
Glass thickness	:	8mm
Packing Dimension	:	810*490*210mm
Gross Weight	:	13.8Kg
Net Weight	:	12.5kg

Fitur

Total burner	:	3
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.5Kw,5.5Kw
Medium Burner	:	
Smal Burner	:	1.5Kw
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES

Knob	:	Zinc
Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	No



A. 680 mm
B. 380 mm
C. 780 mm
D. 450 mm

DANTE 935

M

SIZE & WEIGHT DETAIL


Product Size	:	880*450*160mm
Cut Out Dimension	:	780*380mm
Glass thickness	:	8mm
Packing Dimension	:	910*490*210mm
Gross Weight	:	13.5Kg
Net Weight	:	11.8kg

Fitur

Total burner	:	3
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.0Kw,5.0Kw,5.0Kw
Medium Burner	:	
Smal Burner	:	
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES


Knob	:	Zinc
Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	No



A. 780 mm
B. 380 mm
C. 880 mm
D. 450 mm

DANTE 726 X

M



A. 630 mm
B. 350 mm
C. 750 mm
D. 430 mm

SEIZE & WEIGHT DETAIL

Product Size	: 750*430*160mm
Cut Out Dimension	: 630*350mm
Glass Thickness	: 8mm
Packing Dimension	: 800*480*200mm
Gross Weight	: 10.5kg
Net Weight	: 9.0kg

FITUR


Total Burner	: 2
Number of Triple Ring Burner	: 2
Wok Burner	: 5.5kw, 5.5kw
Medium Burner	: N/A
Small Burner	: N/A
ECO Gas System	: Yes
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Stainless steel
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Steel
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Enamel Pan Support	: No

DANTE 726

M



A. 630 mm
B. 350 mm
C. 750 mm
D. 430 mm

SIZE & WEIGHT DETAIL

Product Size	: 750*430*160mm
Cut Out Dimension	: 630*350mm
Glass Thickness	: 8mm
Packing Dimension	: 800*480*200mm
Gross Weight	: 10.5kg
Net Weight	: 9.0kg

FITUR


Total Burner	: 2
Number of Triple Ring Burner	: 2
Wok Burner	: 5.5kw, 5.5kw
Medium Burner	: N/A
Small Burner	: N/A
ECO Gas System	: Yes
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Steel
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Enamel Pan Support	: No

DANTE 7210

M



A. 680 mm
B. 380 mm
C. 780 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	: 780 X 450 X 160 mm
Cut Out Dimension	: 680 X 380 mm
Glass thickness	: 8mm
Packing Dimension	: 810 X 490 X 210 mm
Gross Weight	: 13.8 Kg
Net Weight	: 12.5 Kg

Fitur


Total burner	: 2
Number of Triple Ring Burner	: N/A
Wok Burner	: 5.5 kw, 5.5 Kw
Medium Burner	:
Smal Burner	:
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Cast iron Grid	:

DANTE 728

M



A. 630 mm
B. 360 mm
C. 750 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	: 750 x 450 x 160
Cut Out Dimension	: 630*360mm
Glass thickness	: 8mm
Packing Dimension	: 790*450*190mm
Gross Weight	: 10.6Kg
Net Weight	: 8.83kg

Fitur


Total burner	: 2
Number of Triple Ring Burner	: N/A
Wok Burner	: 5.5KW, 5.5kW
Medium Burner	: N/A
Smal Burner	: N/A
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: *Yes
Top Plate	: Tempered glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Zinc
Wok Adapter	: NO
Extra Nozzle for Natural Gas	: NO
Cast iron Grid	: No

DANTE 736

M



- A. 680 mm
- B. 380 mm
- C. 780 mm
- D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	:	780 x 450 x 160 mm
Cut Out Dimension	:	680*380mm
Glass thickness	:	8mm
Packing Dimension	:	810*490*210mm
Gross Weight	:	13.8Kg
Net Weight	:	12.5kg

Fitur


Total burner	:	3
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.5Kw,5.5Kw
Medium Burner	:	
Smal Burner	:	1.5Kw
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES

Knob	:	Zinc
Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	No

DANTE 733

MB



A. 630 mm
B. 360 mm
C. 780 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	:	780*450*160mm
Cut Out Dimension	:	630*360mm
Glass thickness	:	8mm
Packing Dimension	:	810*490*210mm
Gross Weight	:	11.5Kg
Net Weight	:	9.8kg

Fitur


Total burner	:	3
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.0Kw,5.0Kw
Medium Burner	:	
Small Burner	:	1.5Kw
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES

Knob	:	Zinc
Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	No

DANTE 732

MB



A. 630 mm
B. 380 mm
C. 780 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	:	780*450*160mm
Cut Out Dimension	:	630*380mm
Glass Thickness	:	8mm
Packing Dimension	:	810*490*210mm
Gross Weight	:	13.5kg
Net Weight	:	11.8kg

Fitur


Total Burner	:	3
Number of Triple Ring Burner	:	3
Wok Burner	:	5.5kw, 5.5kw
Medium Burner	:	1.5kw
Small Burner	:	N/A
ECO Gas System	:	Yes
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered Glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

Accessories

Knob	:	Steel
Wok Adapter	:	No
Extra Nozzle for Natural Gas	:	No
Enamel Pan Support	:	No

DANTE 735

MB



A. 680 mm
B. 380 mm
C. 780 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	: 780*450*160mm
Cut Out Dimension	: 680*380mm
Glass thickness	: 8mm
Packing Dimension	: 810*490*210mm
Gross Weight	: 13.5Kg
Net Weight	: 11.8kg

Fitur


Total burner	: 3
Number of Triple Ring Burner	: N/A
Wok Burner	: 5.0Kw, 5.0Kw
Medium Burner	:
Small Burner	: 1.5Kw
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

Accessories

Knob	: Zinc
Wok Adapter	: NO
Extra Nozzle for Natural Gas	: NO
Cast iron Grid	: No

DANTE 737

MB



A. 680 mm
B. 380 mm
C. 780 mm
D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	: 780 x 450 x 160 mm
Cut Out Dimension	: 680 x 380 mm
Glass thickness	: 8mm
Packing Dimension	: 800 x 475 x 200 mm
Gross Weight	: 11.3 Kg
Net Weight	: 9.53 Kg

Fitur


Total burner	: 3
Number of Triple Ring Burner	: 1
Wok Burner	: 5.0 Kw, 5.0Kw
Medium Burner	: N/A
Small Burner	: 1.5 Kw
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: Yes
Cast iron Grid	:

DANTE 723

MB



A. 630 mm
B. 380 mm
C. 750 mm
D. 430 mm

Product Size	:	750*430*160mm
Cut Out Dimension	:	630*360mm
Glass thickness	:	8mm
Packing Dimension	:	800*480*200mm
Gross Weight	:	10.5Kg
Net Weight	:	8.65kg

Fitur


Total burner	:	2
Number of Triple Ring Burner	:	N/A
Wok Burner	:	5.0KW, 5.0kW
Medium Burner	:	N/A
Small Burner	:	N/A
ECO Gas System	:	No
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

ACCESSORIES

Knob	:	Zinc
Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	No

DANTE 722

MB



A. 630 mm
B. 380 mm
C. 750 mm
D. 430 mm

SIZE & WEIGHT DETAIL

Product Size	:	750*430*160mm
Cut Out Dimension	:	630*350mm
Glass Thickness	:	8mm
Packing Dimension	:	800*480*200mm
Gross Weight	:	10.5kg
Net Weight	:	9.0kg

Fitur


Total Burner	:	2
Number of Triple Ring Burner	:	2
Wok Burner	:	5.5kw, 5.5kw
Medium Burner	:	N/A
Small Burner	:	N/A
ECO Gas System	:	Yes
Safety Device	:	Yes
Battery Ignition System	:	Yes
Top Plate	:	Tempered Glass
Italian Import Sabaf Burner	:	No
Enamel Pan Support	:	Yes

Accessories

Knob	:	Steel
Wok Adapter	:	No
Extra Nozzle for Natural Gas	:	No
Enamel Pan Support	:	No

DANTE 727

MB



- A. 680 mm
- B. 380 mm
- C. 750 mm
- D. 430 mm

SIZE & WEIGHT DETAIL:

Product Size	: 750 x 430 x 160 mm
Cut Out Dimension	: 680 x 380 mm
Glass thickness	: 8mm
Packing Dimension	: 800 x 475 x 200 mm
Gross Wight	: 11.3 Kg
Net Wight	: 9.53 Kg

Fitur


Total burner	: 3
Number of Triple Ring Burner	: 1
Wok Burner	: 5.0 Kw, 5.0Kw
Medium Burner	: N/A
Smal Burner	: 1.5 Kw
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: Yes
Cast iron Grid	

DANTE 725

MB



- A. 630 mm
- B. 360 mm
- C. 750 mm
- D. 450 mm

SIZE & WEIGHT DETAIL

Product Size	: 750 x 450 x 160
Cut Out Dimension	: 630*360mm
Glass thickness	: 8mm
Packing Dimension	: 790*480*200mm
Gross Wight	: 10.6Kg
Net Wight	: 8.83kg

Fitur

Total burner	: 2
Number of Triple Ring Burner	: N/A
Wok Burner	: 5.5KW, 5.5kW
Medium Burner	: N/A
Smal Burner	: N/A
ECO Gas System	: No
Safety Device	: No
Battery Ignition System	: Yes
Top Plate	: Tempered glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Zinc
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Cast iron Grid	: No

NOVELO 64

MB +P

SIZE & WEIGHT DETAIL


Product Size	: 600 x 520 x 160 mm
Cut Out Dimension	: 475 x 555 mm
Glass thickness	: 7mm
Packing Dimension	: 625 x 548 x 180 mm
Gross Weight	: 12.23 Kg
Net Weight	: 10.5 Kg

Fitur

Total burner	: 4
Number of Triple Ring Burner	: N/A
Wok Burner	: 3.0 Kw
Medium Burner	: 1.5 Kw
Small Burner	: 1.0 Kw
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Cast iron Grid	



- A. 555 mm
- B. 475 mm
- C. 600 mm
- D. 520 mm

NOVELO 32

MB +P

SIZE & WEIGHT DETAIL


Product Size	: 320 x 520 x 160mm
Cut Out Dimension	: 480 x 270mm
Glass thickness	: 7mm
Packing Dimension	: 575 x 360 x 180mm
Gross Weight	: 8.0 Kg
Net Weight	: 6.4 Kg

Fitur

Total burner	: 2
Number of Triple Ring Burner	: N/A
Wok Burner	: 3.0 Kw
Medium Burner	: N/A
Small Burner	: 1.5 Kw
ECO Gas System	: No
Safety Device	: Yes
Battery Ignition System	: Yes
Top Plate	: Tempered Glass
Italian Import Sabaf Burner	: No
Enamel Pan Support	: Yes

ACCESSORIES

Knob	: Metal
Wok Adapter	: No
Extra Nozzle for Natural Gas	: No
Cast iron Grid	



- A. 270 mm
- B. 480 mm
- C. 320 mm
- D. 520 mm



COOKER HOOD COLLECTIONS

HUBUNGI :  **QHOMEMART**

08112863773
CHAT ONLY



DESIGNER SERIES

CAPPA SOFFITO 90 X

A



SIZE & WEIGHT DETAIL


Product Size	:	900*600*246mm
Cut Out Dimension	:	582*882mm
Packing Dimension	:	990*690*400mm
Gross Weight	:	27.2kg
Net Weight	:	21.3kg

GENERAL FEATURES


Speed control	:	remote control
Number of motor	:	1
Light type	:	LED
Carbon filter	:	No
Delayed stop	:	Yes
Airflow	:	1000m3/h
Number of power level	:	1/2/3/Boost
Metal filter	:	No
aluminium filter	:	Yes
Body Color	:	SS430
Nuber of chimney box	:	1
motor power / motor	:	170 Watt
glass cover	:	No

ELECTRICAL

Delivered with cable	:	*YES 1000cm
Total Power	:	178 Watt
Electrical Plug	:	*220-240V / 50Hz



Suspended Hood



VOLARE VETRONERO^A

Specification

900mm Range Hood

Touch Control

Remote Control

650m³/h Air Capacity

Alumunium Flter + Carbon Filter

LED Lightning



VOLARE VETROCRISTALLO^A

Specification
900mm Range Hood
Touch Control
Remote Control
650m³/h Air Capacity
Alumunium Filter + Carbon Filter
LED Lightning



Island Hood


ISOLA NOTTE PROFESSIONALE^A

900mm Island Hood
Black Powder coating chimney
Glass Panel
Motor Specification : 1*200W
Motor Housing : Metal
Metal Blower
Airflow : 850 m3/H
Booth side gesture control
With Charcoal Filter
With Heat Auto Clean
With Oil Cup



ISOLA VETRO PROFESIONALE^{MA}

900mm Island Hood
Motor Power 200W
Lighr 2 X 2 LED
3 Speed Touch control
Air flow 700M3/H:
With Charcoal filters
Size 900 x 480 x 910 mm



ISOLA ELEGANTIA MAXI^M


900mm Island Hood
Motor Power 200W
Lighr 4 X 2 LED
3 Speed Touch control
Air flow 700M3/H:
With Charcoal filters
Size 895 x 580 x 1154 mm



Integrated Hood



Integrated Hood



CIELO 90 XS (90cm)^{MA + P}



CIELO 60 XS (60cm)^{MA + P}



SPESIFICATION

Materials	:SS430 + Painting
Airflow	:890m ³ /h
Power	:340 W
Light	:2 Stripe LED
Filter	:5 Layer Aluminum & Carbon filter
Switch	:Push Button
Optional size	:60cm and 90cm
Speed	:3 Speed Mode



Telescopic Hood

Telescopic cooker hoods are installed into a wall unit. To operate them, the flat section is pulled out, enlarging the extraction surface. With many cooker hoods of this type, the flat front can even be matched to your kitchen units. So this cooker hood will be almost invisible in your kitchen.

Panel Material : black coating + Stainless steel panel
Switch : 2 Speed Rocker Button
Filter : 3 layers Aluminum + Carbon
Motor 2 x 100 w
Blower & Blower Housing : Plastic
Lamp 2 x 40w
Charcoal filter : 2pcs
Air Flow 700m³/h
Optional size : 60cm and 90 cm
Motion Sensor

TELE 60 (60cm)

TELE 90 (90cm)

$M + P$




Materials :430 Black body + Black Glass Panel
Airflow :550m³/h
Power :1*100W
Light :2*40W normal lights
Filter :2-3 Aluminum filter
Switch :Touch control
Optional size : 60cm and 90cm
Motion Sensor

TELE 60 BG (60cm)

TELE 90 BG (90cm)

M + P



CAPPA GRANDIOSA NERO^A

Specification

1200mm Range Hood

Glass cooker hood

Digital Control

Alumunium Filter + Carbon Filter

LED Lightning

1.000m3/h Air Capacity



CAPPA GRANDIOSA INOX^A

Specification

1200mm Range Hood

Glass cooker hood

Digital Control

Alumunium Filter + Carbon Filter

LED Lightning

1.000m3/h Air Capacity



CAPPA MAGNIFICONERO PROFESSIONALE^A

Specification


900mm Range Hood
 Metal Painted Black
 0.6mm Black Color + 4.5mm Tempered Glass
 Motor : Copper Motor 32
 AC 280W 220V/50Hz
 3 Speed Touch Control
 Non Touch Sensor
 Vent-Pipe Diameter(mm) : 180
 Alumunium Pipe*^I L : 180mm
 Big Chimney H : 400mm 0.5mm
 Wifi Ready
 Motion Sensor



CAPPA MAGNIFICOSTILE PROFESSIONALE^A

Specification

900mm Range Hood
 430 SS Silver
 0.6mm Silver Color + 4.5mm Tempered Glass
 Motor : Copper Motor 32
 AC 280W 220V/50Hz
 3 Speed Touch Control
 Non Touch Sensor
 Vent-Pipe Diameter(mm) : 180
 Alumunium Pipe*^I L : 180mm
 Big Chimney H : 400mm 0.5mm
 Wifi Ready
 Motion Sensor



CAPPA MASSIMO PROFESSIONALE^A

Specification


Body Stainless steel
3 Speeds
Maximum airflow 1600m³/H
Motor type full sealed metal AC Motor
Metal Fan with teflon finish
Touch control
1*4W LED
Product Size 895 x 527 x 937 (WxDxH)
Motion Sensor



CAPPA PIATTA PROFESSIONALE^{MA}

Specification

Full Black Body 90 Cm
TFT LED Screen
3 Speeds touch with gesture control
Maximum airflow 1100m³/H
Motor 270 W
Metal Blower
Oil Collector : Black Powder Coating
2*1.5W LED
With Charcoal Filter
With Heat Auto Clean
With Oil Cup



CAPPA NERO PROFESSIONALE^{MA}

Specification


Black Body 90cm
Touch control + Air Cleaning Function
3+2 Speeds
Double Booster Setting
1Pcs Stripe LED
Airflow 1000m³/h
Motor Housing & Blower
5Layer Aluminum Filters
(Painted Black)*3Pcs
Motor 70Watt
Voltage 220-240V 50/60Hz



CAPPA NERO MAXI^{MA}

Specification

90cm
Matte black body + black front tempered glass
Touch control switch +digital display
3 speeds
2*1.5w motor, plastic blade and METAL
Motor house,
3pcs aluminum filters+2pcs charcoal filters
1pc 2m plastic pipe
airflow 750m³/h



CAPPA GRANDE PROFESSIONALE ^M

Specification:

Tempered glass

2x1.5W LED light

3 speed Automatic touch switch

Paint color filter

Motion sensor

Alumunium grease filter + Carbon filter

Air outlet: 160mm

Airflow: 1300m³/hr

Dimension:

(WxDxH): 900x438x988 (mm)



CAPPA STILE PROFESSIONALE ^M

Category: Wall Mounted S/S Series

900mm Island Hood

Motor Power 200W

Lighr 2 X 2 LED

3 Speed Touch control

Air flow 700M³/H:

With Charcoal filters


Size 900 x 480 x 910 mm



CAPPA VETRO PROFESSIONALE^M

Specification

900mm
Copper motor
LED light
Metal Impeller
3 speed touch
Power supplt 220/50hz
Input power 200w
Suction power 1300m³/h
3 speed control
2x3 - layer aluminum grease filter + Carbon Filter
Motion Sensor



CAPPA VETRO MAXI^{MB+P}

Suction Power 750m³/ hour
Stainless steel & Crystal glass
3 speed
Digital control
2 halogen lamps
1 motor
Alumunium Filter + Carbon Filter
2 Chimney Boxes
Dimensions 1150x900x500(mm)
Motion Sensor



CAPPA ELIO MAXI ^{MB+P}

Suction Power 750m³/ hour
Stainless steel & Crystal glass
3 speed
Digital control
2 halogen lamps
1 motor
Alumunium Filter + Carbon Filter
2 Chimney Boxes
Dimensions 1150x900x500(mm)
Motion Sensor



CAPPA ELIONERO MAXI ^{MB+P}

Suction Power 750m / hour
Stainless steel & Crystal glass
3 speed
Digital control
2 halogen lamps
1 motor
Alumunium Filter + Carbon Filter
2 Chimney Boxes
Dimensions 1150x900x500(mm)
Motion Sensor



CAPPA ELEGANTIA MAXI ^{MB+P}

900mm Island Hood
Motor Power 200W
Lighr 4 X 2 LED
3 Speed Touch control
Air flow 700M3/H:
With Charcoal filters
Size 895 x 580 x 1154 mm





CAPPA BELLISSIMO MAXI^{MB+P}

Specification

900mm

Black Matte Color

185W Copper motor 1000m³/h

5 Bead Round LED light


Black Glass Panel 40mm

3 speed touch with hand sensor

Power supplt 220V/240V, 50Hz/60Hz

3 Black aluminum filter

Filter with activated carbon cotton and inside oil cup




Downdraft Hood



CAPPAVETRO INTERNO MINIATURE

M



SIZE & WEIGHT DETAIL

Product Size(W x D x T mm)	: 611*108*725
Cut Out Dimension(W x D x T mm)	: 597*112*725
Packing Dimension(W x D x T mm)	: 683*503*822
Gross Weight	: 26kgs
Net Weight	: 22.5kgs

GENERAL FEATURES


Speed control	: Slide touch control
Number of motor	: 1
Light type	: Strip LED light
Carbon filter	: yes
Delayed stop	: yes
Airflow	: 1000m3/h
Number of power level	: 4
Metal filter	: no
aluminium filter	: yes
Body Color	: stainless
Nuber of chimney box	: 0
motor power / motor	: 340 Watt
glass cover	: yes

ELECTRICAL

Delivered with cable	: *YES about 150cm
Total Power	: 343 watt
Electrical Plug	: 220-240V / 50Hz

CAPPAVETRO INTERNO MAXI

M



SIZE & WEIGHT DETAIL

Product Size(W x D x T mm)	: 869*109*727
Cut Out Dimension(W x D x T mm)	: 855*112*727
Packing Dimension(W x D x T mm)	: 915*475*810
Gross Weight	: 31kgs
Net Weight	: 26.5kgs

GENERAL FEATURES

Speed control	: Slide touch control
Number of motor	: 1
Light type	: Strip LED light
Carbon filter	: yes
Delayed stop	: yes
Airflow	: 1000m3/h
Number of power level	: 4
Metal filter	: no
aluminium filter	: yes
Body Color	: Black glass + stainless
Nuber of chimney box	: 0
motor power / motor	: 340 Watt
glass cover	: yes

ELECTRICAL

Delivered with cable	: *YES about 150cm
Total Power	: 344 watt
Electrical Plug	: 220-240V / 50Hz




CAPPA VETRO SOTTILE 90 X // 60 X

MB

Specification

Measurement:	600/900mm
Materials:	SS430
Power:	1*65W
Color:	Black Glass & SS body
Filter:	2-3pcs aluminium filter
Control:	Touch control
Motion Sensor	



CAPPA VETRO SOTTILE 90 BL // 60 BL

(Full Black)

Specification

Measurement:	600/900mm
Materials:	SS430
Power:	1*65W
Color:	Black Glass & SS body
Filter:	2-3pcs aluminium filter
Control:	Touch control
Motion Sensor	



CAPPA SOTTILE 90X (2 motor) ^{MB}

SPESIFICATION

800m Cubic Air Flow / day
Alumunium Filter + Carbon Filter
Pushbutton
Dimensions: 900x470x140(mm)



CAPPA SOTTILE 60X (2 motor) ^{MB}

SPESIFICATION

800m Cubic Air Flow / day
Alumunium Filter + Carbon Filter
Pushbutton
Dimensions: 600x470x140(mm)



CAPPA SOTTILE 901X / 601X (1 motor) (Stainless) ^B

SPESIFICATION


400m Cubic Air Flow / day
Alumunium Filter + Carbon Filter
Pushbutton
Dimensions: 900x470x140(mm)



CAPPA SOTTILE 901BL / 601BL (1 motor) (Black Body) ^B

SPESIFICATION

400m Cubic Air Flow / day
Alumunium Filter + Carbon Filter
Pushbutton
Dimensions: 600x470x140(mm)



CAPPA SOTTILE 90BL (2 motor) (Black Body) ^{MB}

SPESIFICATION

800m Cubic Air Flow / day
Alumunium Filter + Carbon Filter
Pushbutton
Dimensions: 900x470x140(mm)



CAPPA SOTTILE 60BL (2 motor) (Black Body) ^{MB}

SPESIFICATION

800m Cubic Air Flow / day
Alumunium Filter + Carbon Filter
Pushbutton
Dimensions: 600x470x140(mm)



Built - In Combi Steam Oven

CATRISTO

VAPORE 35X^{MA}

Specification




Material	:Glass + SS304
Power	:1800w
Capacity	:35L
Gross weight	:24Kg
Net weight	:22Kg
dimension	:597*460*395(mm)



VAPORE 35V^A

Specification

Material	:Glass
Power	:1800w
Capacity	:35L
Gross weight	:24Kg
Net weight	:22Kg
dimension	:597*460*395(mm)



* 20 mm for metal fascias



BUILT-IN OVENS COLLECTIONS

Could this be the world's most versatile oven?

The built in oven collections let you choose your cooking mode that ideal for your dish and adjust heat and style of cooking accordingly

A top-down photograph of a roasted bird, possibly a duck, in a black enameled pot. The bird has a golden-brown, glistening skin. The pot sits on a dark blue cloth, which is placed on a rustic wooden slice. A large kitchen knife with a dark handle and a sharp blade lies diagonally across the cloth. In the upper left corner, there is a green pumpkin and some dried purple flowers. The background is a dark, textured surface.

**Make your best meal
Using the oven
From
CATRISTO**

Your wall oven should be more than just an oven.
It's a multi-purpose tool that can bake, roast, broil and more.
An important criteria for many is the versatility in cooking modes
available in your new CATRISTO Built - In Ovens,
and some of the modes CATRISTO Built - In Ovens have are listed below
(available modes vary by model).
Our Benchmark Series models have up to 12 special cooking modes,
which gives you the ultimate range of cooking options.





TACTILIUM 610 VTCI

MA

Spesification :

- 5 layers fixed chromed rack
- Timer
- Cavity lamp : 2 halogen bulb
- removable door
- Safety switch off
- Forced cooling system
- With VDE plug
- Pure black glass
- Baking tray
- grid
- soft closing
- roisserie
- 1 full telescopic runner
- 13 Function




TACTILIUM 610 XTCT

MA

Spesification :

- 5 layers fixed chromed rack
- Timer
- Cavity lamp : 2 halogen bulb
- removable door
- Safety switch off
- Forced cooling system
- With VDE plug
- Pure black glass
- Baking tray
- grid
- soft closing
- roisserie
- 1 full telescopic runner
- 13 Function



SIZE & WEIGHT DETAIL

Product Size	: 595x575x595mm
Cut Out Dimension	: 560x560x600mm
Packing Dimension	: 650x680x655mm
Gross Weight	: 31Kg
Net Weight	: 29Kg
Capacity	: 60Liter

OVEN FUNCTION

- : 1.oven light
- : 2.defrosting
- : 3.top heat
- : 4.bottom heat
- : 5.bottom and top heating + Rotisserie
- : 6.top heat+fan
- : 7.bottom heat+fan
- : 8.circular + fan
- : 9.Grill + Rotisserie
- : 10.Grill + fan


ACCESSORIES

Knob	: Push & pull
Door	: Double
Rotisserie	: Yes
Thermostat	: Yes
Pan Grill	: Yes
if yes number of pan grill	: (1.Unit)
Tray	: Yes
if yes number of tray	: (2.Unit)
Oven Lamp	: Yes
Timer	: Digital timer
Telescopic rail system	: No
Cooling fan	: Yes
Turbo fan	: Yes
Interior Thermometer	: No

ELECTRICAL

Delivered with cable	: YES 150cm
Total Power	: 2200W
Electrical Plug	: *220-240V / 50Hz
GRILL	: 1600W

TITANIUM 6510 XDI ^M



TITANIUM 6510 VDI ^M

SIZE & WEIGHT DETAIL

Product Size	: 595x575x595mm
Cut Out Dimension	: 560x600x560mm
Packing Dimension	: 650x680x655mm
Gross Weight	: 31Kg
Net Weight	: 29Kg
Capacity	: 60Liter

OVEN FUNCTION


- : 1.oven light
- : 2.defrosting
- : 3.top heat
- : 4.bottom heat
- : 5.bottom and top heating + Rotisserie
- : 6.top heat+fan
- : 7.bottom heat+fan
- : 8.circular + fan
- : 9.Grill + Rotisserie
- : 10.Grill + fan

ACCESSORIES

Knob	: Push & pull
Door	: Double
Rotisserie	: Yes
Thermostat	: Yes
Pan Grill	: Yes
if yes number of pan grill	: (1.Unit)
Tray	: Yes
if yes number of tray	: (2.Unit)
Oven Lamp	: Yes
Timer	: Digital timer
Telescopic rail system	: No
Cooling fan	: Yes
Turbo fan	: Yes
Interior Thermometer	: No

ELECTRICAL

Delivered with cable	: YES 150cm
Total Power	: 2200W
Electrical Plug	: *220-240V / 50Hz
GRILL	: 1600W



SIZE & WEIGHT DETAIL

Product Size	: 595x575x595mm
Cut Out Dimension	: 560x600x560mm
Packing Dimension	: 650x680x655mm
Gross Weight	: 31Kg
Net Weight	: 29Kg
Capacity	: 60Liter

OVEN FUNCTION

- : 1.oven light
- : 2.defrosting
- : 3.top heat
- : 4.bottom heat
- : 5.bottom and top heating + Rotisserie
- : 6.top heat+fan
- : 7.bottom heat+fan
- : 8.circular + fan
- : 9.Grill + Rotisserie
- : 10.Grill + fan


ACCESSORIES

Knob	: Push & pull
Door	: Double
Rotisserie	: Yes
Thermostat	: Yes
Pan Grill	: Yes
if yes number of pan grill	: (1.Unit)
Tray	: Yes
if yes number of tray	: (2.Unit)
Oven Lamp	: Yes
Timer	: Digital timer
Telescopic rail system	: No
Cooling fan	: Yes
Turbo fan	: Yes
Interior Thermometer	: No

ELECTRICAL

Delivered with cable	: YES 150cm
Total Power	: 2200W
Electrical Plug	: *220-240V / 50Hz
GRILL	: 1600W


TITANIUM 6410 XDI ^M



ELEMENTUM 649 XDI^{MB + P}

Specification

- *Capacity: 65L
- *Sensor touch control
- *Power: 220-240V. max 3400W, 50/60Hz
- *Temperature range: 50-250oC
- *Single oven lamp
- *Enamel oven cavity
- *Molded rack support
- *Forced cooling system
- *Double glazed glass door
- *Accessories: wire rack and enamel bake tray
- *Product size (WxDxH): 595x575x595 (mm)



SIZE & WEIGHT DETAIL

Product Size	: L595*H595*D575
Cut Out Dimension	: L560*H600*D560
Packing Dimension	: L645*H665*D645
Gross Weight	: 32.5KGS
Net Weight	: 30KGS
Capacity	: 65Liter

OVEN FUNCTION

: 60cm built-in oven electrical oven
: Mechanical control
: Over heat switch off
: Hidden lower heating elements
: Enamel oven cavity
: 5 shelf positions
: Molded rack support
: Single inner lamp
: Double glazed glass door
: Removable oven door
: Large viewing window
: Forced cooling system


ACCESSORIES

Knob	: Plastic pop-up knobs
Door	: Double glass door
Rotisserie	: NO
Thermostat	: YES
Pan Grill	: YES
if yes number of pan grill	: 1 pcs
Tray	: YES
if yes number of tray	: 1pcs
Oven Lamp	: YES
Timer	: Mechanical timer
Telescopic rail system	: YES
Cooling fan	: YES
Turbo fan	: YES
Interior Thermometer	: YES

ELECTRICAL

Delivered with cable	: YES 100cm include plug
Total Power	: 3400W
Electrical Plug	: 220-240V / 50Hz



ELEMENTUM 648 X^{MB + P}



Specification

INOX Panel
 With 3 buttons (standard buttons)
 Electrical oven
 6 Functions Upper-Lower Resistance
 Turbo fan
 Thermostat for electrical oven
 Cooling fan
 Mechanic timer
 1tray+1grid in the oven
 Standard black enamel cavity
 (Easy to clean enamel)
 Side wire racks
 Oven lamp
 Double door oven glass
 (Removable glass)
 Standard black color oven door glass
 Standard carton packing with polyfoam
 White insulation
 Product size (WxDxH): 595x575x595 (mm)


ELEMENTUM 606X^{MB+P}



ELEMENTUM 606V^{MB+P}

Specification

Glass Panel
 With 3 buttons (standard buttons)
 Electrical oven
 6 Functions Upper-Lower Resistance
 Turbo fan
 Thermostat for electrical oven
 Cooling fan
 Mechanic timer
 1tray+1grid in the oven
 Standard black enamel cavity
 (Easy to clean enamel)
 Side wire racks
 Oven lamp
 Double door oven glass
 (Removable glass)
 Standard black color oven door glass
 Standard carton packing with polyfoam
 White insulation
 Product size (WxDxH): 600x548x605 (mm)



SIZE & WEIGHT DETAIL

Product Size : *L600*H560*D600
 Cut Out Dimension : *L570*H590*D560
 Packing Dimension : *L665*H645*D645
 Gross Weight : *32.5KGS
 Net Weight : *30KGS
 Capacity : *65Liter

OVEN FUNCTION

: 60cm built-in oven electrical oven
 Mechanical control
 Over heat switch off
 Hidden lower heating elements
 Enamel oven cavity
 5 shelf positions
 Molded rack support
 Single inner lamp
 Double glazed glass door
 Removable oven door
 Large viewing window
 Forced cooling system



ACCESSORIES

Knob : *plastic pop-up knobs
 Door : *Double glass door
 Rotisserie : * NO
 Thermostat : *YES
 Pan Grill : *YES
 if yes number of pan grill : 1 pcs
 Tray : *YES
 if yes number of tray : 1pcs
 Oven Lamp : *YES
 Timer : Mechincal timer
 Telescopic rail system : *YES
 Cooling fan : *YES
 Turbo fan : *Yes
 Interior Thermometer : *YES

ELECTRICAL

Delivered with cable : *YES 100cm include plug
 Total Power : *3400W
 Electrical Plug : *220-240V / 50Hz
 GRILL :

ELEMENTUM 648 VN^{MB + P}





ELEMENTUM 616 X^{MB+P}

Specification


Energy Class A
6 + 1 Function Cooking Program
71 liter Oven
Black Enamelled Cavity
Glass Control Panel
Oven Lamp
Removeable Cover's inner Glass
Mechanical Timer
1 Tray, 1 wire grid
90mm Front Control Panel
Turbo Fan
Cooling Fan
Noise Level = 55 dBa




ELEMENTUM 616 V^{MB+P}

Specification

Energy Class A
6 + 1 Function Cooking Program
71 liter Oven
Black Enamelled Cavity
Glass Control Panel
Oven Lamp
Removeable Cover's inner Glass
Mechanical Timer
1 Tray, 1 wire grid
90mm Front Control Panel
Turbo Fan
Cooling Fan
Noise Level = 55 dBa





ELEMENTUM 69 VG^M

Size & Weight Detail

Product size	: 595*547*595mm
Cut Out Dimension	: 572*560*590mm
Packing Dimension	: 635*570*640mm
Gross Weight	: 32KG
Net Weight	: 30KG
Capacity	: *60Liter


Oven Function	: 1.Up and down gas burner 2.Thermostat 3.Safety device 4.Rear Fan 5.Mechanical timer 6.lamp 7.integral cooling fan system 8.Rotisserie
---------------	--

Accessories

Knob	: Metal Knob
Door	: Double
Rotisserie	: Yes
Thermostat	: Yes
Pan Grill	: Yes
If yes number of pan grill	: (1pc/Unit)
Tray	: Yes
If yes number of tray	: (1pc/Unit)
Oven Lamp	: Yes
Timer	: Mechanical Timer
Telescopic rail system	: No
Cooling fan	: Yes
Turbo fan	: Yes
Interior Thermometer	: No

Electrical

Delivered with cable	: Yes 150cm
Total Power	: 41W
Electrical Plug	: 220-240V/50Hz
Grill	:



ELEMENTUM 69 XG^M

Size & Weight Detail

Product size	: 595*547*595mm
Cut Out Dimension	: 572*560*590mm
Packing Dimension	: 635*570*640mm
Gross Weight	: 32KG
Net Weight	: 30KG
Capacity	: *60Liter

Oven Function	: 1.Up and down gas burner 2.Thermostat 3.Safety device 4.Rear Fan 5.Mechanical timer 6.lamp 7.integral cooling fan system 8.Rotisserie
---------------	--

Accessories

Knob	: Metal Knob
Door	: Double
Rotisserie	: Yes
Thermostat	: Yes
Pan Grill	: Yes
If yes number of pan grill	: (1pc/Unit)
Tray	: Yes
If yes number of tray	: (1pc/Unit)
Oven Lamp	: Yes
Timer	: Mechanical Timer
Telescopic rail system	: No
Cooling fan	: Yes
Turbo fan	: Yes
Interior Thermometer	: No

Electrical

Delivered with cable	: Yes 150cm
Total Power	: 41W
Electrical Plug	: 220-240V/50Hz
Grill	:

Built - In Combi Microwave Oven



Built - In Combi Microwave Oven

Create a sleek look in your kitchen while saving on space with an integrated microwave oven. Choose a classic design with essential heating and defrosting functions or go for a model with extras like hi-tech touch controls and cook-by-weight capabilities. Microwaves that incorporate grills and fan ovens mean you can easily cook food from scratch.

FEATURES

- Sensor touch control
- 5 microwave power level
- 4 Grill power level
- 5 Steam power level
- 5 Microwave menu and Steam Menu

TECHNICAL SPESIFICATION

- Power output : 1000w
- Grill Power 1500w
- Convection power : 1750w
- Steam power : 1500w
- Product size (WxDxH) : 595 X 475 X 455
- Cavity size (WxDxH) : 564 X 550 X 448

ADAMANTIUM 35OVX^M




FEATURES

- Oven capacity :35L
- Sensor touch control
- Blue LCD display and light
- Drop down door
- 304 Stainless steel cavity
- 5 microwave power setting
- 2 grill power setting 2combi
- Auto menu, Auto weight defrost
- No turntable
- 24 Hours clock function
- Child safety lock

TECHNICAL SPESIFICATION

- Power output : 1000w
- Grill Power 1500w
- Product size (WxDxH) : 595 X 475 X455
- Cavity size (WxDxH) : 564 X 550 X 448

ADAMANTIUM 35OVN^M



SIZE & WEIGHT DETAIL


Product Size	:	595*450*384mm
Packing Dimension	:	650*464*444mm
Gross Weight	:	18kg
Net Weight	:	20kg
Capacity	:	25 Liter

ACCESSORIES

Knob	:	No knob
Door	:	One glass + one inner metal
Rotisserie	:	No
Thermostat	:	No
Plate	:	No
if yes number of Plate	:	(.....Unit)
Lamp	:	Yes
Interior Material	:	SS430
Body color	:	Zinc plated panel body
Front Panel	:	Glass
Touch Control	:	Yes

ELECTRICAL

Delivered with cable	:	*YES 1000cm
Total Power	:	1450W
Electrical Plug	:	*220-240V / 50Hz



ADAMANTIUM 25 VS^M



ADAMANTIUM 25 V^M



ADAMANTIUM 30 X^M



Specification

Voltage 220V - 240V
 Power input rete (Microwave) 1450 w
 Power output rate (Microwave) 900 w
 Capacity : 30 liter
 Power input rate (Grill) 1000 w
 Diameter: 315 mm
 Dimension: 427x615x440 (mm)



Built-in coffee machine

The built-in coffee machine can, indeed, use both ground coffee and coffee pods, allowing Italian coffee lovers to choose their favourite roast and take home that real espresso bar taste and aroma.




KAFE MACINA INOX^A

Rated power :135W
Power Output :1200 W
Voltage / frequency :220V -240 V / 50HZ
Product Size :595 x 540 x 455
Opening Size : 560 x 580 x 448

one click electronic control
grind finess of cofee powder can be set up
Coffee volume from 30 ml to 240ml adjustable
removable water tank :2L
removable for easier cleaning
removable waste water box for easier cleaning
removable cofee grounds box for easier cleaning
the automatic cleaning modebefore make coffee
standby function

Dimension chart





KAFE MACHINA VETRO^A

Rated power : 135W

Power Output: 1200W

Voltage / Frequency : 220-240V / 50hz

Product Size : 560x580x448

Opening Size : 560x580x448

One click electronical control

Grind finess of coffee powder can be set up

Coffe volume from 30 ml to 240ml adjustable

Removeable water tank : 2L

Removeable for easier cleaning


Removeable waste water box for easier cleaning

Removeable coffee grounds box for easier cleaning

Automatic cleaning mode before make coffee

Standby function

Dimension chart





LAVATRICO 1270WD

M + P



Specification:

Dimension (mm) : 598 X 650 X 850

Washing capacity : up to 12kg

Drying capacity : 7kg



PULITO 99^{MB}

Main Features

- Semi Integrated
- Acoustic end of cycle indicator
- 4 Wash Programs: Intensive, Eco, 90Min, Rapid
- 1 Special function: Half load
- 6 cleaning temperatures
- 3/6/9 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Stainless steel door panel

Specifications

- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.93kwh
- Water consumption: 11L
- Noise Level: 49db



SEMI INTEGRATED
DISHWASHER

PULITO 100^{MB}

Main Features

- Full Integrated
- Acoustic end of cycle indicator
- 4 Wash Programs: Intensive, Eco, 90Min, Rapid
- 1 Special function: Half load
- 6 cleaning temperatures
- 3/6/9 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Stainless steel door panel

Specifications

- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.93kwh
- Water consumption: 11L
- Noise Level: 49db



FULL INTEGRATED
DISHWASHER

PULITO 1008 TC^{MA}

Main Features

- Full Integrated
- Acoustic end of cycle indicator
- 4 Wash Programs: Intensive, Eco, 90Min, Rapid
- 1 Special function: Half load
- 6 cleaning temperatures
- 3/6/9 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Stainless steel door panel

Specifications

- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket
- H 82cm x W 59,8cm x D 55cm

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.93kwh
- Water consumption: 12L
- Noise Level: 57db



FULL INTEGRATED
DISHWASHER

PULITO 1008 V^A

Main Features


- Undercounter dishwasher
- Acoustic end of cycle indicator
- 4 Wash Programs: Intensive, Eco, 90Min, Rapid
- 1 Special function: Half load
- 6 cleaning temperatures
- 3/6/9 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Black door panel

Specifications



- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket
- H 82cm x W 59,8cm x D 57cm

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.93kwh
- Water consumption: 12L
- Noise Level: 57db



UNDERCOUNTER DISHWASHER



PULITO 988 NTC^M

Main Features

- Freestanding dishwasher
- Acoustic end of cycle indicator
- 6 Wash Programs: Prewash, Jetwash 14' Quick 30' 40°C, Eco, Quick clean 50' 65°C Smart 60°C - 70°C
- 1 Special function: Half load
- 6 cleaning temperatures
- 1/2/3 24 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Black door panel

Specifications

- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket
- H 85cm x W 59,8cm x D 59,8cm

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.907kwh
- Water consumption: 9L
- Noise Level: 57db



FREESTANDING
DISHWASHER



PULITO 988 XTC^M

Main Features

- Freestanding dishwasher
- Acoustic end of cycle indicator
- 6 Wash Programs: Prewash, Jetwash 14' Quick 30' 40°C, Eco, Quick clean 50' 65°C Smart 60°C - 70°C
- 1 Special function: Half load
- 6 cleaning temperatures
- 1/2/3 24 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Silver door panel

Specifications

- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket
- H 85cm x W 59,8cm x D 59,8cm

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.907kwh
- Water consumption: 9L
- Noise Level: 57db



FREESTANDING
DISHWASHER



PULITO 988 V^M

Main Features

- Freestanding Dishwasher
- Acoustic end of cycle indicator
- 4 Wash Programs: Intensive, Eco, 90Min, Rapid
- 1 Special function: Half load
- 6 cleaning temperatures
- 3/6/9 Hours Delay Start
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless Steel + Plastic filter system
- 2 Spray arms
- Black glass door panel

Specifications



- 2 basket
- 2 foldable plate racks in bottom basket
- 1 portable basket
- H 85cm x W 59,8cm x D 59,8cm

General Specification

- 12 place settings
- Energy Efficiency Class: A++
- Energy consumption: 0.93kwh
- Water consumption: 12L
- Noise Level: 57db



FREESTANDING
DISHWASHER







MAXIMA RUSTICA NERO PROFESSIONALE^A

SIZE & WEIGHT DETAIL

Product Size	:	90*60*84.5cm
Packing Dimension	:	937*677*935mm
Gross Weight	:	
Net Weight	:	
Pyrolytic fuction	:	NO
close door griling system	:	YES
One hand ignition for kbob	:	YES
Gas oven Gas Grill	:	YES
Total burner	:	5
Number of Triple Ring Burner	:	1*3 kW
Wok Burner	:	1 *2.5 kW
Medium Burner	:	2 *1.75Kw
Smal Burner	:	1 *1kW
Safety Device In the oven	:	YES
Safety Device In the cook top	:	YES
Valve Ignition	:	YES
Italian Import Sabaf Burner	:	NO
Pan Support	:	cast iron pan support

ACCESSORIES

Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	NO
Knob	:	plastic
Door glass layer	:	2
Rotisserie	:	YES
Thermostat	:	YES
Pan Grill	:	NO
if yes number of pan grill	:	
Tray	:	YES
if yes number of tray	:	1 tray + bottom tray
Oven Lamp	:	YES
Timer	:	Digital timer
Telescopic rail system	:	NO
Cooling fan	:	NO
Turbo fan	:	YES
Interior Thermometer	:	NO
2 Knob for oven	:	YES
number of leg	:	0
Body color	:	stainless steel



CAPPA RUSTICANERO MAXI^{MA} (900mm)

Specification

900mm
Nero Color
Copper motor
LED light
Metal Impeller
3 speed touch
Power supplt 220/50hz
Input power 200w
Suction power 1300m3/h
3 speed control
2x3 - layer aluminum grease filter + Carbon Filter





MAXIMA RUSTICA CRIMA PROFESSIONALE^A

SIZE & WEIGHT DETAIL

Product Size	:	90*60*84.5cm
Packing Dimension	:	937*677*935mm
Gross Weight	:	
Net Weight	:	
Pyrolytic fuction	:	NO
close door griling system	:	YES
One hand ignition for kbob	:	YES
Gas oven Gas Grill	:	YES
Total burner	:	5
Number of Triple Ring Burner	:	1*3 kW
Wok Burner	:	1*2.5 kW
Medium Burner	:	2*1.75Kw
Smal Burner	:	1*1kW
Safety Device In the oven	:	YES
Safety Device In the cook top	:	YES
Valve Ignition	:	YES
Italian Import Sabaf Burner	:	NO
Pan Support	:	cast iron pan support

ACCESSORIES

Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	NO
Knob	:	plastic
Door glass layer	:	2
Rotisserie	:	YES
Thermostat	:	YES
Pan Grill	:	NO
if yes number of pan grill	:	
Tray	:	YES
if yes number of tray	:	1 tray + bottom tray
Oven Lamp	:	YES
Timer	:	Digital timer
Telescopic rail system	:	NO
Cooling fan	:	NO
Turbo fan	:	YES
Interior Thermometer	:	NO
2 Knob for oven	:	YES
number of leg	:	0
Body color	:	stainless steel



CAPPA RUSTICAKRIMA MAXI^{MA} (900mm)

Specification

900mm
Cream Color
Copper motor
LED light
Metal Impeller
3 speed touch
Power supplt 220/50hz
Input power 200w
Suction power 1300m3/h
3 speed control
2x3 - layer aluminum grease filter + Carbon Filter

MAXIMA VETRO PROFESSIONALE

MA



SIZE & WEIGHT DETAIL

Product Size	:	90*60*85~90cm
Packing Dimension	:	937*638*855mm
Gross Weight	:	
Net Weight	:	
Pyrolytic fuction	:	NO
close door griling system	:	YES
One hand ignition for kbob	:	YES
Gas oven Gas Grill	:	YES
Total burner	:	5
Number of Triple Ring Burner	:	1*3 kW
Wok Burner	:	1 *2.5 kW
Medium Burner	:	2 *1.75Kw
Smal Burner	:	1 *1kW
Safety Device In the oven	:	YES
Safety Device In the cook top	:	YES
Valve Ignition	:	YES
Italian Import Sabaf Burner	:	NO
Pan Support	:	cast iron pan support

ACCESSORIES

Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	NO
Knob	:	plastic
Door glass layer	:	2
Rotisserie	:	YES
Thermostat	:	YES
Pan Grill	:	NO
if yes number of pan grill	:	
Tray	:	YES
if yes number of tray	:	1 tray + bottom tray
Oven Lamp	:	YES
Timer	:	Touch screen timer
Telescopic rail system	:	NO
Cooling fan	:	NO
Turbo fan	:	YES
Interior Thermometer	:	NO
2 Knob for oven	:	YES
number of leg	:	4
Body color	:	stainless steel

MAXIMA GRANDE PROFESSIONALE

MA



SIZE & WEIGHT DETAIL

Product Size	:	90*60*84.5cm
Packing Dimension	:	937*677*935mm
Gross Weight	:	
Net Weight	:	
Pyrolytic fuction	:	NO
close door griling system	:	YES
One hand ignition for kbob	:	YES
Gas oven Gas Grill	:	YES
Total burner	:	5
Number of Triple Ring Burner	:	1*3 kW
Wok Burner	:	1 *2.5 kW
Medium Burner	:	2 *1.75Kw
Smal Burner	:	1 *1kW
Safety Device In the oven	:	YES
Safety Device In the cook top	:	YES
Valve Ignition	:	YES
Italian Import Sabaf Burner	:	NO
Pan Support	:	cast iron pan support

ACCESSORIES

Wok Adapter	:	NO
Extra Nozzle for Natural Gas	:	NO
Cast iron Grid	:	NO
Knob	:	plastic
Door glass layer	:	2
Rotisserie	:	YES
Thermostat	:	YES
Pan Grill	:	NO
if yes number of pan grill	:	
Tray	:	YES
if yes number of tray	:	1 tray + bottom tray
Oven Lamp	:	YES
Timer	:	Digital timer
Telescopic rail system	:	NO
Cooling fan	:	NO
Turbo fan	:	YES
Interior Thermometer	:	NO
2 Knob for oven	:	YES
number of leg	:	0
Body color	:	stainless steel

VETRONERO MINIATURE^M

4 Burners

Automatic Ignition for Oven & Cook top

2 Knob for Oven so Gas Oven &

Gas Grill Can Work Together

Turbo Fan In Oven

Grill

Oven Lights

turbo Fan In Oven

2 Large Wok Burner

Cast Iron Pan Support

Thermostat

Safety Device In Oven

Stainless steel full body

Glass Cover

Dimesion 85 x 60 x 60



VETROKRIMA MINIATURE^M

4 Burners

Automatic Ignition for Oven & Cook top

2 Knob for Oven so Gas Oven &

Gas Grill Can Work Together

Turbo Fan In Oven

Grill

Oven Lights

turbo Fan In Oven

2 Large Wok Burner

Cast Iron Pan Support

Thermostat

Safety Device In Oven

Stainless steel full body

Glass Cover

Dimesion 85 x 60 x 60



CAPPA RUSTICAKRIMA MINIATURE^{MA}

Specification

600mm
Cream Color
Copper motor
LED light
Metal Impeller
3 speed touch
Power supplt 220/50hz
Input power 200w
Suction power 1300m3/h
3 speed control
2x3 - layer aluminum grease filter + Carbon Filter



CAPPA RUSTICANERO MINIATURE^{MA}

Specification

600mm
Black Colour
Copper motor
LED light
Metal Impeller
3 speed touch
Power supplt 220/50hz
Input power 200w
Suction power 1300m3/h
3 speed control
2x3 - layer aluminum grease filter + Carbon Filter



gas on glass tabletop



Vetro Stile Miniature

M

4 Burners

Automatic Ignition for Oven & Cook top

2 Knob for Oven so Gas Oven &

Gas Grill Can Work Together

Turbo Fan In Oven

Grill

Oven Lights

turbo Fan In Oven

2 Large Wok Burner

Cast Iron Pan Support

Thermostat

Safety Device In Oven

Stainless steel full body

Glass Cover

Dimesion 85 x 60 x 60

Vetro Legno Miniature

M

4 Burners

Automatic Ignition for Oven & Cook top

2 Knob for Oven so Gas Oven &

Gas Grill Can Work Together

Turbo Fan In Oven

Grill

Oven Lights

turbo Fan In Oven

2 Large Wok Burner

Cast Iron Pan Support

Thermostat

Safety Device In Oven

Stainless steel full body

Glass Cover

Dimesion 85 x 60 x 60

gas on glass tabletop



HUBUNGI



JL.RAYA JANTI NO.96

YOGYAKARTA

(0274) 493 22 88

08112863773

(CHAT ONLY)

f qhomemart t qhomemart

@ qhomemart v qhomemart

WWW.QHOMEMART.COM