



Images of Life

Water was not just the first stage
to create life on this planet.
It also has given immeasurable impacts
in the course of evolution.
Like lots of Aquatic life,
the human body shows traces
of such process.

Contents


Column	02	- Hand Shower Set	44-45
U-Mix Modello	03	- Toilet Shower	46
Faucet & Valve		- Shower Hose & Shower Bracket	47
- Swinging Sink Tap	04-11	- Towel Holder	48
- Kitchen Mixer	12-13	- Grip Bar	49
- Basin Tap	14	- Paper Holder	50
- Single Lever Basin Tap	15	Utility Items	
- Basin Mixer	16	- Floor Strainer	52-53
- Sensor	17	- Clean Out & P-Trap	54
- Sink Tap	18-19	- Drain Hose & Sink Strainer	55
- Sink Tap with Coupling	20	- Ball Tap	56-57
- Two Way Sink Tap	22	- Flexible Pipe	58
- Economic Series	23	- Connector Items	59-60
- Stop Valve	24-26	- Ball Valve	61
- Flush Valve	27	- Garden Items	62
- Single Gas Cook	27	- Tools	63
Shower Supplies		- Basket Strainer	64
- Air E	28	- Water Filter	65
- Rain Shower	29-30	- Faucet's Handle	66-67
- Concealed Bath Mixer	31	Index	68-70
- Bath Spout & Elbow Shower	32		
Bath Mixer & Shower Set			
- Bath Mixer	34-37		
- Column Shower Set	38-39		
- Slide Bar with Shower Set	40		
Shower & Accesories			
- Relaxation Shower Set	42-43		
- Water Purifier Shower Set	43		

column


Developed on a column motif, the "column" line pursues simplistic beauty through cleverly arranged cylinders. The simple slender form blends in perfectly with modern urban ambiances.




K475ENJV-1
SINGLE LEVER BASIN MIXER




Y5475H-13
PILLAR TAP




Y5475H-MDP-13
PILLAR TAP



Y5475H-SJP-13
PILLAR TAP




K8751JV-13
SINGLE LEVER SINK MIXER




K87580JV
WATER PURIFIER SINK MIXER


- With single water purifier. Cartridge PM71750M-1.
- With swinging pipe. Rotate spout 120°
- Pull-out shower head/spout with 1.1 mtrs metal hose
- Changeable shower patterns.



Pull-out shower




K875JDVZ-1-13
SINGLE LEVER SINK MIXER




PM71750M-1
WATER PURIFIER CARTRIDGE



H770-88
WATER BUCKET






K37610EJV-13


SINGLE SPRAY MIXING TAP

- Pull-out shower head/spout with 1 mtrs metal hose
- Changeable shower patterns.




K4710NJV-13

SINGLE LEVER BASIN MIXER




K4710NJV-2T-13

SINGLE LEVER BASIN MIXER





K876JV-13

SINGLE LEVER SINK MIXER



SK170S9


SINGLE BATH MIXER with SHOWER SET





**A10JC
PA10JC**
SWINGING SINK TAP


- Spindle kerep type



**A10JC-HM
PA10JC-HM**
SWINGING SINK TAP




- Spindle kerep type
- Effervescent water flow with "Hō matsu" aerator.




**A10J
PA10J**
SWINGING SINK TAP

- Spindle kerep type




A10JRN
SWINGING SINK TAP

- Double Spindle kerep type



A10JRN-L
SWINGING SINK TAP


- Double Spindle kerep type



**A10JP
PA10JP**
SWINGING SINK TAP




- Spindle kerep type



**A10JSX-HM
PA10JSX-HM**
SWINGING SINK TAP




- Ceramic cartridge type.
- Effervescent water flow with "Hō matsu" aerator.



**A10JMR
PA10JMR**
SWINGING SINK TAP




- Ceramic cartridge type.



**A10JSX
PA10JSX**
SWINGING SINK TAP



- Ceramic cartridge type.






**A10JPR
PA10JPR**
SWINGING SINK TAP




- Ceramic cartridge type.



**A18JSX
PA18JSX**
FLEXIBLE SINK TAP




- Ceramic cartridge type.
- Effervescent water flow with aerator.



A10JP-L2
SWINGING SINK TAP




- Spindle kerep type



A10JP-L3
SWINGING SINK TAP




- Spindle kerep type



A16JC
SWINGING SINK TAP


- Spindle kerep type



A16JSX
SWINGING SINK TAP




- Ceramic cartridge type.





A27JRN
SWINGING SINK TAP


- Double Spindle kerep type



A27JMR
SWINGING SINK TAP




- Ceramic cartridge type.



A27JC
PA27JC
SWINGING SINK TAP


- Spindle kerep type.



A27JP
PA27JP
SWINGING SINK TAP




- Spindle kerep type



A27JP-HM
PA27JP-HM
SWINGING SINK TAP




- Spindle kerep type
- Effervescent water flow with "Hō matsu" aerator.



P75-1S-10
SEAL TAPE


- 10 pcs per-box.
- Tape Thickness 0.1mm.
- Tape Width 13mm.
- Tape Length 10 Mtrs.
- Made of PTFE.



A27JP-L2
PA27JP-L2
SWINGING SINK TAP




- Spindle kerep type
- Pipe Length : 240mm.



A27JP-L3
SWINGING SINK TAP



- Spindle kerep type
- Pipe Length : 300mm.






**A28JSX
PA28JSX**
SWINGING SINK TAP




- Ceramic cartridge type.



**A28JP
PA28JP**
SWINGING SINK TAP




- Spindle kerep type



**A28JC
PA28JC**
SWINGING SINK TAP


- Spindle kerep type



**A26JSX-HM
PA26JSX-HM**
SWINGING SINK TAP




- Ceramic cartridge type.
- Effervescent water flow with "Hō matsu" aerator.



**A26JSX
PA26JSX**
SWINGING SINK TAP




- Ceramic cartridge type.



**A26JMR
PA26JMR**
SWINGING SINK TAP




- Ceramic cartridge type.



**A26JPR
PA26JPR**
SWINGING SINK TAP




- Ceramic cartridge type.



A26JRN
SWINGING SINK TAP


- Double Spindle kerep type



**A26JP
PA26JP**
SWINGING SINK TAP




- Spindle kerep type



A26JC
SWINGING SINK TAP

- Spindle kerep type






A286JSX-L3
PA286JSX-L3
FLEXIBLE SINK TAP




- Ceramic cartridge type
- Effervescent water flow with aerator.



A286JC-L3
PA286JC-L3
FLEXIBLE SINK TAP


- Spindle kerep type.
- Effervescent water flow with aerator.



A29JMR
PA29JMR
SWINGING SINK TAP




- Ceramic cartridge type.



A29JSX
PA29JSX
SWINGING SINK TAP




- Ceramic cartridge type..



A29JSX-HM
PA29JSX-HM
SWINGING SINK TAP




- Ceramic cartridge type..
- Effervescent water flow with "Hō matsu" aerator.



A29JP
SWINGING SINK TAP




- Spindle kerep type.



PA29JSX-PM
SWINGING SINK TAP
With WATER FILTER




- Ceramic cartridge type.
- Water Filter [PM7240] with 5 layers filter.
 - Non-woven fabric filter.
 - Coconut shell activated carbon.
 - Zeolite.
 - Calcium Sulfite.
 - Non-woven fabric filter.
- Water temperature max. 50° C.
- Changeable shower patterns.






A530-Black
STAINLESS STEEL
SINGLE LEVER SINK TAP

- With swinging pipe.
- Cold water only




A530
STAINLESS STEEL
SINGLE LEVER SINK TAP

- With swinging pipe.
- Cold water only




A520
SINGLE LEVER SINK TAP

- With swinging pipe.
- Cold water only




A500
SWINGING SINK TAP

- With Swinging pipe.
- Cold water only.
- Ceramic cartridge type.




A510
SWINGING SINK TAP

- With Swinging pipe.
- Cold water only.
- Ceramic cartridge type.




A600
TWO-WAY KITCHEN TAP

- With swinging pipe & flexible pipe.
- Changeable shower patterns.



A870
SINGLE LEVER SINK TAP


- With swinging pipe.
- Cold water only.





A57JRN
SWINGING SINK TAP


- Double spindle kerep type



A57JP
SWINGING SINK TAP




- Spindle kerep type




A57JC
SWINGING SINK TAP

- Spindle kerep type



A56JRN
SWINGING SINK TAP


- Double Spindle kerep type.



**A56JP
PA56JP**
SWINGING SINK TAP




- Spindle kerep type..



**A56JSX
PA56JSX**
SWINGING SINK TAP




- Ceramic cartridge type..



**A58JSX
PA58JSX**
SWINGING SINK TAP



- Ceramic cartridge type.



**A586JSX-L3
PA586JSX-L3**
FLEXIBLE SINK TAP



- Ceramic cartridge type.
- Effervescent water flow with aerator.



**A586JC-L3
PA586JC-L3**
FLEXIBLE SINK TAP

- Spindle kerep type.
- Effervescent water flow with aerator.






A59JSX PA59JSX SWINGING SINK TAP




- Ceramic cartridge type..



A59JMR SWINGING SINK TAP




- Ceramic cartridge type..



A59JSX-HM PA59JSX-HM SWINGING SINK TAP




- Ceramic cartridge type.
- Effervescent water flow with "Hô matsu" aerator.



A59JP SWINGING SINK TAP




- Spindle kerep type



PA59JSX-PM SWINGING SINK TAP With WATER FILTER




- Ceramic cartridge type.
- Water Filter [PM7240] with 5 layers filter.
 - Non-woven fabric filter.
 - Coconut shell activated carbon.
 - Zeolite.
 - Calcium Sulfite.
 - Non-woven fabric filter.
- Water temperature max. 50° C.
- Changeable shower patterns.




PM7240 WATER FILTER

- Water Filter with 5 layers filter.
 - Non-woven fabric filter.
 - Coconut shell activated carbon.
 - Zeolite.
 - Calcium Sulfite.
 - Non-woven fabric filter.
- Water temperature max. 50° C.
- Changeable shower patterns.



PM7251 WATER FILTER

- Three layers water filter with Carbon, Charcoal & Calcium.
- Water temperature max. 45° C.
- Changeable shower patterns.




PM7230-B CLEAN WATER






K71D-W
DECK TYPE SINK MIXER

- Spindle kerep type.




K611-W
DECK TYPE SINK MIXER

- Spindle kerep type.




K811YV-13
SINK MIXER

- Spindle kerep type.




KN8770 - BLACK
SINGLE LEVER
SINK MIXER

- With Flexible swinging pipe.




KN8700
SINGLE LEVER
SINK MIXER

- With swinging pipe.




KN8750
SINGLE LEVER
SINK MIXER

- With swinging pipe.




K8700
SINGLE LEVER SINK MIXER

- With swinging pipe.
- Changeable shower patterns.




KN8800
SINGLE LEVER SINK MIXER

- With swinging pipe.
- Changeable shower patterns.
- Pull-out shower head with metal hose.



KN870
SINGLE LEVER SINK MIXER

- With swinging pipe.








K37

SINGLE LEVER
SINK MIXER


- Flexible & swinging pipe.
- Changeable shower pattern.



K35P

SINK MIXER


- Spindle kerep type



K35P-X

SINK MIXER


- Spindle kerep type



K35C

SINK MIXER


- Spindle kerep type



K35C-X

SINK MIXER


- Spindle kerep type






**Y50JC
PY50JC**
BASIN TAP

• Spindle kerep type.




**Y50JPR
PY50JPR**
BASIN TAP

• Ceramic cartridge type.




Y50JRN
BASIN TAP

• Double spindle kerep type.




**Y50JMR
PY50JMR**
BASIN TAP

• Ceramic cartridge type.




**Y50JSX
PY50JSX**
BASIN TAP

• Ceramic cartridge type.




Y50JRN-L
BASIN TAP

• Double spindle kerep type.




Y50JP
BASIN TAP

• Spindle kerep type.




Y51C
BASIN TAP

• Spindle kerep type.



**Y51P
PY51P**
BASIN TAP


• Spindle kerep type.






Y4700-S
SINGLE LEVER
BASIN TAP

• Cold water only.




Y4700-L
SINGLE LEVER
BASIN TAP

• Cold water only.




Y501R
PY501R
SINGLE LEVER
BASIN TAP

• Cold water only.




Y503R
PY503R
SINGLE LEVER
BASIN TAP

• Cold water only.



Y510R
PY510R
SINGLE LEVER
BASIN TAP


• Cold water only.






K51-W
BASIN MIXER


• Spindle kerep type..




KN4770
SINGLE LEVER
BASIN MIXER




KN380
SINGLE LEVER
BASIN MIXER



KN350-S
SINGLE LEVER
BASIN MIXER




KN350-S-Black
SINGLE LEVER
BASIN MIXER





EY102DC-13
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.75MPa.
- Useable for 56,000 cycles (100 times/day for 2 years).
- Water temperatures 0 ~ 60°C.




EA100
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.6MPa.
- Water temperatures 1 ~ 55°C.




EA100-Black
SENSOR BASIN TAP




EY501
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.75MPa.
- Sensor LED (Red), range distance 50 ~ 120mm.
- Useable for 56,000 cycles (100 times/day for 2 years).
- Water temperatures 0 ~ 60°C.




EY500
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.6MPa.
- Water temperatures 1 ~ 55°C.



EW502
AUTOMATIC SOAP DISPENSER

- Foaming soap system.
- Power supply: AC100V-240V 50/60Hz, or DC 6V (Battery Size D 1.5V X 4 pcs).
- Adjustable Sensing distance: 10 ~ 20 cm.
- Adjustable volume dispensed: Each time 1.0 - 2.0 ml.
- Bottle Capacity: 1.000 ml






**Y20C
PY20C**
SINK TAP

•Spindle kerep type

Available :




•Blue •White




**Y20
PY20**
SINK TAP

•Spindle kerep type



Y20X
SINK TAP


•Spindle kerep type



Y20P
SINK TAP




•Spindle kerep type



Y20RN
SINK TAP


•Double spindle kerep type



**Y20SX
PY20SX**
SINK TAP




•Ceramic cartridge type..



**Y20MR
PY20MR**
SINK TAP




•Ceramic cartridge type..



**Y20PR
PY20PR**
SINK TAP




•Ceramic cartridge type..



**Y20SX-HM
PY20SX-HM**
SINK TAP




•Ceramic cartridge type.
•Effervescent water flow
with "Hō matsu" aerator.






Y20C-3/4"
SINK TAP

•Spindle kerep type




PR36
SINK TAP SPANNER




**Y20JC
PY20JC**
SINK TAP

•Spindle kerep type




**Y20J
PY20J**
SINK TAP

•Spindle kerep type



**Y20JX
PY20JX**
SINK TAP


•Spindle kerep type



**Y20JP
PY20JP**
SINK TAP




•Spindle kerep type




**Y20JRN
PY20JRN**
SINK TAP

•Double spindle kerep type



Y20JRN-L
SINK TAP

•Double spindle kerep type






Y30JC

SINK TAP with COUPLING

•Spindle kerep type




Y30J

PY30J

SINK TAP with COUPLING

•Spindle kerep type




Y30JP

PY30JP

SINK TAP with COUPLING



•Spindle kerep type




Y30JPR

PY30JPR

SINK TAP with COUPLING



•Ceramic cartridge type..




Y30JMR

PY30JMR

SINK TAP with COUPLING



•Ceramic cartridge type..




Y30JSX

PY30JSX

SINK TAP with COUPLING




•Ceramic cartridge type.






Y30JRN
SINK TAP with COUPLING

•Double Spindle kerep type




PT30A
HOUSE NIPPLE



Y70J
PY70J
SINK TAP


•Spindle kerep type



PR32
KEY TAP




Y80J-13
SILL COCK with HOSE COUPLING



Y123TV-13
WASHING MACHINE TAP

• Auto Stopper Included.
• With Check Valve.






**F10MR
PF10MR**
TWO-WAY SINK TAP




- Ceramic cartridge type
- Useable for shower tap



**F10PR
PF10PR**
TWO-WAY SINK TAP





- Ceramic cartridge type
- Useable for shower tap



**F11MR
PF11MR**
TWO-WAY SINK TAP
with COUPLING



- Ceramic cartridge type
- Useable for shower tap



**F10C
PF10C**
TWO-WAY SINK TAP


- Spindle kerep type
- Useable for shower tap



**F10P
PF10P**
TWO-WAY SINK TAP





- Spindle kerep type.
- Useable for shower tap



**F11P
PF11P**
TWO-WAY SINK TAP
with COUPLING




- Spindle kerep type.
- Useable for shower tap






**EY25R
PEY25R**
SINK TAP

• Spindle kerep type




**Y25R-L
EY25R-L**
SINK TAP

• Spindle kerep type




**EY35R
PEY35R**
SINK TAP
with COUPLING

• Spindle kerep type



**EA15R
PEA15R**
SWINGING SINK TAP

• Spindle kerep type



Utility Item



P75-1S-10
SEAL TAPE

- 10 pcs per-box.
- Tape Thickness 0.1mm.
- Tape Width 13mm.
- Tape Length 10 Mtrs.
- Made of PTFE.




PP75-1S-10
SEAL TAPE

- Tape Thickness 0.1mm.
- Tape Width 13mm.
- Tape Length 10 Mtrs.
- Made of PTFE.



PR36
SINK TAP SPANNER





**V24JP
PV24JP**
SHOWER VALVE




•Spindle kerep type




**V24JC
PV24JC**
SHOWER VALVE

•Spindle kerep type



**V24J
PV24J**
SHOWER VALVE

•Spindle kerep type



**V24JMR
PV24JMR**
SHOWER VALVE




•Ceramic cartridge type



**V24JPR
PV24JPR**
SHOWER VALVE




•Ceramic cartridge type



**V24JX
PV24JX**
SHOWER VALVE

•Spindle kerep type






VN220
PVN220
STOP VALVE




• Ceramic cartridge type.





VN230
PVN230
TWO-WAY STOP VALVE

• Spindle kerep type.



VN240
PVN240
TWO-WAY STOP VALVE

• Spindle kerep type.



VN220A-2
VN22A-2




VN220A-2
VN22A-2

VN220A-2
PVN220A-2
STOP VALVE with
FLEXIBLE PIPE




• Ceramic cartridge type.



VN22A-2
PVN22A-2
STOP VALVE with
FLEXIBLE PIPE


• Spindle Kerep type.







V10JC-B
PV10JC-B
SHOWER VALVE With BLUE CAP

- Spindle kerep type.
- Concealed installation.
- Color cap : BLUE.




V10JC-R
SHOWER VALVE With RED CAP

- Spindle kerep type.
- Concealed installation.
- Color cap : RED.




V10JX
PV10JX
SHOWER VALVE

- Spindle kerep type.
- Concealed installation.




V10JP
PV10JP
SHOWER VALVE

- Spindle kerep type.
- Concealed installation.




V20JP
STOP VALVE

- Spindle kerep type




V26JP
STOP VALVE

- Spindle kerep type




V23JP
STOP VALVE

- Spindle kerep type




V23
PV23
STOP VALVE

- Spindle kerep type.





V950
FLUSH VALVE for W.C.




How it works

Flushing time can be controlled by the screw here.




Push Down the lever (for V950) or Push the button (for V92 & V93), water flush the toilet, then STOP AUTOMATICALLY after some certain seconds.

Water volume can be controlled by screw here. Also full shut of by turning screw to depth can make easy maintenance of a piston valve.




V93
URINAL FLUSH VALVE




V92
URINAL FLUSH VALVE



G41
PG41
SINGLE GAS COOK




G51
PG51
DOUBLE GAS COOK






S1045F1
WALL SHOWER HEAD

S1045F1-MDP
WALL SHOWER HEAD




S1045F2
WALL SHOWER HEAD

S1045F2-MDP
WALL SHOWER HEAD



air 




Aliran gelembung udara yang masuk ke rain shower, Membuat kenyamanan dan efek hemat air



S104-63X2
PIPE WALL SHOWER


S104-63X2-MDP
PIPE WALL SHOWER






PS14-L
RELAXATION WALL SHOWER

- Adjustable shower head.




PS25-L
RAIN SHOWER

- Adjustable shower head.




S17S-L
RAIN SHOWER

- Adjustable shower head.




PS20-L
RELAXATION WALL SHOWER

- Adjustable shower head.
- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.




S17C-L
RAIN SHOWER

- Adjustable shower head.




S23
CEILING SHOWER

- Adjustable shower head.




PS21-L
RELAXATION WALL SHOWER

- Adjustable shower head.
- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.




S170-L
RAIN SHOWER


- Adjustable shower head.



S24
CEILING SHOWER



- Adjustable shower head.






**S12
PS12**
RELAXATION WALL SHOWER

- Adjustable shower head.




**S13
PS13**
RELAXATION WALL SHOWER

- Adjustable shower head.
- Adjustable shower patterns.
- 4 (four) patterns by rotating rotating faceplate.




**S10
PS10**
WALL SHOWER

- Adjustable shower head.




**S11
PS11**
WALL SHOWER

- Adjustable shower head.




**S19
PS19**
WALL SHOWER

- Adjustable shower head.




Wall Shower Installation







V102
CONCEALED BATH MIXER




V103
CONCEALED BATH MIXER
With DIVERTER VALVE
• With Diverter Valve to Wall Shower
& to Bath Spout.




V104
CONCEALED BATH MIXER




V105
CONCEALED BATH MIXER
With DIVERTER VALVE
• With Diverter Valve to Wall Shower
& to Bath Spout.




V102N-Black
CONCEALED BATH MIXER




V103N-Black
CONCEALED BATH MIXER
With DIVERTER VALVE
• With Diverter Valve to Wall Shower
& to Bath Spout.




V104-Black
CONCEALED BATH MIXER




V105-Black
CONCEALED BATH MIXER
With DIVERTER VALVE
• With Diverter Valve to Wall Shower
& to Bath Spout.



V100
CONCEALED BATH MIXER




V101
CONCEALED BATH MIXER
With DIVERTER VALVE
• With Diverter Valve to Wall Shower
& to Bath Spout.






KN9100
BATH SPOUT



KN9200
BATH SPOUT




PT205
SHOWER ELBOW

• Useable to attach shower hose.



PT205-Black
SHOWER ELBOW

• Useable to attach shower hose.



Black Series for Bathroom



V102N-Black



V103N-Black




V104-Black



V105-Black



PT205-Black




Bath Mixer & Column Set




SK18CS5-13
THERMOSTATIC BATH MIXER
with HAND SHOWER

- Hose Length 1.6 m.
- Shower Bracket Included.




SK18520S9-13
THERMOSTATIC BATH MIXER
with HAND SHOWER

- Hose Length 1.6 m.
- Shower Bracket Included.



SK18C-S9
THERMOSTATIC BATH MIXER
with HAND SHOWER


- Hose Length 1.6 m.
- Shower Bracket Included.






SK27351-X
SINGLE LEVER BATH MIXER

- Useable for shower bath mixer.




SK27351-CH
SINGLE LEVER BATH MIXER
With SHOWER SET

- Metal hose length 1.5m.
- Shower bracket included.




SK27351
SINGLE LEVER BATH MIXER
With SHOWER SET

- Hose length 1.3m.
- Shower bracket included.




SK28351-X
SINGLE LEVER BATH MIXER

- Useable for shower bath mixer.




SK28351-CH
SINGLE LEVER BATH MIXER
With SHOWER SET

- Metal hose length 1.5m.
- Shower bracket included.




SK28351
SINGLE LEVER BATH MIXER
With SHOWER SET

- Hose length 1.3m.
- Shower bracket included.



SK19310-X
SINGLE LEVER BATH MIXER






SK31P-CH
BATH MIXER with SHOWER SET




- Hose length 1.5m.
- Shower head with On/Off button.
- Shower bracket included.
- Spindle kerep type.



SK31P-W
BATH MIXER with SHOWER SET



- Hose length 1.3m.
- Shower head with On/Off button.
- Shower bracket included.
- Spindle kerep type.



SK38P
BATH MIXER
with RELAXATION SHOWER SET




- Metal hose length 1.5m.
- Adjustable shower patterns.
- 6 (six) patterns by rotating the faceplate.
- Shower bracket included.
- Spindle kerep type.




SK31C-CH
BATH MIXER with SHOWER SET

- Metal hose length 1.5m.
- Shower head with On/Off button.
- Shower bracket included.
- Spindle kerep type.




SK31C-W
BATH MIXER with SHOWER SET

- Hose length 1.3m.
- Shower head with On/Off button.
- Shower bracket included.
- Spindle kerep type.



SK38C
BATH MIXER
with RELAXATION SHOWER SET


- Metal hose length 1.5m.
- Adjustable shower patterns.
- 6 (six) patterns by rotating the faceplate.
- Shower bracket included.
- Spindle kerep type.



SK31P-X
BATH MIXER




- Useable for shower bath mixer.
- Spindle kerep type.



SK31C-X
BATH MIXER


- Useable for shower bath mixer.
- Spindle kerep type.






SK183100-X SINGLE LEVER BATH MIXER

- Useable for shower bath mixer.




SK183100-CH SINGLE LEVER BATH MIXER With SHOWER SET

- Metal hose length 1.5m.
- Shower head with On/Off button.
- Shower bracket included.




SK183100-W SINGLE LEVER BATH MIXER With SHOWER SET

- Metal hose length 1.3m.
- Shower head with On/Off button.
- Shower bracket included.




K35P-X BATH MIXER

- Useable for shower bath mixer.
- Spindle kerep type.




SK36P-CH BATH MIXER with SHOWER SET

- Hose length 1.5m.
- Shower head with On/Off button.
- Shower bracket included.
- Spindle kerep type.




K35C-X BATH MIXER

- Useable for shower bath mixer.
- Spindle kerep type.



SK36C-W BATH MIXER with SHOWER SET

- Hose length 1.3m.
- Shower head with On/Off button.
- Shower bracket included.
- Spindle kerep type.





W7700-S
SINGLE LEVER BATH MIXER
with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable rain shower pattern.
- Changeable hand shower pattern.
- Single lever bath mixer.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.



W7750-S
SINGLE LEVER BATH MIXER
with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable rain shower pattern.
- Changeable hand shower pattern.
- Single lever bath mixer.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.





W7700-X
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable rain shower pattern.
- Changeable hand shower pattern.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.



W7750-X
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable rain shower pattern.
- Changeable hand shower pattern.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.





Rain



Rain



Massage




Rain & Massage

W8000-S

THERMOSTATIC
BATH MIXER with
COLUMN SHOWER SET



- With change button to rain shower, hand shower or bath spout.
- Changeable rain shower pattern.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height. Max. height: 530mm.



W8200-S

SINGLE LEVER BATH MIXER
with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable rain shower pattern.
- Changeable hand shower pattern.
- Single lever bath mixer.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.




Rain

Massage



Rain & Massage

Rain



Massage

Rain & Massage

Change shower patterns by pushing the button.



Adjustable column height: 95mm~275mm with stopper.

W7900-S

SINGLE LEVER BATH MIXER
with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable hand shower pattern.
- Single lever bath mixer with change lever to column set or to bath spout.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.



Rain



Rain



Air Jet & Rain



Air Jet



Rain & Massage



Massage



Stop & Drop



Adjustable column height: 95mm~275mm with stopper.



Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop

Stop & Drop





W7500-S

BATH MIXER
with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Changeable hand shower pattern.
- Bath mixer with change lever to column set or to bath spout.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.





Adjustable column height: 95mm~275mm with stopper.



W7800-S

SINGLE LEVER BATH MIXER
with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower.
- Single lever bath mixer with change lever to column set or to bath spout.
- Adjustable hand shower bracket height.
- Adjustable rain shower column height: 95mm~275mm.



Adjustable column height: 95mm~275mm with stopper.



Rain



Massage




Rain & Massage



PW500-S

SLIDE BAR With SHOWER SET


- Adjustable shower bracket.
- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.
- Metal hose length 1.5 m.



PW501-S

SLIDE BAR With SHOWER SET


- Adjustable shower bracket.
- Metal hose length 1.5 m.



PW500-X

SLIDE BAR


- Adjustable shower bracket.



PW501-X


SLIDE BAR

- Adjustable shower bracket.



A modern kitchen interior featuring a large olive tree in a dark planter, open wooden shelves with various kitchen items, a dark countertop island, and a large window on the left. The floor is made of light-colored wood planks. A white pendant light hangs from the ceiling.


Shower & Accessories



Mode : "Stop & Drop"
to prevent damage
due to high water pressure

PS3970C RELAXATION SHOWER SET


- Adjustable shower patterns.
- Metal hose length 1.5 m.
- Shower bracket included.



Mode : "Stop & Drop"
to prevent damage
due to high water pressure

PS3980C RELAXATION SHOWER SET

- Adjustable shower patterns.
- Hose length 1.3 m.
- Shower bracket included.



PS3951C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 3 (three) patterns by rotating face plate.
Plus "Straight Shower" pattern by
pushing the button on the back of shower head.
- Metal hose length 1.5 m.
- Shower bracket included.



Rain & Massage

PS3750C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.
- Metal hose length 1.5 m.
- Shower bracket included.



Mode : "Stop & Drop"
to prevent damage
due to high water pressure

PS3857C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 6 (six) patterns by rotating the faceplate.
- Metal hose length 1.5 m.
- Shower bracket included.



Mode : "Stop & Drop"
to prevent damage
due to high water pressure

PS3853C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 4 (four) patterns by rotating the faceplate.
- Metal hose length 1.5 m.
- Shower bracket included.



Rain

PS385C RELAXATION SHOWER SET

- Metal hose length 1.5 m.
- Shower bracket included.



Mist

PS3953C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 3 (three) patterns by rotating the faceplate.
- Metal hose length 1.5 m.
- Shower bracket included.



Rain


PS3960C RELAXATION SHOWER SET

- Metal hose length 1.5 m.
- Shower bracket included.




PS320C SHOWER SET

- Metal hose length 1.5 m.
- Shower bracket included.




PS330C SHOWER SET

- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.
- Metal hose length 1.5 m.
- Shower bracket included.





S310C PS310C SHOWER SET

- Metal hose length 1.5m.
- Shower bracket included.



PS3610C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.
- Metal hose length 1.5 m.
- Shower bracket included.



PS3620C RELAXATION SHOWER SET

- Adjustable shower patterns.
- 3 (three) patterns by pushing the button.
- Metal hose length 1.5 m.
- Shower bracket included.



PM7163-1 WATER-PURIFIER CARTRIDGE

- Calcium Sulfite.

Water Purifier Cartridge:

- Removes Chlorine.
- Removes Synthetic Chemicals.
- Enhanced pH Balance.
- Eliminates Absorption of Harsh Chemicals.

Water-Purifier Cartridge's Use Periods:

In the case of using 8 minutes per day, the effect of the cartridge about 2 months. It varies according to your water conditions, please replace water-purifier cartridge (code type: PM7163-1).

Free residual chlorine capacity about: 4,000 L (Flow Rate: 8 L/min)



PS7963C - MW2 WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included.
- Hose length 1.3 m.
- Shower bracket included.



PS7963C - CP6 WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included.
- Metal hose length 1.5 m.
- Shower bracket included.

How to Replace the Cartridge





• Chrome (CH) • White (W)

SN3100C
PSN3100C
SHOWER SET

- Metal hose length 1.5 m. for PSN3100C-CH / SN3100C-CH.
- Hose length 1.3 m. for PSN3100C-W / SN3100C-W.
- Shower bracket included.
- Shower head with On/Off button.
- Shower bracket included.

PSN3100-80X
SHOWER HEAD

- Shower head with On/Off button.



• White (W) • Pastel Ivory (PI) • Magenta (MG)

SN353C
PSN353C
SHOWER SET

- Hose length 1.3 m. .
- ECO-Shower head with On/Off button.
- Shower bracket included.

PSN353-80X
SHOWER HEAD

- ECO-Shower head with On/Off button.



• White (W) • Magenta (MG)

SN355C
PSN355C
SHOWER SET

- Hose length 1.3 m.
- ECO-Shower head with On/Off button.
- Shower bracket included.

PSN355-80X
SHOWER HEAD

- ECO-Shower head with On/Off button.



• Chrome (CH) • White (W) • Pastel Ivory (PI)


SN357C
PSN357C
SAKURA-Series SHOWER SET

- Metal hose length 1.5 m. for PSN357C-CH / SN357C-CH.
- Hose length 1.3 m. for PSN357C-W / SN357C-W, for PSN357C-PI / SN357C-PI.
- ECO-Shower head with On/Off button.
- Very light shower head, only 105gr.
- Shower bracket included.

PSN357-80X
SAKURA-Series SHOWER HEAD

- ECO-Shower head with On/Off button.

Pattern:



WIDE
Shower
Spray



PSN351C-Triangle
SHOWER SET

- Metal Hose length 1.5m.
- Shower bracket included.



PSN351C-Zebra
SHOWER SET

- Metal Hose length 1.5m.
- Shower bracket included.



PSN351C-Silver Line
SHOWER SET

- Metal Hose length 1.5m.
- Shower bracket included.



- Chrome (CH)
- White (W)
- Pastel Ivory (PI)

SN350C
PSN350C
SHOWER SET

- Metal hose length 1.5 m. for PSN350C-CH / SN350C-CH.
- Hose length 1.3 m. for PSN350C-W / SN350C-W, PSN350C-PI / SN350C-PI.
- Shower bracket included.

PSN350-80X
SHOWER HEAD



- Chrome (CH)
- White (W)

WIDE
Shower
Spray

SN351C
PSN351C
SHOWER SET

- Metal hose length 1.5 m. for PSN351C-CH / SN351C-CH.
- Hose length 1.3 m. for PSN351C-W / SN351C-W.
- Shower bracket included.

PSN351-80X
SHOWER HEAD



SN75C
PSN75C
TOILET
SHOWER SET

- Hose length 1.2m.
- Shower bracket included.

PSN75-80X
TOILET
SHOWER HEAD



SN77C
PSN77C
TOILET
SHOWER SET

- Hose length 1.2m.
- Shower bracket included.


PSN77-80X
TOILET
SHOWER HEAD



S75C
PS75C
TOILET
SHOWER SET

- Hose length 1.3m.
- Shower bracket included.

PS75-80X
TOILET
SHOWER HEAD



PSN75C-Triangle
TOILET
SHOWER SET

- Metal Hose length 1.2m.
- Shower bracket included.



PSN77C-Zebra
TOILET
SHOWER SET


- Metal Hose length 1.2m.
- Shower bracket included.



PSN77C-Silver Line
TOILET
SHOWER SET

- Metal Hose length 1.2m.
- Shower bracket included.

Pattern:





PS30-56X
METAL SHOWER HOSE

• Hose length: 1.5m, 2.0m



PS30-76X
METAL SHOWER HOSE

• Hose length: 1.2m, 1.5m




PSN30-86X
SHOWER HOSE

• Hose length: 1.3m, 1.6m
• Color : White.


Shower Bracket



PSN34-85
SHOWER BRACKET




PS30-35
SHOWER BRACKET




PS30-45
SHOWER BRACKET

• Adjustable shower position.






PWN532
DOUBLE TOWEL HOLDER




PWN531
TOWEL HOLDER




PWN5320
DOUBLE TOWEL HOLDER




PWN5310
TOWEL HOLDER




PWN5320-BLACK
DOUBLE TOWEL HOLDER



PWN5310-BLACK
TOWEL HOLDER




WN21
TOWEL SHELF







PWN530
TOWEL RING




PWN533
TOWEL RING




WN882
PWN882
DOUBLE HOOK




WN883
PWN883
DOUBLE HOOK




PWN180
SOAP DISH




W731
PW731
ASHTRAY / SOAP DISH



WN59-2
GRIP BAR




WN59
GRIP BAR







WN3700
PWN3700
PAPER HOLDER

WN3700-BLACK
PAPER HOLDER




PW372
ONE TOUCH
PAPER HOLDER




One Touch to replacing disposable toilet paper rolls.



WN30
PWN30
PAPER HOLDER




W33
PW33
PAPER HOLDER




W39
PW39
PAPER HOLDER
POLY STICK

- Useable for WN30/PWN30 & W33/PW33




Squeeze poly stick to put on (off) toilet paper rolls.



EW502
AUTOMATIC SOAP DISPENSER

- Foaming soap system.
- Power supply: AC100V-240V 50/60Hz, or DC 6V (Battery Size D 1.5V X 4 pcs).
- Adjustable Sensing distance: 10 ~ 20 cm.
- Adjustable volume dispensed: Each time 1.0 - 2.0 ml.
- Bottle Capacity: 1.000 ml



Soap Dispenser



W101
PW101
SOAP DISPENSER

- Tube capacity 350ml.



W111
PW111
SOAP DISPENSER

- Tube capacity 350ml.



W161
PW161
SOAP DISPENSER

- Tube capacity 350ml.




A woman in a dark dress is walking away from the viewer on a path of stepping stones that leads into the ocean. The sky is filled with dramatic, colorful clouds in shades of orange, yellow, and purple, suggesting a sunset or sunrise. The water is calm, reflecting the colors of the sky. A large, smooth, light-colored stone is positioned in the upper left quadrant of the image.

Ulitlity Items





HN508-S
PHN508-S
SQUARE
FLOOR STRAINER
4 X 3" / 4 X 2"

- With locking plate.



HN51-S
PHN51-S
FLOOR STRAINER
4 X 3" / 4 X 2"

- With locking plate.



PHN51F-S
STAINLESS STEEL
STRAINER PLATE

- Useable for strainer type:
PHN51-S / PHN508-S



HN508
PHN508
SQUARE
FLOOR STRAINER 4 X 2"

- With locking plate.




HN51
PHN51
FLOOR STRAINER 4 X 2"

- With locking plate.



HN508-L
SQUARE FLOOR STRAINER 4 X 2"

- With locking plate.



HN508P
PHN508P
SQUARE
FLOOR STRAINER 4 X 2"

- With locking plate.
- Body strainer made of ABS.



HN51P
PHN51P
FLOOR STRAINER 4 X 2"

- With locking plate.
- Body strainer made of ABS.




PHN51F
STRAINER PLATE

- Useable for body strainer type:
HN51 / HN508 / HN51P /
HN508P / HN508-L.







HN901
FLOOR STRAINER




HN906
FLOOR STRAINER for
WASHING MACHINE




HN480
FLOOR STRAINER
4 X 2"




HN908
SQUARE
FLOOR STRAINER



HN941-100
PHN941-100
S/S FLOOR STRAINER 4"





HN43
FLOOR STRAINER
4"




Size	D	H
4	117	19




HN905
POP-UP
FLOOR STRAINER



HN941-150
S/S FLOOR STRAINER 6"



H01
ROOF DRAIN
2, 3, 4"




Size	D	H1	H2
2	70	17	34
3	100	20	44
4	124	30	58



HN58
FLOOR CLEAN-OUT
2, 3, 4, 6"


PHN58
FLOOR CLEAN-OUT 4"



Size	D	H
2	65	18
3	92	18
4	117	19
6	170	24



HN59
SQUARE FLOOR CLEAN-OUT
2, 3, 4"



Size	D	H
2	75	19
3	105	19
4	130	20




PR370
CLEAN-OUT WRENCH



P-Trap





HN71
PHN71
P-TRAP



HN77
PHN77
P-TRAP


- Pull-up type.
- Easy to clean.




Un-Plug
to clean up.



H71
P-TRAP




H70
S-TRAP






PH62-860
DRAIN HOSE
1.0, 1.5, 2.0, 3.0m

• Max. temp. 60°C.




PH62-861
DRAIN HOSE
1.0, 1.5m

• Max. temp. 60°C.




PH62-862
Y-TYPE DRAIN HOSE

• Max. temp. 60°C.




PH62-863
Y-TYPE DRAIN HOSE

• Max. temp. 60°C.




PH64-861T
DRAIN HOSE
(for Washing Machine)
1.0, 1.5, 2.0, 3.0m



Sink Strainer


H650
SINK STRAINER

• With basket strainer inside.
• Max. temp. 60°C.




H650A
SINK STRAINER

• With basket strainer inside.
• Max. temp. 60°C.




H651A
SINK STRAINER

• With basket strainer inside.
• Max. temp. 60°C.




VN41
PVN41
FLOATING BALL TAP
1/2, 3/4, 1"

- Max. water pressure 0.5MPa.
- Tap & Stick made of Brass.
- Floating Ball made of HDPE (High-Density PolyEthylene).




	L	L1	H	Z	R.Ball	Stick
13 (1/2")	305	34	100	G1/2	105	160
20 (3/4")	380	36	100	G3/4	115	220
25 (1")	500	38	60	G1	115	330




VN44J
PVN44J
FLOATING BALL TAP
1/2, 3/4, 1"


- Max. water pressure 0.75MPa.
- Tap & Stick made of Brass.
- Floating Ball made of HDPE (High-Density PolyEthylene).
- Valve Body: JIS Design (Japan Industrial Standar Design).
- Heavy duty tap with Vertical Leverage system.




	L	L1	L2	H	Z	R.Ball	Stick
13 (1/2")	305	35	25	130	G1/2	105	160
20 (3/4")	380	35	40	160	G3/4	115	220
25 (1")	520	38	49	240	G1	115	330



PH84-38
LOW-TANK SIPHON





PH841-92X
LOW-TANK
RUBBER FLOAT



V48
VERTICAL FLOATING
BALL TAP


- Workable on water pressure 0.098 ~ 0.74MPa.



V57

FLOATING BALL TAP 1, 1¼, 1½, 2"


- Floating ball : Stainless Steel (SUS316).
- Maximum water temperature 120° C.
- Workable on water pressure 0.098 ~ 0.74MPa (1 ~ 7.5Kgf/cm²).
- For V57 size 2", use spherical floating ball.
- Size 1¼, 1½, 2" : does not have a mounting nut.



V52

FLOATING BALL TAP ½, ¾, 1, 1¼, 1½, 2"


- Floating ball : HDPE.
(High-Density PolyEthylene)
- Maximum water temperature 60° C.
- Workable on water pressure 0.098 ~ 0.74MPa (1 ~ 7.5Kgf/cm²).
- Size 1¼, 1½, 2" : does not have a mounting nut.



V420

FLOATING BALL TAP 1¼"


- Maximum water temperature 60° C.
- Workable on water pressure 0.098 ~ 0.74MPa (1 ~ 7.5Kgf/cm²).



PT726

LOCK NUT SIZE : ½, ¾, 1"

SIZE	L
½	35
¾	40
1	49




VN41-84-105

VN41-84-115

FLOATING BALL (Ball Tap Sparepart)


- Made of HDPE (High-Density PolyEthylene).
- Dia. 105mm : useable for ball tap size : ½ & ¾".
- Dia. 115mm : useable for ball tap size : 1".



Product Measure V57, V52

	L		L	H	H1		H2		Z	R.Ball	Pole Length X Dia
	When the water discharge	When sealing			When sealing	When the water discharge					
13 (½")	205 ~ 251	307 ~ 337	30	48	52 ~ 116	230 ~ 260	PJ1/2	95	160X6		
20 (¾")	153 ~ 220	332 ~ 374	35	72	140 ~ 185	330 ~ 335	PJ3/4	115	200X6		
25 (1")	172 ~ 240	345 ~ 395	35	78	150 ~ 210	330 ~ 335	PJ1	115	200X6		
30 (1¼")	170 ~ 250	359 ~ 413	22	84	110 ~ 190	340 ~ 355	R11/4	115	220X6		
40 (1½")	310 ~ 458	460 ~ 575	23	85	55 ~ 253	309 ~ 430	R11/2	135	300X8		
50 (2")	305 ~ 454	496 ~ 610	26	98	69 ~ 278	370 ~ 485	R2	150	300X8		

L1, H1 during hydrostatic pressure 0.3MPa



	L	L1	H	H1
1¼	465	47	265	130



T10

S/S FLEXIBLE PIPE 1/2"
150, 200, 250, 300,
350, 400, 500, 600,
800, 1.000 (mm)

T10

S/S FLEXIBLE PIPE 3/4"
200, 300, 400, 500 (mm)

- Maximum pressure 1.72MPa.
- Maximum temperature 90° C.
- Material : stainless steel.



T10


S/S FLEXIBLE PIPE 1/2"
1.500, 2.000, 3.000,
5.000 (mm)

Connector Items




PT20

NIPPLE 1/2"





PT79

TEE 1/2"



PT202

ELBOW 1/2"





T193

S/S FLEXIBLE PIPE 1/2"
200, 250, 300, 350, 400,
500, 600, 1.000 (mm)

- Maximum pressure 0.98MPa.
- Maximum temperature 70° C.
- Material outside : stainless steel.
inside : PVC.


PT193

S/S FLEXIBLE PIPE 1/2"
200, 250, 300, 350, 400,
500, 600, 1000 (mm)






PT253
SOCKET 1/2"
SIZE:
15, 20, 25,
30, 40 (mm)




PT21
SOCKET 1/2"
35





PT24
BUSHING 1/2 X 3/4"




PT241
BUSHING 3/4 X 1/2 "




PT25-51
BUSHING 1/2 X 3/4"




PT25-5
BUSHING 3/4 X 1/2 "




PT201
NIPPLE 3/4 X 1/2"



PT22C
SOCKET 1/2"
SIZE:
15, 20, 25,
30, 40 (mm)



PT726
LOCK NUT
SIZE : 1/2, 3/4, 1"




SIZE	L
1/2	35
3/4	40
1	49





PT760
PLUG 1/2"



PT780
CAP NUT 1/2"
13 24




PT71
PLUG 1/2"







PT73
ELBOW 1/2"





PT72
ELBOW 1/2"





PT204-5
ELBOW with NUT 1/2"





PT6-6X
TEE with NUT 1/2"





PT77
TEE 1/2"




PT62-16
MALE ELBOW
With NUT L16 X 1/2"





PT62-20
MALE ELBOW
With NUT L20 X 1/2"






PT80
T-CALIBRATOR for PEX PIPE



PT63-16
FEMALE ELBOW
With NUT L16 X 1/2"




PT63-20
FEMALE ELBOW
With NUT L20 X 1/2"






VN650F
BALL VALVE
1/2, 3/4"



Size	A	B	Z
1/2	42	44	Rc-1/2
3/4	44	49	Rc-3/4



V650F
PV650F
BALL VALVE
3/4"




Size	A	B	Z
3/4	44	49	Rc-3/4


- Useable for OIL or WATER valve
- Workable max. 2.74MPa (28kgf/cm²)




V61
PV61
BALL VALVE
1/2, 3/4"




V62-X
PV62-X
BALL VALVE






V66
PV66
BALL VALVE



V64
PV64
BALL VALVE



V63
PV63
BALL VALVE





- Pop-up handle as a **Key Tap**
- Maximum water pressure **1 MPa**
- Workable on temp. **-20°C ~ 90°C**




PN550 NOZZLE

- Adjustable shower spray.




PN560 NOZZLE

- Adjustable shower spray.
- Removable spray head.



PN51 NOZZLE

- Adjustable shower spray.




C517F SPRINKLER

- Adjustable water spray type :
Mist water spray & Straight Spray.
- Adjustable water spray radius : 9.0~20 mtrs.
- Adjustable water spray rotation.




Water Pressure	MPa	0.1	0.2	0.3
Water Debit	L/min	9.5	13.5	16.0
Radius	m	9.0	19.0	11.0



C520F SPRINKLER

Water Pressure	MPa	0.1	0.2	0.3
Water Debit	L/min	16.0	22.0	26.0
Radius	m	13.0	22.0	25.0



CN33 SPRINKLER

Water Pressure	MPa	0.1	0.2
Water Debit	L/min	11.5	15.5
Height	m	2.0	2.3
Radius	m	10.0	12.0




Y70J PY70J SINK TAP with COUPLING

- Spindle kerep type.




Y30J PY30J SINK TAP with COUPLING

- Spindle kerep type.



Y80J-13 SILL COCK with HOSE COUPLING

- Spindle kerep type.





P75-1S-10
SEAL TAPE

- 10 pcs per-box.
- Tape Thickness 0.1mm.
- Tape Width 13mm.
- Tape Length 10 Mtrs.
- Made of PTFE.




PP75-1S-10
SEAL TAPE

- Tape Thickness 0.1mm.
- Tape Width 13mm.
- Tape Length 10 Mtrs.
- Made of PTFE.




PP79-1S
TAPE

- Usable for washbowl/washbasin to prevent leaks.




PR351
TAP SPANNER

- Locknut Size 24mm




R3550
TAP SPANNER

- Locknut Size 38mm & 46mm




PR36
SINK TAP SPANNER




PR370
CLEAN-OUT WRENCH



PT30A
HOSE NIPPLE




PR32
KEY TAP





VN41-84-105
VN41-84-115
FLOATING BALL (Ball Tap Sparepart)

- Made of HDPE.
- Dia. 105mm : useable for ball tap size : 1/2 & 3/4".
- Dia. 115mm : useable for ball tap size : 1".








PH621-M
MESH STRAINER



PH625-L
BASKET STRAINER





PH6210F-L
BASKET STRAINER



PH3921
BASIN STRAINER



PH65-9
SINK DRAIN STRAINER





PH395-M (100)
HAIR CATCHER



PR803-1
S-TRAP CLEANER


•Usable for washbowl/washbasin.






PM7240
WATER FILTER

- Water Filter with 5 layers filter.
- Non-woven fabric filter.
- Coconut shell activated carbon.
- Zeolite.
- Calcium Sulfite.
- Non-woven fabric filter.
- Water temperature max. 50° C.
- Changeable shower patterns.



PM7251
WATER FILTER

- Three layers water filter with Carbon, Charcoal & Calcium.
- Water temperature max. 45° C.
- Changeable shower patterns.



PM7230-B
CLEAN WATER



• White



• Blue

PM202A
TOP FILTER



PS7963C - MW2
WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included.
- Hose length 1.3 m.
- Shower bracket included.



PS7963C - CP6
WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included.
- Metal hose length 1.5 m.
- Shower bracket included.



Water Purifier Cartridge:

- Removes Chlorine.
- Removes Synthetic Chemicals.
- Enhanced pH Balance.
- Eliminates Absorption of Harsh Chemicals.

PM7163-1
WATER-PURIFIER CARTRIDGE

- Calcium Sulfite.

Water-Purifier Cartridge's Use Periods:

In the case of using 8 minutes per day, the effect of the cartridge about 2 months. It varies according to your water conditions, please replace water-purifier cartridge (code type: PM7163-1).
Free residual chlorine capacity about: 4,000 L (Flow Rate: 8 L/min)

How to Replace the Cartridge





PR20F
METAL HANDLE

- For faucet with Spindle kerep type.
- Metal Handle Type, Chrome Finished.



PR27F
CRYSTAL HANDLE

- For faucet with Spindle kerep type




PR29F
CRYSTAL HANDLE

- For faucet with Spindle kerep type.



PR23FL
LEVER HANDLE

- For faucet with Double spindle kerep type.
- Metal Handle Type, Chrome Finished.



PR23F
LEVER HANDLE

- For faucet with Double spindle kerep type.
- Metal Handle Type, Chrome Finished.





Faucet's Pipe




PA10J-60X
SPAREPART PIPE

Useable for:




PA27J-60X
SPAREPART PIPE

Useable for:





PA26J-60X
SPAREPART PIPE

Useable for:



PA29J-60X
SPAREPART PIPE


Useable for:



PA18A-76X
SPAREPART PIPE

- Effervescent water flow with aerator.
- Stainless Steel Flexible pipe.
- Water temp. Max. 60° C.


Useable for:





PR250F
CROSS HANDLE

- For faucet with Spindle kerep type.
- Metal Handle Type, Chrome Finished.




PINEAPPLE
Series



PR220F
PINEAPPLE HANDLE

- For faucet with Spindle kerep type.
- Metal Handle Type, Chrome Finished.




PINEAPPLE
Series



PR225F
PINEAPPLE HANDLE

- For faucet with Ceramic cartridge type.
- Metal Handle Type, Chrome Finished.




Samurai
series



PR255F
SAMURAI HANDLE

- For faucet with Ceramic cartridge type or Double spindle kerep type.
- Metal Handle Type, Chrome Finished.



miniCERA
series



PR235F
MINICERA HANDLE

- For faucet with Ceramic cartridge type.
- Metal Handle Type, Chrome Finished.



Maintenance Parts




Ceramic
SPINDLE TYPE



PR501
CERAMIC CARTRIDGE

- Cartridge Head-Part "One-Touch Spin Handle" (90 Degrees).



PU-36-1
SPINDLE 45mm

- Useable for Faucets with "Spindle Kerep Type".




PU-38-1
DOUBLE SPINDLE 45mm

- Useable for Faucets with "Double Spindle kerep type".




PP-12A-2S
RUBBER PACKING
for SPINDLE



PU-37-1
SPINDLE 85mm

- Useable for Concealed Valve with "Spindle Kerep Type".



A	Page
A10J	04
A10JC	04
A10JC-HM	04
A10JMR	04
A10JP	04
A10JP-L2	05
A10JP-L3	05
A10JPR	05
A10JRN	04
A10JRN-L	04
A10JSX	04
A10JSX-HM	04
A16JC	05
A16JSX	05
A18JSX	05
A26JC	07
A26JMR	07
A26JP	07
A26JPR	07
A26JRN	07
A26JSX	07
A26JSX-HM	07
A27JC	06
A27JMR	06
A27JP	06
A27JP-HM	06
A27JP-L2	06
A27JP-L3	06
A27JRN	06
A28JC	07
A28JP	07
A28JSX	07
A286JC-L3	08
A286JSX-L3	08
A29JMR	08
A29JP	08
A29JSX	08
A29JSX-HM	08
A500	09
A510	09
A520	09
A530	09
A530-BLACK	09
A56JP	10
A56JRN	10
A56JSX	10
A57JC	10
A57JP	10
A57JRN	10
A58JSX	10
A586JC-L3	10
A586JSX-L3	10
A59JMR	11
A59JP	11
A59JSX	11
A59JSX-HM	11
A600	09
A870	09
C	Page
C517F	62
C520F	62
CN33	62
E	Page
EA15R	23
EY25R	23
EY25R-L	23
EY35R	23
EA100	17
EA100-BLACK	17
EY102DC-13	17
EY500	17
EY501	17
EW502	17,50

F	Page
F10C	22
F10MR	22
F10P	22
F10PR	22
F11MR	22
F11P	22
G	Page
G41	27
G51	27
H	Page
H01 - 2"	53
H01 - 3"	53
H01 - 4"	53
H650	55
H650A	55
H651A	55
H70	54
H71	54
H770-88	02
HN	Page
HN43 - 4"	53
HN480	53
HN508	52
HN508-L	52
HN508-S	52
HN508-P	52
HN51	52
HN51-S	52
HN51P	52
HN58 - 2"	54
HN58 - 3"	54
HN58 - 4"	54
HN58 - 6"	54
HN59 - 2"	54
HN59 - 3"	54
HN59 - 4"	54
HN71	54
HN77	54
HN901	53
HN905	53
HN906	53
HN908	53
HN941-100	53
HN941-150	53
K	Page
K35C	13
K35C-X	13,37
K35P	13
K35P-X	13,37
K37	13
K37610EJV-13	03
K475ENJV-1	02
K4710NJV-13	03
K4740NJV-2T-13	03
K51-W	16
K611-W	12
K71D-W	12
K811 YV-13	12
K8700	12
K875 JDVZ-1-13	02
K8751 JV-13	02
K87580 JV	02
K876 JV-13	03
KN	Page
KN350-S	16
KN350-S-BLACK	16
KN380	16
KN4770	16

KN870	12
KN8700	12
KN8750	12
KN8770 - Black	12
KN8800	12
KN9100	32
KN9200	32
P	Page
P75-1S-10	6,23,63
PA	Page
PA10J	04
PA10J-60X	66
PA10JC	04
PA10JC-HM	04
PA10JMR	04
PA10JP	04
PA10JPR	05
PA10JSX	04
PA10JSX-HM	04
PA18A-76X	66
PA18JSX	05
PA26J-60X	66
PA26JMR	07
PA26JP	07
PA26JPR	07
PA26JSX	07
PA26JSX-HM	07
PA27J-60X	66
PA27JC	06
PA27JP	06
PA27JP-HM	06
PA27JP-L2	06
PA286JC-L3	08
PA286JSX-L3	08
PA28JC	07
PA28JP	07
PA28JSX	07
PA29J-60X	66
PA29JMR	08
PA29JSX	08
PA29JSX-HM	08
PA29JSX-PM	08
PA56JP	10
PA56JSX	10
PA586JC-L3	10
PA586JSX-L3	10
PA58JSX	10
PA59JSX	11
PA59JSX-HM	11
PA59JSX-PM	11
PE	Page
PEA15R	23
PEY25R	23
PEY25R-L	23
PEY35R	23
PF	Page
PF10C	22
PF10MR	22
PF10P	22
PF10PR	22
PF11P	22
PF11MR	22
PG	Page
PG41	27
PG51	27

PH	Page
PH3921	64
PH395-M	64
PH62-860 - 1.0m	55
PH62-860 - 1.5m	55
PH62-860 - 2.0m	55
PH62-860 - 3.0m	55
PH62-861 - 1.0m	55
PH62-861 - 1.5m	55
PH62-862	55
PH62-863	55
PH6210F-L	64
PH621-M	64
PH625-L	64
PH64-861T - 1.0m	55
PH64-861T - 1.5m	55
PH64-861T - 2.0m	55
PH64-861T - 3.0m	55
PH65-9	64
PH84-38	56
PH841-92X	56
PHN508	52
PHN508P	52
PHN508-S	52
PHN51	52
PHN51-S	52
PHN51P	52
PHN51F	52
PHN51F-S	52
PHN58 - 4"	54
PHN71	54
PHN77	54
PHN941-100	53
PM	Page
PM202A - BLUE	65
PM202A - WHITE	65
PM7163-1	43,65
PM71750M-1	02
PM7230 - B	11,65
PM7240	11,65
PM7251	11,65
PN	Page
PN51	62
PN550	62
PN560	62
PP	Page
PP-12A-2S	67
PP75-1S-10	23,63
PP79-1S	63

PR	Page
PR20F	66
PR220F	67
PR225F	67
PR235F	67
PR23F	66
PR23FL	66
PR250F	67
PR255F	67
PR27F	66
PR29F	66
PR32	21,63
PR351	63
PR36	19,23,63
PR370	54,63
PR501	67
PR803-1	64
PS	Page
PS10	30
PS11	30
PS12	30
PS13	30
PS14-L	29
PS19	30
PS20-L	29
PS21-L	29
PS25-L	29
PS30-35	47
PS30-45	47
PS30-56X - 1.5m	47
PS30-56X - 2.0m	47
PS30-76X - 1.2m	47
PS30-76X - 1.5m	47
PS310C	43
PS320C	43
PS330C	43
PS3610C	43
PS3620C	43
PS3750C	42
PS385C	42
PS3853C	42
PS3857C	42
PS3951C	42
PS3953C	42
PS3960C	42
PS3970C	42
PS3980C	42
PS75C - BK	46
PS75C - W	46
PS75-80X - BK	46
PS75-80X - W	46
PS7963C - CP6	43,65
PS7963C - MW2	43,65
PSN30-86X - 1.3m	47
PSN30-86X - 1.6m	47
PSN3100-80X - Chrome	44
PSN3100-80X - White	44
PSN3100C - Chrome	44
PSN3100C - White	44
PSN34-85	47

PSN350-80X - Chrome	45
PSN350-80X - PI,W	45
PSN350C - CH	45
PSN350C - PI	45
PSN350C - W	45
PSN351-80X - CH	45
PSN351-80X - W	45
PSN351C - CH	45
PSN351C - W	45
PSN351C - TRIANGLE	45
PSN351C - ZEBRA	45
PSN351C - SILVER LINE	45
PSN353-80X - MG	44
PSN353-80X - PI	44
PSN353-80X - W	44
PSN353C - PI	44
PSN353C - W	44
PSN355-80X - MG	44
PSN355-80X - W	44
PSN355C - W	44
PSN357-80X - Chrome	44
PSN357-80X - PI,W	44
PSN357C - CH	44
PSN357C - PI	44
PSN357C - W	44
PSN75-80X - BK	46
PSN75-80X - CH	46
PSN75-80X - PI	46
PSN75-80X - W	46
PSN75C - BK	46
PSN75C - CH	46
PSN75C - PI	46
PSN75C - W	46
PSN75C - TRIANGLE	46
PSN77-80X - CH	46
PSN77-80X - W	46
PSN77C - CH	46
PSN77C - W	46
PSN77C - ZEBRA	46
PSN77C - SILVER LINE	46
PT	Page
PT10 - 150	58
PT10 - 200	58
PT10 - 250	58
PT10 - 300	58
PT10 - 350	58
PT10 - 400	58
PT10 - 500	58
PT10 - 600	58
PT10 - 800	58
PT10 - 1.000	58
PT193 - 200	58
PT193 - 250	58
PT193 - 300	58
PT193 - 350	58
PT193 - 400	58
PT193 - 500	58
PT193 - 600	58
PT193 - 1.000	58
PT20-1/2	58
PT21	59
PT22C - 15	59
PT22C - 20	59
PT22C - 25	59
PT22C - 30	59
PT22C - 40	59

PT24	59
PT25-5	59
PT25-51	59
PT201	59
PT202	58
PT204-5	60
PT205	32
PT205-BLACK	32
PT241	59
PT253 - 15	59
PT253 - 20	59
PT253 - 25	59
PT253 - 30	59
PT253 - 40	59
PT30A	21,63
PT6-6X	60
PT62-16	60
PT62-20	60
PT63-16	60
PT63-20	60
PT71	59
PT72	60
PT726 - ½"	57,59
PT726 - ¾"	57,59
PT726 - 1"	57,59
PT73	60
PT760	59
PT77	60
PT780	59
PT79	58
PT80	60
PU	Page
PU-36-1	67
PU-37-1	67
PU-38-1	67
PV	Page
PV10JC-B	26
PV10JP	26
PV10JX	26
PV23	26
PV24J	24
PV24JC	24
PV24JMR	24
PV24JP	24
PV24JPR	24
PV24JX	24
PV61 - ½"	61
PV61 - ¾"	61
PV62-X	61
PV63	61
PV64	61
PV66	61
PV650F - ¾"	61
PVN220	25
PVN220A-2	25
PVN22A-2	25
PVN230	25
PVN240	25
PVN41 - ½"	56
PVN41 - ¾"	56
PVN41 - 1"	56
PVN44J - ½"	56
PVN44J - ¾"	56
PVN44J - 1"	56

PW	Page
PW101	50
PW111	50
PW161	50
PW33	50
PW372	50
PW39	50
PW500-S	40
PW500-X	40
PW501-S	40
PW501-X	40
PW731	49
PWN180	49
PWN30	50
PWN3700	50
PWN530	49
PWN531	48
PWN5310	48
PWN532	48
PWN5320	48
PWN533	49
PWN882	49
PWN883	49
PY	Page
PY20	18
PY20C	18
PY20MR	18
PY20PR	18
PY20SX	18
PY20SX-HM	18
PY20J	19
PY20JC	19
PY20JP	19
PY20JRN	19
PY20JX	19
PY30J	20,62
PY30JMR	20
PY30JP	20
PY30JPR	20
PY30JSX	20
PY50JC	14
PY50JMR	14
PY50JPR	14
PY50JSX	14
PY51P	14
PY501R	15
PY503R	15
PY510R	15
PY70J	21,62
R	Page
R3550	63

S Page

S1045FI	28
S1045FI-MDP	28
S1045F2	28
S1045F2-MDP	28
S104-63-X2	28
S104-63-X2-MDP	28
S10	30
S11	30
S12	30
S13	30
S170-L	29
S17C-L	29
S17S-L	29
S19	30
S23	29
S24	29
S310C	43
S75C - BK	46
S75C - W	46

SK Page

SK170 S9	3
SK18C-S9	34
SK18CS5-13	34
SK18520-S9-13	34
SK183100	37
SK183100-CH	37
SK183100-X	37
SK19310-X	35
SK27351	35
SK27351-CH	35
SK27351-X	35
SK28351	35
SK28351-CH	35
SK28351-X	35
SK31C-CH	36
SK31C-W	36
SK31C-X	36
SK31P-CH	36
SK31P-W	36
SK31P-X	36
SK36C-W	37
SK36P-CH	37

SN Page

SN3100C - Chrome	44
SN3100C - White	44
SN350C - CH	45
SN350C - PI	45
SN350C - W	45
SN351C - CH	45
SN351C - W	45
SN353C - PI	44
SN353C - W	44
SN355C - W	44
SN357C - CH	44
SN357C - PI	44
SN357C - W	44

SN75C - BK	46
SN75C - CH	46
SN75C - PI	46
SN75C - W	46

SN77C - CH	46
SN77C - W	46

T Page

T10 - 150	58
T10 - 200	58
T10 - 250	58
T10 - 300	58
T10 - 350	58
T10 - 400	58
T10 - 500	58
T10 - 600	58
T10 - 800	58
T10 - 1.000	58
T10 - 1.500	58
T10 - 2.000	58
T10 - 3.000	58
T10 - 5.000	58
T10 - ¾" - 200	58
T10 - ¾" - 300	58
T10 - ¾" - 400	58
T10 - ¾" - 500	58

T193 - 200	58
T193 - 250	58
T193 - 300	58
T193 - 350	58
T193 - 400	58
T193 - 500	58
T193 - 600	58
T193 - 1.000	58

V Page

V10JC	26
V10JP	26
V10JX	26
V100	31
V101	31
V102	31
V102N-BLACK	31
V103	31
V103N-BLACK	31
V104	31
V104-BLACK	31
V105	31
V105-BLACK	31
V20JP	26
V23JP	26
V23	26
V24J	24
V24JC	24
V24JMR	24
V24JP	24
V24JPR	24
V24JX	24
V26JP	26

V420 - 1 ¼"	57
V48	56
V52 - ½"	57
V52 - ¾"	57
V52 - 1"	57
V52 - 1 ¼"	57
V52 - 1 ½"	57
V52 - 2"	57

V57 - 1"	57
V57 - 1 ¼"	57
V57 - 1 ½"	57
V57 - 2"	57

V61 - ½"	61
V61 - ¾"	61

V62-X	61
V63	61
V64	61
V66	61

V650F - ¾"	61
------------	----

V92	27
V93	27
V950	27

VN Page

VN220	25
VN220A-2	25
VN22A-2	25
VN230	25
VN240	25

VN41 - ½"	56
VN41 - ¾"	56
VN41 - 1"	56

VN41-84 - 105	57,63
VN41-84 - 115	57,63

VN44J - ½"	56
VN44J - ¾"	56
VN44J - 1"	56

VN650F - ½"	61
VN650F - ¾"	61

W Page

W101	50
W111	50
W161	50

W33	50
W39	50

W731	49
------	----

W7500-S	39
---------	----

W7700-S	38
W7700-X	38

W7750-S	38
W7750-X	38

W7800-S	39
---------	----

W7900-S	39
---------	----

W8000-S	39
W8200-S	39

WN Page

WN21	48
WN30	50
WN3700	50
WN59	49
WN59-2	49
WN882	49
WN883	49

Y Page

Y123-TV-13	21
Y20	18
Y20C	18
Y20C - ¾"	19
Y20MR	18
Y20P	18
Y20PR	18
Y20RN	18
Y20SX	18
Y20SX-HM	18
Y20X	18
Y20J	19
Y20JC	19
Y20JP	19
Y20JRN	19
Y20JRN-L	19
Y20JX	19

Y30J	20,62
Y30JC	20
Y30JMR	20
Y30JP	20
Y30JPR	20
Y30JRN	21
Y30JSX	20

Y4700-L	15
Y4700-S	15

Y50JC	14
Y50JMR	14
Y50JP	14
Y50JPR	14
Y50JRN	14
Y50JRN-L	14
Y50JSX	14

Y51C	14
Y51P	14

Y501R	15
Y503R	15
Y510R	15

Y5475H-13	2
Y5475H-MDP-13	2
Y5475-SJP-13	2

Y70J	21,62
------	-------

Y80J-13	21,62
---------	-------



Faucets Mechanism

Kerep Type


Spindle Kerep Type



Double Spindle Kerep Type




open




close


Ceramic Cartridge Type




Ceramic
SPINDLE TYPE



open



close



Type Information



Samurai
series

Metal Handle Type | Chrome Finished



mini**CERA**
SERIES

Metal Handle Type | Chrome Finished



Ceramic
SPINDLE TYPE

Cartridge Head-Part
One-Touch Spin Handle
(90 Degrees)



PINEAPPLE
Series

Metal Handle Type | Chrome Finished



Hōmatsu
泡沫 series

Effervescent water flow | Aerator



Plastic Packaging

Type-Code | 1 set/pack



SAN-EI

Since 1954 in JAPAN

HUBUNGI



QHOMEMART

JL.RAYA JANTI NO.96

YOGYAKARTA

(0274) 493 22 88

08112863773

(CHAT ONLY)

f qhomemart **t qhomemart**

@ qhomemart **y qhomemart**

WWW.QHOMEMART.COM